

- **GP Professional Series**
 - Antennas
 - Audio Accessories
 - Batteries
 - Carry Accessories
 - Chargers
 - Vehicle Accessories

- **GP900/1200 HT & MT range**
 - Antennas
 - Audio Accessories
 - Batteries
 - Carry Accessories
 - Chargers
 - Vehicle Accessories

- **GP300 & P110**
 - Antennas
 - Audio Accessories
 - Batteries
 - Carry Accessories
 - Chargers
 - Vehicle Accessories

- **GM Professional Series**
 - Microphones
 - Mobile Antennas
 - Desktop Solutions
 - In-vehicle Accessory Kits
 - Mounting Solutions

- **Energy Management**
 - Battery Optimising System (BOS)
 - Battery Maintenance System (BMS +)
 - Adapters



MOTOROLA

**Accessory and Aftermarket
Product Catalogue**

**GP Professional
Series**

- **GP Professional Series**
 - Antennas
 - Audio Accessories
 - Batteries
 - Carry Accessories
 - Chargers
 - Vehicle Accessories

**MOTOROLA**

GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1

Antenna

Helical Antenna - VHF 136.0MHz - 155.0MHz - Red

8504762J01

Product Details

This general purpose antenna (approx. 14cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.

Standard/ Approvals

Cenelec : N/A CE : N/A FM : Y

Features and Benefits

136.0MHz - 155.0MHz
Optimum Performance

Suggested Applications

General Use

Associated ItemsRadio Compatibility

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

Helical Antenna - VHF 150.0MHz - 161.0MHz - Brown

PMAD4023A

Product Details

This general purpose antenna (approx. 14cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.

Standard/ Approvals

Cenelec : N/A CE : N/A FM : Y

Features and Benefits

150.0MHz - 161.0MHz
Optimum Performance

Suggested Applications

General Use

Associated ItemsRadio Compatibility

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

Helical Antenna - VHF 155.0MHz - 174.0MHz - Black

8504762J02

Product Details

This general purpose antenna (approx. 14cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.

Standard/ Approvals

Cenelec : N/A CE : N/A FM : Y

Features and Benefits

155.0MHz - 174.0MHz
Optimum Performance

Suggested Applications

General Use

Associated ItemsRadio Compatibility

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

Stubby Antenna - UHF 403.0MHz - 433.0MHz - Green

PMAE4002A

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec : N/A CE : N/A FM : Y

Features and Benefits

403.0MHz - 435.0MHz
Good RF Performance
Small Size

Suggested Applications

Retail
Security
General Use

Associated ItemsRadio Compatibility

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

**MOTOROLA**

GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1

Antenna

Stubby Antenna - UHF 433.0MHz - 470.0MHz - Silver

PMAE4003A

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec : N/A CE : N/A FM : Y

Features and Benefits

433.0MHz - 470.0MHz
Good RF Performance
Small Size

Suggested Applications

Retail
Security
General Use

Associated Items**Radio Compatibility**

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

Stubby Antenna - UHF 465.0MHz - 495.0MHz - Orange

PMAE4006A

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec : N/A CE : N/A FM : N/A

Features and Benefits

465.0MHz - 495.0MHz
Good RF Performance
Small Size

Suggested Applications

Retail
Security
General Use

Associated Items**Radio Compatibility**

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

Stubby Antenna - UHF 490.0MHz - 527.0MHz - Grey

PMAE4007A

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec : N/A CE : N/A FM : N/A

Features and Benefits

490.0MHz - 527.0MHz
Good RF Performance
Small Size

Suggested Applications

Retail
Security
General Use

Associated Items**Radio Compatibility**

GP1280
GP140
GP320
GP340
GP380
GP640
GP680

Stubby antenna - VHF 136.0MHz - 155.0MHz - Red

PMAD4012A

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec : N/A CE : N/A FM : Y

Features and Benefits

136.0MHz - 155.0MHz
Good RF Performance
Small Size

Suggested Applications


Retail
Security
General Use

Associated Items**Radio Compatibility**


GP1280
GP140
GP320
GP340
GP380
GP640
GP680




Stubby Antenna - VHF 150.0MHz - 161.0MHz - Brown

 <p>PMAD4025A</p>	<p>Product Details</p> <p>This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio</p>	<p>Suggested Applications</p> <p>Retail Security General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>150.0MHz - 161.0MHz Good RF Performance Small Size</p>		


Stubby Antenna - VHF 155.0MHz - 174.0MHz - Black


 <p>PMAD4013A</p>	<p>Product Details</p> <p>This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio</p>	<p>Suggested Applications</p> <p>Retail Security General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>155.0MHz - 174.0MHz Good RF Performance Small Size</p>		

Tunable Antenna - Low Band 30.0MHz - 50.0MHz


 <p>NAB6064A</p>	<p>Product Details</p> <p>This tunable antenna provides a maximum RF performance when tuned to a specific customer frequency. This makes it ideal for applications where coverage and reception quality is of paramount importance.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>29.0MHz - 50MHz Optimum Performance</p>		

Whip Antenna - UHF 465.0MHz - 527.0MHz


 <p>PMAE4008A</p>	<p>Product Details</p> <p>This general purpose antenna (approx. 14cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>465.0MHz - 527.0MHz Good RF Performance</p>		

 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	<i>Antenna</i>
---	---	----------------


Wide Band Antenna - UHF 403.0Mhz - 470.0Mhz

 <p align="center">NAE6483A</p>	<p>Product Details</p> <p>This general purpose antenna (approx. 17cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP300 & P110 GP320 GP340 GP380 GP640 GP680</p>	
<p>Features and Benefits</p> <p>403.0MHz - 520.0MHz Good RF Performance</p>			


Breeze Headset

 ENMN4012	<p>Product Details</p> <p>This stylish headset is particularly effective in customer facing situations. Its innovative flexible design allows it to be worn comfortably around the back of the head, negating the need for a headband. Light and discrete, it provides high quality radio communication. The in-line pres-to-talk button enables the headset to be utilised hands free when VOX is programmed in the radio.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP Professional Series</p>	
	<p>Features and Benefits</p> <p>Allows unobtrusive two way communication Innovative behind-the-head flexible headband Lightweight Single earpiece with adjustable boom micropho</p>		


Discrete Receive Only Earpiece - Beige

 MDRMN4021A	<p>Product Details</p> <p>A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard. Colour - beige</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	NTN8371A RLN4764A RLN4765A RLN4760A RLN4761A RLN4762A NTN8370A RLN4763A
	<p>Features and Benefits</p> <p>Discrete Listening Good in Noisy Environments In Ear Mounting Unobtrusive</p>		

Discrete Receive Only Earpiece - Black

 MDRMN4028A	<p>Product Details</p> <p>A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard. Colour -Black</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	RLN4763A RLN4761A RLN4765A RLN4760A NTN8370A RLN4764A NTN8371A RLN4762A
	<p>Features and Benefits</p> <p>Discrete Listening Good in Noisy Environments Unobtrusive</p>		

Earbud with Combined PTT/Microphone


 MDPMLN4418	<p>Product Details</p> <p>An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone / PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket. Colour - Black</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>Discrete Operation Good in Noisy Environments Separate Speaker, Microphone & Press to Talk Unobtrusive</p>		

**MOTOROLA**


GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1

Audio Accessory


Earpiece with Microphone & PTT - Beige

 MDRMN4022A	Product Details An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone / PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket. Colour -Beige	Suggested Applications Retail Security Hotel & Catering	Associated Items RLN4763A RLN4761A RLN4765A RLN4760A NTN8370A RLN4764A NTN8371A RLN4762A
	Standard/ Approvals Cenelec : N CE : Y FM : Y	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	
	Features and Benefits Discrete Operation Good in Noisy Environments Separate Speaker, Microphone & Press to Talk Unobtrusive		


Earpiece with Microphone & PTT - Black

 MDRMN4029A	Product Details An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone / PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket. Colour - Black	Suggested Applications Retail Security Hotel & Catering	Associated Items RLN4763A RLN4761A RLN4765A RLN4760A NTN8370A RLN4764A NTN8371A RLN4762A
	Standard/ Approvals Cenelec : N CE : Y FM : Y	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	
	Features and Benefits Discrete Operation Good in Noisy Environments Separate Speaker, Microphone & Press to Talk Unobtrusive		


Flexible Ear Receiver

 ENMN4013	Product Details This flexible ear receiver is a stylish and cost effective solution that allows continuous incoming radio communication. The fully adjustable earloop fits comfortably and securely on either ear. Once plugged in, the receiver mutes the internal radio speaker and switches the receive audio to the earpiece. Light and cushioned, it can be worn for extended periods of time.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : Y	Radio Compatibility GP Professional Series	
	Features and Benefits Can be used for long period of time Continuous incoming radio communication Cushioned ear receiver Optimal fit, ideal for customer facing roles Receive only earpiece Stylish multi-position receiver		


Heavy Duty Noise Cancelling Headset

 MDRMN4020B	Product Details Superior quality headset can withstand the most rugged of environments. In addition to the elasticated headband there is a behind the head sprung steel headband making it a secure fit for all head sizes. The noise canceling technology ensures a clear voice message is communicated even in high noise environments.	Suggested Applications Construction Agriculture Manufacturing	Associated Items 0180389R15 5080389R34 0180389R17 9180389R38 3080389R28 0180389R16 0180389R18 0180389R20 3080389R29 5080389R35 3580389R31
	Standard/ Approvals Cenelec : N CE : Y FM : Y	Radio Compatibility GP1280 GP140 GP320 GP340 GP640	
	Features and Benefits Boom Microphone Durability For use Under Headgear Good in Noisy Environments Noise Cancelling		


Helmet-Com Bone Inductive Headset

 ENMN4018	<p>Product Details</p> <p>The Helmet-Com, when connected via the Com-control, is designed to meet the needs of professional users working in extreme conditions with helmets or breathing apparatus. Its bone inductive technology provides clear and reliable communications when connected to almost any protective headgear via a simple and secure mounting system. The unit is FM approved (when used with the appropriate Com-control and radio) and IP55.</p>	<p>Suggested Applications</p> <p>Oil Emergency services Petro-chemical</p>	<p>Associated Items</p> <p>ENLN4135</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p> <p>Features and Benefits</p> <p>Bone Induction Microphone Technology Factory Mutual Approval (Full C-G) For use Under Headgear Lightweight Used in Many Different Environments</p>	<p>Radio Compatibility</p>	


Lightweight Headset

 ENMN4015	<p>Product Details</p> <p>This lightweight headset allows continuous high quality radio communication in working areas with moderate background noise. The padded single earmuff and adjustable yield improved comfort and privacy. Once the headset is installed, the radio microphone and radio speaker will be disabled.</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : Y</p> <p>Features and Benefits</p> <p>Can be used for long period of time Comfortable Headband Enhanced privacy in environments with moderat Multi-position boom microphone Single padded earmuff Unobtrusive</p>	<p>Radio Compatibility</p> <p>GP Professional Series</p>	


Lightweight Headset with Boom Microphone

 MDRMN4031A	<p>Product Details</p> <p>Whilst providing enhanced audio performance it is still possible to communicate with non radio users with this single sided headset. The lightweight construction ensures user comfort for extended periods.</p>	<p>Suggested Applications</p> <p>Retail Entertainment Sport & Leisure</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p> <p>Features and Benefits</p> <p>Boom Microphone Constant Radio Awareness Enhances Audio Performance Freedom of Movement Lightweight Construction</p>	<p>Radio Compatibility</p> <p>GP140 GP320 GP340</p>	


Lightweight headset with Boom Microphone and In-Line PTT

 MDRMN4018A	<p>Product Details</p> <p>Whilst providing enhanced audio performance it is still possible to communicate with non radio users with this single sided headset. The lightweight construction ensures user comfort for extended periods. This headset has the added convenience of an in-line PTT.</p>	<p>Suggested Applications</p> <p>Retail Entertainment Sport & Leisure</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p> <p>Features and Benefits</p> <p>Boom Microphone Constant Radio Awareness Enhances Audio Performance Freedom of Movement Lightweight Construction</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP640</p>	


Medium Weight Behind-the-Head Headset

 ENMN4016	<p>Product Details</p> <p>With its padded earmuffs, this noise cancelling medium weight headset provides high quality radio communication in noisy environments. The adjustable head strap guarantees comfortable fitting while the robust behind-the-head steel sprung headband allows it to be worn with most safety headgear. The in-line press-to-talk button ensures hands free operation of the headset when VOX is programmed in the radio.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP Professional Series</p>	
	<p>Features and Benefits</p> <ul style="list-style-type: none"> Can be worn on either side of the head Can be worn with most safety headgear Comfortable Headband Good in Noisy Environments Noise Cancelling Noise-reducing earmuffs 		


Medium Weight Headset with Noise Cancelling Microphone

 MDRMN4032A	<p>Product Details</p> <p>This high quality headset is ideal for use in rugged environments. The 'over the head' headband improves comfort levels especially when worn for long periods. The noise canceling technology ensures a clear voice message is communicated in even high noise environments.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP140 GP320 GP340</p>	
	<p>Features and Benefits</p> <ul style="list-style-type: none"> Durability Enhances Audio Performance Good in Noisy Environments Noise Cancelling 		

Medium Weight Headset with Noise Cancelling Microphone & In- Line PTT

 MDRMN4019A	<p>Product Details</p> <p>This high quality headset is ideal for use in rugged environments. The 'over the head' headband improves comfort levels especially when worn for long periods. The noise canceling technology ensures a clear voice message is communicated in even high noise environments.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP640</p>	
	<p>Features and Benefits</p> <ul style="list-style-type: none"> Durability Enhances Audio Performance Good in Noisy Environments Noise Cancelling 		

Noise-Com Headset for use with Ear Protectors for direct connection


 ENMN4011	<p>Product Details</p> <p>The Noise-com ear defender headset is designed for the professional user working in high noise environments. Its simple, secure, and interchangeable system of mounting to existing ear defenders makes it a cost effective alternative to standard heavy duty headsets whilst still being IP55 approved.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <ul style="list-style-type: none"> Comfortable Ear Mount Easy Insertion and Release Good in Noisy Environments Lightweight Construction Noise Cancelling Simple Mounting 		




GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1

Audio Accessory


Public Safety Microphone with Antenna Connector and 3.5mm Jack

 <p>MDHMN9054C</p>	<p>Product Details</p> <p>This public safety microphone, for UHF radios, has the facility for mounting of the radio antenna for enhanced radio system coverage. It is also possible to utilize discrete earpieces via a 3.5mm jack. This item is not recommended for use with mid band radios</p>	<p>Suggested Applications</p> <p>Fire brigade Police</p>	<p>Associated Items</p> <p>MDRLN4885A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p> <p>Features and Benefits</p> <p>3.5mm Jack Good RF Performance Simple Mounting Straight Cord Visual Deterrent</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP640</p>	


Receive-only Earpiece with Translucent Tube

 <p>MDRLN4941</p>	<p>Product Details</p> <p>This light and discrete receiver audio accessory has been specifically designed to be used with the noise cancelling Remote Speaker Microphone (RSM) and Public Safety Speaker Microphone (PSSM). The 3.5 mm plug ensures quick and easy connection. Once the receive-only earpiece is plugged in, it disables the RSM or PSSM's speaker. The acoustic translucent tube provides a high level of radio communication with enhanced discretion and comfort while the swivel clip can be attached onto a shirt collar or lapel for further stability.</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : Y</p> <p>Features and Benefits</p> <p>Disables the RSM's or PSSM's speaker Discrete Listening Enhanced stability and comfort Minimum pull and maximum flexibility Straight and coiled cord Swivel clip</p>	<p>Radio Compatibility</p> <p>GP Professional Series</p>	

Remote Speaker / Microphone with 3.5mm Jack - Noise Cancelling


 <p>MDHMN9053C</p>	<p>Product Details</p> <p>This remote speaker microphone incorporates a 3.5mm jack to allow for the connection of discrete earpieces and in addition incorporates a noise canceling microphone particularly suited for use in high noise environments.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p> <p>MDRLN4885A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p> <p>Features and Benefits</p> <p>3.5mm Jack Enhances Audio Performance Freedom of Movement Noise Cancelling</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP640</p>	

Remote Speaker Microphone


 <p>MDHMN9052C</p>	<p>Product Details</p> <p>Provides remote talk and listen capability in a lightweight & compact housing. The remote speaker microphone is generally used in conjunction with a belt mounted carry accessory.</p>	<p>Suggested Applications</p> <p>Security Sport & Leisure Event management</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p> <p>Features and Benefits</p> <p>Coiled Cord Convenient Operation Good in Noisy Environments Omnidirectional Microphone</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP640</p>	




RSM and PSSM Earbud with 3.5mm Jack

 <p>MDRLN4885A</p>	<p>Product Details</p> <p>A small, effective earbud that is designed specifically for use with Remote Speaker Microphones and Public Safety Speaker Microphones. The combination curly and straight cable is designed to minimise cord pull and slack at the same time.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>3.5mm Jack Comfortable Ear Mount Discrete Listening Good in Noisy Environments In Ear Mounting Lightweight Construction</p>		


Transparent Acoustic Ear Tube

 <p>NTN8371A</p>	<p>Product Details</p> <p>This acoustic tube attaches easily to all earpiece discrete accessories to provide a more comfortable and discrete solution. The additional ear plugs on this ear tube make this the ideal solution for high noise environments such as night clubs or sports stadia.</p>	<p>Suggested Applications</p> <p>Entertainment</p>	<p>Associated Items</p> <p>HMN9727B BDN6668A BDN6730A BDN6669A BDN6731A</p>
	<p>Standard/ Approvals Cenelec: N/A CE: N/A FM: N/A</p>	<p>Radio Compatibility</p> <p>GP300 GP300 & P110 GP900 GP900/1200 HT & MT Range HT1000</p>	
	<p>Features and Benefits</p> <p>Constant Radio Awareness Discrete Listening For use Under Headgear Good in Noisy Environments Lightweight Construction</p>		

Transparent Acoustic Ear Tube

 <p>NTN8370A</p>	<p>Product Details</p> <p>This acoustic tube attaches to all earpiece discrete accessories to provide a more comfortable and discrete solution. Additional foam ear plugs on this ear tube make this the ideal solution for high noise environments.</p>	<p>Suggested Applications</p> <p>Construction Entertainment Fire brigade</p>	<p>Associated Items</p> <p>BDN6668A BDN6729A BDN6732A BDN6664A BDN6726A</p>
	<p>Standard/ Approvals Cenelec: N/A CE: N/A FM: N/A</p>	<p>Radio Compatibility</p> <p>GP300 GP300 & P110 GP900 GP900/1200 HT & MT Range HT1100</p>	
	<p>Features and Benefits</p> <p>Discrete Listening Good in Noisy Environments Improved Comfort Lightweight Construction NRR = 24db Spring Action Mounting Clip</p>		

Ultra-Lightweight Headset

 <p>MDRMN4017A</p>	<p>Product Details</p> <p>Whilst providing enhanced audio performance it is still possible to communicate with non radio users with this single sided earpiece. The lightweight construction ensures user comfort for extended periods and its innovative design provides for left or right ear mounting.</p>	<p>Suggested Applications</p> <p>Entertainment Sport & Leisure Event management</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p>	<p>Radio Compatibility</p> <p>GP140 GP320 GP340 GP380</p>	
	<p>Features and Benefits</p> <p>Constant Radio Awareness Enhances Audio Performance Freedom of Movement Lightweight Construction Low Profile Boom Microphone</p>		




MOTOROLA


GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1


Audio Accessory

Voiceducer System - Radio Interface with PTT


 MDRMN4044A	Product Details This PTT radio interface module can be used with any of the bone inductive microphones. In addition it is possible to connect either an optional body switch PTT or a finger PTT.	Suggested Applications Security Fire brigade Police	Associated Items BDN6641A BDN6677A BDN6678A 01-80358B38 01-80300E83 01-80300E25 01-80358B32
	Standard/ Approvals Cenelec : N CE : Y FM : Y	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	01-80358B33 01-80358B34 01-80358B35 01-80358B36 01-80358B37
	Features and Benefits Discrete Listening Easy Release Simple Mounting Spring Action Mounting Clip		

Voiceducer System - Radio Interface with VOX & PTT


 MDRMN4045A	Product Details The innovative technology used in this product relies on the bone vibrations in the ear canal generated by speech. This allows for clear communication without the need for a separate microphone giving the user the ultimate in discrete audio functionality.	Suggested Applications Security Fire brigade Police	Associated Items 0180358B34 0180358B33 0180358B37 BDN6677A 0180358B35 0180300E25 0180358B36 0180300E83
	Standard/ Approvals Cenelec : N CE : Y FM : Y	Radio Compatibility GP140 GP320 GP340 GP380	0180358B38 BDN6678A BDN6641A 0180358B32
	Features and Benefits Discrete Listening Easy Release Hands Free Operation Simple Mounting Spring Action Mounting Clip		

 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	<i>Batteries</i>
---	---	------------------


Li Ion High Capacity Battery

 HNN9013B	<p>Product Details</p> <p>Li-Ion technology in a slimline case makes this battery light and powerful. Li Ion also means no memory effect so not only is your radio lighter, but it will work consistently charge after charge.</p>	<p>Suggested Applications</p> <p>Retail Sport & Leisure General Use</p>	<p>Associated Items</p> <p>MDHTN3002A MDHTN3005A MDHTN3001A MDHTN3004A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	
<p>Features and Benefits</p> <p>Charge State Information in Radio Lightweight Construction Low Maintenance Battery</p>			


NiCd FM High Capacity Battery


 HNN9011A	<p>Product Details</p> <p>This high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III(Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D</p>	<p>Suggested Applications</p> <p>Oil Manufacturing Petro-chemical</p>	<p>Associated Items</p> <p>MDHTN3002A MDHTN3005A MDHTN3001A MDHTN3004A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	
<p>Features and Benefits</p> <p>Charge State Information in Radio Factory Mutual Approval (Limited FM C-D) Maximised Re-chargeable Life Performs Across a Wide Temperature Range Proven NiCd Technology Useable in Explosive Environments</p>			

NiCd High Capacity Battery


 HNN9012A	<p>Product Details</p> <p>The NiCd technology in this high capacity battery performs across a wide temperature range with nominal reductions in radio talk time.</p>	<p>Suggested Applications</p> <p>Construction General Use Emergency services Local authorities</p>	<p>Associated Items</p> <p>MDHTN3002A MDHTN3005A MDHTN3001A MDHTN3004A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	
<p>Features and Benefits</p> <p>Charge State Information in Radio Maximised Re-chargeable Life Performs Well at Low Temperatures Performs Across a Wide Temperature Range Proven NiCd Technology Used in Many Different Environments</p>			

NiMH FM Ultra-High Capacity Battery


 HNN9010A	<p>Product Details</p> <p>This has been approved by Factory Mutual: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III(Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D. Use of NiMH technology gives this battery exceptional capacity for its size. In addition the NiMH technology is less prone to memory effect and therefore will provide more consistent power</p>	<p>Suggested Applications</p> <p>Oil Manufacturing Petro-chemical</p>	<p>Associated Items</p> <p>MDHTN3002A MDHTN3005A MDHTN3004A MDHTN3001A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	
<p>Features and Benefits</p> <p>Charge State Information in Radio Factory Mutual Approval (Limited FM C-D) Longer Usage Between Battery Recharges Low Maintenance Battery Performs Across a Wide Temperature Range Useable in Explosive Environments</p>			


 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	<i>Batteries</i>
---	---	------------------

NiMH High Capacity Battery


 HNN9008A	<p>Product Details</p> <p>Use of NiMH technology gives this battery exceptional capacity for its size. In addition the NiMH technology is less prone to memory effect and therefore will provide more consistent power charge after charge.</p>	<p>Suggested Applications</p> <p>Retail Manufacturing Utilities</p>	<p>Associated Items</p> <p>MDHTN3002A MDHTN3005A MDHTN3004A MDHTN3001A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	<p>Features and Benefits</p> <p>Charge State Information in Radio Environmentally Acceptable Design Longer Usage Between Battery Recharges Low Maintenance Battery Substantial Construction</p>

NiMH Ultra High Capacity Battery


 HNN9009A	<p>Product Details</p> <p>Use of NiMH technology in a larger battery case gives this battery exceptional capacity. In addition the NiMH technology is less prone to memory effect and therefore will provide more consistent power charge after charge.</p>	<p>Suggested Applications</p> <p>Retail Manufacturing General Use Utilities</p>	<p>Associated Items</p> <p>MDHTN3002A MDHTN3005A MDHTN3001A MDHTN3004A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP320 GP340 GP380 GP640 GP680</p>	<p>Features and Benefits</p> <p>Charge State Information in Radio Environmentally Acceptable Design Longer Usage Between Battery Recharges Low Maintenance Battery Substantial Construction</p>

 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	Carry Accessory
---	---	-----------------


Keypad Radio Leather Carry Case for use with Li-Ion Batteries

 HLN9695A	<p>Product Details</p> <p>High quality thick leather case with belt loop and 'D' rings (to allow the fitting of a shoulder strap) and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP1280 display/keypad models only</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security General Use</p>	<p>Associated Items</p> <p>TDN9687A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280</p>	
<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>			


Keypad Radio Leather Carry Case for use with Li-Ion Batteries


 HLN9677A	<p>Product Details</p> <p>High quality thick leather case with belt loop and 'D' rings (to allow the fitting of a shoulder strap) and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP380/680 models only.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security General Use</p>	<p>Associated Items</p> <p>TDN9687A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP380 GP680</p>	
<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>			

Keypad Radio Leather Carry Case for use with NiCd / NiMh Batteries


 HLN9698A	<p>Product Details</p> <p>High quality thick leather case with belt loop and 'D' rings (to allow the fitting of a shoulder strap) and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP1280 display/keypad models only</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security General Use</p>	<p>Associated Items</p> <p>TDN9687A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280</p>	
<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>			

Keypad Radio Leather Carry Case for use with NiCd / NiMh Batteries


 HLN9689A	<p>Product Details</p> <p>High quality thick leather case with belt loop and 'D' rings (to allow the fitting of a shoulder strap) and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP380/680 models only.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security General Use</p>	<p>Associated Items</p> <p>TDN9687A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP380 GP680</p>	
<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>			

 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	<i>Carry Accessory</i>
---	---	------------------------


Keypad Radio Swivel Loop Leather Carry Case For Use With Li-Ion Batteries

 <p align="center">HLN9690A</p>	<p>Product Details</p> High quality thick leather case with belt loop swivel mount and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP380/680 models only.	<p>Suggested Applications</p> Construction Manufacturing Security General Use	<p>Associated Items</p> TDN9687A
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> GP380 GP680	
	<p>Features and Benefits</p> Durability Freedom of Movement Protective Substantial Construction		


Keypad Radio Swivel Loop Leather Carry Case For Use With Li-Ion Batteries


 <p align="center">HLN9699A</p>	<p>Product Details</p> High quality thick leather case with belt loop swivel mount and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP1280 display/keypad models only.	<p>Suggested Applications</p> Construction Manufacturing Security General Use	<p>Associated Items</p> TDN9687A
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> GP1280	
	<p>Features and Benefits</p> Durability Freedom of Movement Protective Substantial Construction		

Keypad Radio Swivel Loop Leather Carry Case For Use With NiCd / NiMh Batteries


 <p align="center">HLN9700A</p>	<p>Product Details</p> High quality thick leather case with belt loop swivel mount and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP1280 display/keypad models only.	<p>Suggested Applications</p> Construction Manufacturing Security General Use	<p>Associated Items</p> TDN9687A
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> GP1280	
	<p>Features and Benefits</p> Durability Freedom of Movement Protective Substantial Construction		

Keypad Radio Swivel Loop Leather Carry Case For Use With NiCd / NiMh Batteries


 <p align="center">HLN9694A</p>	<p>Product Details</p> High quality thick leather case with belt loop swivel mount and securing strap. Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with GP380/680 models only.	<p>Suggested Applications</p> Construction Manufacturing Security General Use	<p>Associated Items</p> TDN9687A
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> GP380 GP680	
	<p>Features and Benefits</p> Durability Freedom of Movement Protective Substantial Construction		

 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	Carry Accessory
---	---	-----------------


Non - Keypad Leather Carry Case for use with Li-Ion Batteries

 HLN9652A	Product Details High quality thick leather case with belt loop and 'D' rings (to allow the fitting of a shoulder strap) and securing strap. Drilled PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with non display/keypad models.	Suggested Applications Construction Manufacturing Security General Use	Associated Items 4200865599
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility GP320 GP340 GP640	Features and Benefits Durability Freedom of Movement Protective Substantial Construction


Non-Keypad Swivel Loop Leather Carry Case for use with Li-Ion Batteries

 HLN9670A	Product Details High quality thick leather case with belt loop swivel mount and securing strap. Drilled PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with non display/keypad models.	Suggested Applications Construction Manufacturing Security General Use	Associated Items TDN9687A
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility GP320 GP340 GP640	Features and Benefits Durability Freedom of Movement Protective Substantial Construction


Non-Keypad Swivel Loop Leather Carry Case for use with NiCd / NiMh Batteries

 HLN9676A	Product Details High quality thick leather case with belt loop swivel mount and securing strap. Drilled PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with non display/keypad models.	Suggested Applications Construction Manufacturing Security General Use	Associated Items TDN9687A
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility GP320 GP340 GP640	Features and Benefits Durability Freedom of Movement Protective Substantial Construction


Nylon carry case For Use With NiCd / NiMh and Li-Ion Batteries


 HLN9701B	Product Details Being easy to clean, this cost effective carry case is ideal for outdoor or dirty environments. Drilled PTT/Call button cut out ensures unhindered use of the radio whilst in the case. Intended for use with non display/keypad models.	Suggested Applications Construction Manufacturing Security General Use	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility GP320 GP340 GP640	Features and Benefits Durability Protective Substantial Construction

Radio Holster with Spring Belt Clip


 HLN9952A	<p>Product Details</p> <p>This slide in carry holder with a 5.1cm belt clip is an ideal lightweight carry accessory for the less arduous environment.</p>	<p>Suggested Applications</p> <p>Retail Entertainment Sport & Leisure General Use</p>	<p>Associated Items</p> <p>4200865599</p>	
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>		
	<p>Features and Benefits</p> <p>Convenient Mounting Durable Metal Spring Clip Easy Release Greater Mobility Lightweight</p>			

Spring Action 5cm Belt Clip


 HLN9714A	<p>Product Details</p> <p>This 5.1cm clip is a replacement for the standard clip supplied with the radio. The clip incorporates robust metal hinge for maximum durability.</p>	<p>Suggested Applications</p> <p>Manual Working Environments General Use</p>	<p>Associated Items</p> <p>4200865599</p>	
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>		
	<p>Features and Benefits</p> <p>Secure Fixing Simple Mounting Spring Action Mounting Clip</p>			

 MOTOROLA	GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1	Charger
---	---	---------


6 Unit Rapid Rate Tri-Chemistry Charger with 230v Euro Plug

 MDHTN3004C	Product Details 230V rapid rate tri-chemistry 6 unit charger with Euro plug. Charges NiCd, NiMH and Li Ion batteries. Includes line cord.	Suggested Applications Manufacturing General Use Emergency services Utilities	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	
Features and Benefits Accepts Battery with or without Radio Detects Chemistry Fast Charging Fully Charged Battery Detection Supports Second Battery Useage			


6 Unit Rapid Rate Tri-Chemistry Charger with 240v UK Plug

 MDHTN3005C	Product Details 230V rapid rate tri-chemistry 6 unit charger with UK plug. Charges NiCd, NiMH and Li Ion batteries. Includes line cord.	Suggested Applications Security Sport & Leisure General Use Emergency services	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	
Features and Benefits Accepts Battery with or without Radio Detects Chemistry Fast Charging Fully Charged Battery Detection Supports Second Battery Useage			

Single Unit Rapid Rate Tri-chemistry Charger with 230v Euro Plug

 MDHTN3001B	Product Details Rapid rate compact tri-chemistry charger with separate 230V wall mount power supply with two pin Euro plug.	Suggested Applications Manufacturing General Use Emergency services Utilities	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	
Features and Benefits Accepts Battery with or without Radio Detects Chemistry Fast Charging Fully Charged Battery Detection Supports Second Battery Useage			

Single Unit Rapid Rate Tri-chemistry Charger with 240v UK Plug


 MDHTN3002B	Product Details Rapid rate compact tri-chemistry charger with separate 230V wall mount power supply with UK plug.	Suggested Applications Manufacturing General Use Emergency services Utilities	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility GP1280 GP140 GP320 GP340 GP380 GP640 GP680	
Features and Benefits Accepts Battery with or without Radio Detects Chemistry Fast Charging Fully Charged Battery Detection Supports Second Battery Useage			

**MOTOROLA**


GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1

Vehicle Accessory


Travel Charger

 MDRLN4883	<p>Product Details</p> <p>The GP Professional Series Travel Charger Kit is an economical solution for charging your GP Professional Series portable radio inside a vehicle. The kit includes a cigarette lighter adapter attached to a charger pocket, a mounting bracket to mount the travel charger onto the vehicle's dashboard and an elastic strap for increased stability. The professional user can charge a stand-alone battery or a radio with a battery. The level of charge is clearly indicated by the tricolour LED. This travel charger, compatible with all three battery chemistries</p>	<p>Suggested Applications</p>	<p>Associated Items</p>	
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP Professional Series</p>		
	<p>Features and Benefits</p>			


Vehicle Adaptor 136 - 174 MHz

 EN1006A	<p>Product Details</p> <p>The vehicle adaptor (VA) has been developed for users who want to use their GP Professional Series VHF radio on the move. Once installed the radio just 'clicks' into place and can be connected to an external antenna, microphone, PTT and and personal computer via a MAP27 interface (MPT1327 models only). The VA also detects the battery chemistry of the radio and selects the best charging method automatically. Includes ENLN4103 VHF antenna adapter.</p>	<p>Suggested Applications</p> <p>Emergency services Local authorities Utilities</p>	<p>Associated Items</p>	
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>		
	<p>Features and Benefits</p> <p>Detects Chemistry Easy Insertion and Release In Vehicle Charging Capability</p>			

Vehicle Adaptor 300 - 400 MHz

 EN1009A	<p>Product Details</p> <p>The vehicle adaptor (VA) has been developed for users who want to use their GP Professional Series UHF radio on the move. Once installed the radio just 'clicks' into place and can be connected to an external antenna, microphone, PTT and and personal computer via a MAP27 interface (MPT1327 models only). The VA also detects the battery chemistry of the radio and selects the best charging method automatically. Includes ENLN4113 300 MHz antenna adapter.</p>	<p>Suggested Applications</p> <p>Emergency services Local authorities Utilities</p>	<p>Associated Items</p>	
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>		
	<p>Features and Benefits</p> <p>Detects Chemistry Easy Insertion and Release In Vehicle Charging Capability</p>			

Vehicle Adaptor 403 - 470 MHz


 EN1007A	<p>Product Details</p> <p>The vehicle adaptor (VA) has been developed for users who want to use their GP Professional Series UHF radio on the move. Once installed the radio just 'clicks' into place and can be connected to an external antenna, microphone, PTT and and personal computer via a MAP27 interface (MPT1327 models only). The VA also detects the battery chemistry of the radio and selects the best charging method automatically. Includes ENLN4104 UHF antenna adapter.</p>	<p>Suggested Applications</p> <p>Emergency services Local authorities Utilities</p>	<p>Associated Items</p>	
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP320 GP340 GP380 GP640 GP680</p>		
	<p>Features and Benefits</p> <p>Detects Chemistry Easy Insertion and Release In Vehicle Charging Capability</p>			



GP140 - GP320 - GP340 - GP380 - GP640 - GP680 - GP1

Vehicle Accessory

Vehicle Adaptor 450 - 527 MHz

 <p>EN1008A</p>	<p>Product Details</p> <p>The vehicle adaptor (VA) has been developed for users who want to use their GP Professional Series UHF2 radio on the move. Once installed the radio just 'clicks' into place and can be connected to an external antenna, microphone, PTT and and personal computer via a MAP27 interface (MPT1327 models only). The VA also detects the battery chemistry of the radio and selects the best charging method automatically. Includes ENLN4111 UHF2 antenna adapter.</p>	<p>Suggested Applications</p> <p>Emergency services Local authorities Utilities</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Detects Chemistry Easy Insertion and Release In Vehicle Charging Capability</p>		



MOTOROLA

**Accessory and Aftermarket
Product Catalogue**

**GP900/1200 HT &
MT range**

- **GP900/1200 HT & MT range**
 - Antennas
 - Audio Accessories
 - Batteries
 - Carry Accessories
 - Chargers
 - Vehicle Accessories
-

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000*Antenna***Helical Antenna - VHF 136.0Mhz -150.8Mhz**

8505644V01

<u>Product Details</u>	<u>Suggested Applications</u>	<u>Associated Items</u>
This general purpose antenna (approx. 15cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.	General Use	
<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> 136.0Mhz - 150.8Mhz Colour Code - Yellow Optimum Performance	GP900/1200 HT & MT Range	

Helical Antenna - VHF 150.8Mhz - 162.0Mhz

8505644V02

<u>Product Details</u>	<u>Suggested Applications</u>	<u>Associated Items</u>
This general purpose antenna (approx 15cm) provides an optimumRF performance an is suitable for most applications where the antenna length is not a major consideration.	General Use	
<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> 150.8MHz - 162.0MHz Colour Code - Black Optimum Performance	GP900/1200 HT & MT Range	

Helical Antenna - VHF 162.0Mhz -174.0Mhz

8505644V03

<u>Product Details</u>	<u>Suggested Applications</u>	<u>Associated Items</u>
This general purpose antenna (approx 15cm) provides good RF performance and is suitable for most applications where the antenna length is not a major consideration	General Use	
<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> 162.0MHz - 174.0MHz Colour Code - Blue Optimum Performance	GP900/1200 HT & MT Range	

Helical Antenna - VHF 66.0Mhz - 76.0Mhz

8504334J03

<u>Product Details</u>	<u>Suggested Applications</u>	<u>Associated Items</u>
This midband antenna (approx. 30cm long) provides reliable RF performance across large rural distances.	General Use	
<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> 66.0Mhz - 76.0Mhz Colour Code - Green Optimum Performance		

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000*Antenna***Helical Antenna - VHF 74.0Mhz - 82.0Mhz**

8504334J04

Product Details

This midband antenna (approx. 30cm long) provides reliable RF performance across large rural distances.

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits74.0Mhz - 82.0Mhz
Colour Code - Blue
Optimum PerformanceSuggested Applications

General Use

Associated ItemsRadio Compatibility**Helical Antenna - VHF 80.0Mhz - 88.0Mhz**

8504334J05

Product Details

This midband antenna (approx. 30cm long) provides reliable RF performance across large rural distances.

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits80.0Mhz - 88.0Mhz
Colour Code - Red
Optimum PerformanceSuggested Applications

General Use

Associated ItemsRadio Compatibility**Stubby Antenna - UHF 403.0Mhz - 435.0Mhz**

8505644V04

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits403.0MHz - 435.0MHz
Colour Code - Red
Good RF Performance
Small SizeSuggested Applications

General Use

Associated ItemsRadio Compatibility

GP900/1200 HT & MT Range

Stubby Antenna - UHF 435.0Mhz - 470.0Mhz

8505644V05

Product Details

This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits435.0MHz - 470.0MHz
Colour Code - Green
Good RF Performance
Small SizeSuggested Applications

General Use

Associated ItemsRadio Compatibility

GP900/1200 HT & MT Range



MOTOROLA

GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Antenna

Stubby Antenna - UHF 470.0Mhz - 520.0Mhz



8505644V06

Product Details

This small antenna (approx. 7cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio

Suggested Applications

General Use

Associated Items

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits

465.0Mhz - 495.0Mhz
Colour Code - Black
Good RF Performance
Small Size

Radio Compatibility

GP900/1200 HT & MT Range

Whip Antenna - UHF 403.0Mhz - 520.0Mhz



8505241U05

Product Details

This general purpose antenna (approx 17cm) provides good RF performance and is suitable for most applications where the antenna length is not a major consideration.

Suggested Applications

General Use

Associated Items

Standard/ Approvals


Cenelec: N/A CE: N/A FM: N/A

Features and Benefits


403.0MHz - 520.0MHz
Good RF Performance

Radio Compatibility


12 Pin Hirose Adaptor

 09 82 037	<p>Product Details</p> <p>This audio adaptor allows for all Motorola 12 pin Hirose audio accessories to be connected or interchanged to a single radio. The durable connector has been specifically designed to be used in applications where the personal issue of headsets and audio accessories is preferred.</p>	<p>Suggested Applications</p> <p>Fire brigade Petro-chemical Utilities</p>	<p>Associated Items</p> <p>ELN4640 ELN4644 ELN4642 ELN4646 ELN4636</p>
	<p>Standard/ Approvals Cenelec: Y CE: Y FM: N</p> <p>Features and Benefits</p> <p>Easy Release Simple Mounting</p>	<p>Radio Compatibility</p>	


3.5mm Jack Adaptor with PTT

 BDN6676D	<p>Product Details</p> <p>This 3.5mm screw thread jack adaptor is required for the connection of Motorola discrete accessories to appropriate radio. It connects directly to the accessory connector at the side of the radio and incorporates a PTT.</p>	<p>Suggested Applications</p> <p>Retail Security Hotel & Catering</p>	<p>Associated Items</p> <p>BDN6664A BDN6726A BDN6668A BDN6730A BDN6667A BDN6729A BDN6728A BDN6719A BDN6731A BDN6732A BDN6665A BDN6727A BDN6669A BDN6670A</p>
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p> <p>Features and Benefits</p> <p>3.5mm Threaded Jack Easy Release External Mounting</p>	<p>Radio Compatibility</p>	

Bone Inductive CENELEC Headset for use with Protective Headgear


 ELN4637A	<p>Product Details</p> <p>This innovative bone induction headset has been specifically designed to meet the needs of users in environments where protective headgear is a standard requirement. Typically, these users have exacting safety requirements and work in typically noisy and hazardous environments.</p>	<p>Suggested Applications</p> <p>Fire brigade Petro-chemical Utilities</p>	
	<p>Standard/ Approvals Cenelec: Y CE: Y FM: N</p> <p>Features and Benefits</p> <p>Bone Induction Microphone Technology Constant Radio Awareness For use Under Headgear Unobtrusive</p>	<p>Radio Compatibility</p>	

Bone Inductive CENELEC Headset for use with Protective Headgear - Hirose

 ELN4638A	<p>Product Details</p> <p>This innovative bone induction headset has been specifically designed to meet the needs of users in environments where protective headgear is a standard requirement. Typically, these users have exacting safety requirements and work in typically noisy and hazardous environments. MUST BE USED WITH 09 82 037 HIROSE ADAPTOR</p>	<p>Suggested Applications</p> <p>Fire brigade Petro-chemical Utilities</p>	<p>Associated Items</p> <p>09 82 037</p>
	<p>Standard/ Approvals Cenelec: Y CE: Y FM: N</p> <p>Features and Benefits</p> <p>Bone Induction Microphone Technology Constant Radio Awareness For use Under Headgear Unobtrusive</p>	<p>Radio Compatibility</p>	

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

CENELEC Remote Speaker Microphone


EMN6226A

Product Details

Provides remote talk and listen capability in a lightweight & compact housing. The remote speaker /microphone is generally used in conjunction with a belt mounted carry accessory

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and BenefitsColour Code - Black
Constant Radio Awareness
Good in Noisy Environments
Omnidirectional Microphone
Secure FixingSuggested ApplicationsOil
Fire brigade
Petro-chemicalRadio CompatibilityAssociated ItemsELN4648A
ELN4649A**Cenelec Earpiece with and 3.5mm Jack**

ELN4648A

Product Details


A simple, listen only Cenelec earpiece that provides users with the ability to listen to radio messages without them being overheard. The earpiece is intended for use with the Cenelec remote speaker microphone.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits3.5mm Threaded Jack
Cenelec Approval
Comfortable Ear Mount
Lightweight
Useable in Explosive EnvironmentsSuggested ApplicationsOil
Fire brigade
Petro-chemicalRadio CompatibilityAssociated Items

EMN6226A

Cenelec Earpiece with In-Line Volume Control with 3.5mm Jack

ELN4649A

Product Details

A simple, listen only Cenelec earpiece that provides users with the ability to listen to radio messages without them being overheard. The earpiece incorporates an in line volume control as a more convenient way of adjusting volume to the specific user needs. The earpiece is intended for use with the Cenelec remote speaker microphone.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits3.5mm Threaded Jack
Cenelec Approval
Convenient Operation
Discrete Listening
Small SizeSuggested ApplicationsOil
Fire brigade
Petro-chemicalRadio CompatibilityAssociated Items

EMN6226A

Cenelec Lightweight Headset with Omni-Directional Mic - Hirose

ELN4646A

Product DetailsThis lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The omni-directional microphone technology ensures a clear voice message is communicated in all but the noisiest of environments.
MUST BE USED WITH 09 82 037 HIROSE ADAPTORStandard/ Approvals

Cenelec: Y CE: Y FM: N

Features and BenefitsConstant Radio Awareness
Good in Noisy Environments
Improved Comfort
Noise CancellingSuggested ApplicationsManufacturing
Petro-chemical
UtilitiesRadio CompatibilityAssociated Items

09 82 037



MOTOROLA

GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Cenelec Lightweight Headset with Omni-Directional Mic.



ELN4645A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The omni-directional microphone technology ensures a clear voice message is communicated in all but the noisiest of environments

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Good in Noisy Environments
Improved Comfort
Omnidirectional Microphone

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio Compatibility

Associated Items

Cenelec Lightweight Headset with Omni-Directional Mic. & In-Line PTT



ELN4641A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The omni-directional microphone technology ensures a clear voice message is communicated in all but the noisiest of environments

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Improved Comfort
In line PTT
Omnidirectional Microphone

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio Compatibility

Associated Items

Cenelec Lightweight Headset with Omni-Directional Mic. & In-Line PTT - Hirose



ELN4642A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The omni-directional microphone technology ensures a clear voice message is communicated in all but the noisiest of environments. MUST BE USED WITH 09 82 037 HIROSE ADAPTER

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Good in Noisy Environments
Improved Comfort
In line PTT
Omnidirectional Microphone

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio Compatibility

Associated Items

09 82 037

Cenelec Lightweight Noise Cancelling Headset



ELN4643A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The noise cancelling technology ensures a clear voice message is communicated in even high noise environments.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Good in Noisy Environments
Improved Comfort
Noise Cancelling

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio Compatibility

Associated Items

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Cenelec Lightweight Noise Cancelling Headset - Hirose

ELN4644A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The noise cancelling technology ensures a clear voice message is communicated in even high noise environments. MUST BE USED WITH 09 82 037 HIROSE ADAPTOR

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Good in Noisy Environments
Improved Comfort
Noise Cancelling

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio CompatibilityAssociated Items

09 82 037

Cenelec Lightweight Noise Cancelling Headset with In-Line PTT

ELN4639A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The noise cancelling technology ensures a clear voice message is communicated in even high noise environments.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Good in Noisy Environments
Improved Comfort
In line PTT
Noise Cancelling

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio CompatibilityAssociated Items**Cenelec Lightweight Noise Cancelling Headset with In-Line PTT - Hirose**

ELN4640A

Product Details

This lightweight single ear muff headset provides enhanced audio performance whilst maintaining the ability to communicate with non radio users. The noise cancelling technology ensures a clear voice message is communicated in even high noise environments. MUST BE USED WITH 0982037

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Constant Radio Awareness
Good in Noisy Environments
Improved Comfort
In line PTT
Noise Cancelling

Suggested Applications

Manufacturing
Petro-chemical
Utilities

Radio CompatibilityAssociated Items

09 82 037

Com-Control PTT Control unit for Noise-Com and Helmet-Com with long cable

WALN4069A

Product Details

The Com-control provides an interface to the radio for Noise-com and Helmet-com. Its integrated amplifier provides clear, enhanced communication and the extra large, rugged PTT provides positive, instant communication even when operated with thick gloves. This model comes with a red PTT and long radio connector cable.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Cenelec Approval
Convenient Mounting
Easy Release
In line PTT
Increases Radio Utility
Substantial Construction

Suggested Applications

Oil
Emergency services
Petro-chemical

Radio CompatibilityAssociated Items

WALN4062A
WALN4064A

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Com-Control PTT Control unit for Noise-Com and Helmet-Com with short cable

WALN4068A

Product Details

The Com-control provides an interface to the radio for Noise-com and Helmet-com. Its integrated amplifier provides clear, enhanced communication and the extra large, rugged PTT provides positive, instant communication even when operated with thick gloves. This model comes with a red PTT and short radio connector cable.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Cenelec Approval
Convenient Mounting
Easy Release
In line PTT
Increases Radio Utility
Substantial Construction

Suggested Applications

Oil
Emergency services
Petro-chemical

Associated Items

WALN4062A
WALN4064A

Radio Compatibility**Earpiece - Beige**

BDN6664A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard.

Colour - Beige. Use with RSM or Audio Adapter

Use with RSM or Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Comfortable Ear Mount
Discrete Operation
In Ear Mounting
Plastic Ear Loop
Unobtrusive

Suggested Applications


Retail
Security
Hotel & Catering

Associated Items

RLN4760A
RLN4761A
RLN4762A
RLN4763A
NTN8370A
NTN8371A
RLN4765A
RLN4764A
NMN6191
NMN6193
BDN6676

Radio Compatibility

GP1200
GP680
GP900/1200 HT & MT Range
HT1000
Visar

Earpiece - Black

BDN6726A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard. Use with RSM or Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Discrete Listening
Good in Noisy Environments
In Ear Mounting
Plastic Ear Loop

Suggested Applications


Retail
Security
Hotel & Catering

Associated Items

RLN4760A
RLN4765A
RLN4762A
NTN8370A
RLN4764A
NTN8371A
RLN4763A
NMN6191
NMN6193
BDN6676

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Earpiece with Microphone & PTT - Beige

BDN6668A

Product Details

This discrete accessory is ideal for surveillance environments. The separate microphone and PTT can be concealed about their person e.g. under a lapel (for the microphone) and run down the arm of a jacket (for the PTT).

Colour - Beige. Use with Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

Discrete Listening
Good in Noisy Environments
Lightweight
Separate Speaker, Microphone & Press to Talk
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Associated Items

NTN8371A
RLN4760A
RLN4765A
RLN4761A
RLN4764A
NTN8370A
RLN4762A
RLN4763A
BDN6676

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Earpiece with Microphone & PTT - Black

BDN6730A

Product Details

This discrete accessory is ideal for surveillance environments. The separate microphone and PTT can be concealed about their person e.g. under a lapel (for the microphone) and run down the arm of a jacket (for the PTT).
Colour - Black. Use with Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

Discrete Listening
Good in Noisy Environments
Lightweight
Separate Speaker, Microphone & Press to Talk
Unobtrusive

Suggested Applications


Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4760A
RLN4765A
RLN4761A
RLN4764A
NTN8371A
NTN8370A
RLN4762A
RLN4763A
BDN6676

Earpiece with Microphone and PTT - Beige

BDN6667A

Product Details

An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone/PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a Jacket.
Colour - Beige. Use with Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

Colour - Beige
Discrete Listening
Discrete Operation
Separate Speaker, Microphone & Press to Talk

Suggested Applications


Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4761A
RLN4760A
RLN4763A
RLN4764A
RLN4765A
NTN8371A
NTN8370A
RLN4762A
BDN6676

Earpiece with Microphone and PTT - Black

BDN6729A

Product Details

An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone/PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket.
Colour Black. Use with Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

Discrete Operation
Good in Noisy Environments
Separate Speaker, Microphone & Press to Talk
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4761A
RLN4760A
RLN4763A
RLN4764A
RLN4765A
NTN8371A
NTN8370A
RLN4762A
BDN6676

Earpiece with Volume Control - Beige

BDN6666A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard.
This earpiece incorporates an in-line volume control as a more convenient way of adjusting volume to the specific user needs. Colour - Beige. Use with RSM or Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Comfortable Ear Mount
Discrete Listening
Good in Noisy Environments

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4761A
RLN4760A
RLN4763A
RLN4764A
RLN4765A
NTN8371A
NTN8370A
RLN4762A
BDN6676
NMN6191
NMN6193

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Earpiece with Volume Control - Black

BDN6728A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard.
This earpiece incorporates an in-line volume control as a more convenient way of adjusting volume to the specific user needs.
Colour - Black. Use with RSM or Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Comfortable Ear Mount
Discrete Listening
Good in Noisy Environments

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4761A
RLN4760A
RLN4763A
RLN4764A
RLN4765A
NTN8371A
NTN8370A
RLN4762A
NMN6191
NMN6193
BDN6676
NMN6193
BDN6676

Flexible Ear Receiver

BDN6719A

Product Details

A simple cost effective, listen only earpiece that provides all users especially the first time user, the ability to listen to radio messages without them being overheard. Use with RSM or Audio Adapter.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Comfortable Ear Mount
Discrete Listening
Enhances Audio Performance
Good in Noisy Environments

Suggested Applications

Entertainment
Security
Police

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

NMN6191
NMN6193
BDN6676

FM Remote Speaker Microphone With 3.5 mm Jack

NMN6193B

Product Details

This FM remote speaker microphone provides remote talk and listen capability in a lightweight & compact housing. Usually worn on a lapel or epaulette the omni-directional microphone enhances speech clarity in noisy environments whilst the speaker allows for clearer, more discrete listening capability.

Standard/ Approvals

Cenelec: N CE: Y FM: Y

Features and Benefits

Coiled Cord
Easy Release
Enhances Audio Performance
Factory Mutual Approval (Limited FM C-D)
Simple Mounting

Suggested Applications

Construction
Manufacturing
Security

Radio Compatibility**Associated Items**

BDN6719A
BDN6664A
BDN6726A
BDN6666A
BDN6728A

FM Remote Speaker Microphone with 3.5mm Jack NC

NMN6191B

Product Details

This remote speaker/microphone incorporates a 3.5mm threaded jack socket for the connection of discrete earpieces and in addition incorporates a noise cancelling microphone, particularly suited for use in high noise environments. Use of non FM approved earpieces will invalidate the FM approval of the remote speaker/microphone.

Standard/ Approvals

Cenelec: N CE: Y FM: Y

Features and Benefits

3.5mm Threaded Jack
Coiled Cord
Easy Release
Factory Mutual Approval (Limited FM C-D)
Good in Noisy Environments
Simple Mounting

Suggested Applications

Oil
Emergency services
Petro-chemical

Radio Compatibility**Associated Items**

BDN6719
BDN6664
BDN6726
BDN6666
BDN6728

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Heavy Duty Cenelec Headset

ELN4635A

Product Details

Superior quality headset can withstand the most rugged of environments. The 'over the head' headband makes for secure yet comfortable fitting. The noise canceling technology ensures a clear voice message is communicated in even high noise environments

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Boom Microphone
Constant Radio Awareness
Durability
Good in Noisy Environments
Noise Cancelling

Suggested Applications

Oil
Fire brigade
Petro-chemical

Associated Items**Heavy Duty Cenelec headset - Hirose**

ELN4636A

Product Details

Superior quality headset can withstand the most rugged of environments. The 'over the head' headband makes for secure yet comfortable fitting. The noise canceling technology ensures a clear voice message is communicated in even high noise environments.
MUST BE USED WITH 09 82 037 HIROSE ADAPTOR

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Boom Microphone
Constant Radio Awareness
Durability
Good in Noisy Environments
Noise Cancelling

Suggested Applications

Oil
Fire brigade
Petro-chemical

Associated Items

09 82 037

Heavy Duty Noise Cancelling Headset

BDN6645A

Product Details

Superior quality headset can withstand the most rugged of environments. In addition to the elasticated headband there is a behind the head sprung steel headband making it a secure fit for all head sizes. The noise canceling technology ensures a clear voice message is communicated even in high noise environments

Standard/ Approvals


Cenelec: N CE: Y FM: N

Features and Benefits

Boom Microphone
Durability
For use Under Headgear
Good in Noisy Environments
Noise Cancelling

Suggested Applications

Construction
Agriculture
Manufacturing

Associated Items**Helmet-Com Cenelec Bone Inductive Headset**

WALN4062A

Product Details

The Helmet-Com, when connected via the Com-control, is designed to meet the needs of professional users working in extreme conditions with helmets or breathing apparatus. Its bone inductive technology provides clear and reliable communications when connected to almost any protective headgear via a simple and secure mounting system. The unit is Cenelec approved (when used with the appropriate Com-control and radio) and IP55.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Bone Induction Microphone Technology
Cenelec Approval
Convenient Mounting
For use Under Headgear
Lightweight
Useable in Explosive Environments

Suggested Applications

Oil
Emergency services
Petro-chemical

Associated Items


WALN4069A
WALN4068A

Radio Compatibility

GP300 & P110

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

High Noise Earpiece with Microphone and PTT - Black (2 Wire)

BDN6731A

Product Details

An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone / PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket.

This earpiece is capable of producing higher audio volume to cater for specific user needs.

Colour - Black

Standard/ Approvals

Cenelec : N CE : Y FM : N

Features and Benefits

Discrete Operation
Good in Noisy Environments
Separate Speaker, Microphone & Press to Talk
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4764A
RLN4760A
RLN4765A
RLN4763A
RLN4761A
NTN8371A
NTN8370A
RLN4762A

High Noise Earpiece with Microphone and PTT - Black (3 Wire)

BDN6732A

Product Details

This discrete accessory is ideal for surveillance environments. The separate microphone and PTT can be concealed about their person e.g. under a lapel (for the microphone) and run down the arm of a jacket (for the PTT).

This earpiece is capable of producing higher audio volume to cater for specific user needs.

Standard/ Approvals

Cenelec : N CE : Y FM : N

Features and Benefits

Discrete Operation
Good in Noisy Environments
Separate Speaker, Microphone & Press to Talk
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4764A
RLN4760A
RLN4765A
RLN4763A
RLN4761A
NTN8371A
NTN8370A
RLN4762A

High Volume Earpiece - Beige

BDN6665A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard.

This earpiece is capable of producing higher audio volume to cater for specific user needs.

Standard/ Approvals

Cenelec : N CE : Y FM : N

Features and Benefits

3.5mm Threaded Jack
Discrete Listening
Good in Noisy Environments
In Ear Mounting
Plastic Ear Loop
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4760A
RLN4764A
NTN8371A
RLN4761A
RLN4760A
RLN4762A
NTN8370A
RLN4765A
RLN4763A

High Volume Earpiece - Black

BDN6727A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard.

This earpiece is capable of producing higher audio volume to cater for specific user needs.

Standard/ Approvals

Cenelec : N CE : Y FM : N

Features and Benefits

3.5mm Threaded Jack
Discrete Listening
Good in Noisy Environments
Plastic Ear Loop
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

RLN4760A
RLN4763A
NTN8371A
NTN8370A
RLN4765A
RLN4764A
RLN4762A
RLN4761A
RLN4760A

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

High Volume Earpiece with Microphone & PTT - Beige

BDN6670A

Product Details

This discrete accessory is ideal for surveillance environments. The separate microphone and PTT can be concealed about their person e.g. under a lapel (for the microphone) and run down the arm of a jacket (for the PTT). This earpiece is capable of producing higher audio volume to cater for specific user needs.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Enhances Audio Performance
Freedom of Movement
Increases Radio Utility
Plastic Ear Loop
Requires BDN6676 Adapter

Suggested Applications


Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

BDN6676
NTN8370A
RLN4765A
RLN4760A
RLN4763A
RLN4764A
RLN4761A
RLN4762A
NTN8371A

High Volume Earpiece with Microphone & PTT - Beige

BDN6669A

Product Details

An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone / PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket. This earpiece is capable of producing higher audio volume to cater for specific user needs.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Discrete Listening
Good in Noisy Environments
In Ear Mounting
Requires BDN6676 Adapter
Unobtrusive

Suggested Applications

Retail
Security
Hotel & Catering

Radio Compatibility

GP1200
GP900
GP900/1200 HT & MT Range
HT1000
Visar

Associated Items

NTN8370A
RLN4765A
RLN4760A
RLN4763A
RLN4764A
RLN4761A
RLN4762A
NTN8371A
BDN6676

Noise-Com Cenelec Headset for use with Ear Protectors - Connects via Com-contr

WALN4064A

Product Details

The Noise-com ear defender headset is designed for the professional user working in high noise environments. Its simple, secure, and interchangeable system of mounting to existing ear defenders makes it a cost effective alternative to standard heavy duty headsets whilst still being IP55 and Cenelec approved when connected to the appropriate Com-control and radio.

Standard/ Approvals

Cenelec: Y CE: Y FM: N

Features and Benefits

Comfortable Ear Mount
Easy Insertion and Release
Good in Noisy Environments
Lightweight Construction
Noise Cancelling
Simple Mounting

Suggested Applications

Oil
Emergency services
Petro-chemical

Radio Compatibility

GP300 & P110

Associated Items

WALN4069A
WALN40688

Public Safety Microphone with Antenna Connector and 3.5mm Jack

NMN6228C

Product Details

This public safety microphone has the facility for mounting of the radio antenna for enhanced radio system coverage. It is also possible to utilize discrete earpieces via a 3.5mm screw thread jack. This item is not recommended for use with mid band radios

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

3.5mm Threaded Jack
Good RF Performance
Simple Mounting
Straight Cord
Visual Deterrent

Suggested Applications

Security
Emergency services
Local authorities

Radio CompatibilityAssociated Items

BDN6729A
BDN6669A
BDN6730A
BDN6731A
BDN6670A
BDN6732A

**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Audio Accessory

Public Safety Microphone with Antenna Connector and Emergency Button

NMN6241B

Product Details

This public safety microphone has the facility for mounting of the radio antenna for enhanced radio system coverage.

Standard/ Approvals

Cenelec: N CE: Y FM: N

Features and Benefits

Emergency Button
Enhances Audio Performance
Good RF Performance
Straight Cord
Visual Deterrent

Suggested Applications

Security
Emergency services
Local authorities

Associated Items**Radio Compatibility****Tilt Switch Adaptor**

NTN7660B

Product Details

When connected to the side of the radio via the accessory connector, this tilt switch adaptor enables the radio to operate in "man down" mode. When the radio tilts beyond 15 degrees from vertical for longer than a pre-defined time, an alarm sequence is triggered. This function is enabled as part of the radios software.

Standard/ Approvals

Cenelec: N CE: Y FM: Y

Features and Benefits

Compact
External Mounting
Increases Radio Utility

Suggested Applications

Security
Petro-chemical
Utilities

Associated Items**Radio Compatibility****Transparent Acoustic Ear Tube**

NTN8371A

Product Details

This acoustic tube attaches easily to all earpiece discrete accessories to provide a more comfortable and discrete solution. The additional ear plugs on this ear tube make this the ideal solution for high noise environments such as night clubs or sports stadia.

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits

Constant Radio Awareness
Discrete Listening
For use Under Headgear
Good in Noisy Environments
Lightweight Construction

Suggested Applications

Entertainment

Associated Items

HMN9727B
BDN6668A
BDN6730A
BDN6669A
BDN6731A

Radio Compatibility

GP300
GP300 & P110
GP900
GP900/1200 HT & MT Range
HT1000

Transparent Acoustic Ear Tube

NTN8370A

Product Details

This acoustic tube attaches to all earpiece discrete accessories to provide a more comfortable and discrete solution. Additional foam ear plugs on this ear tube make this the ideal solution for high noise environments.

Standard/ Approvals

Cenelec: N/A CE: N/A FM: N/A

Features and Benefits

Discrete Listening
Good in Noisy Environments
Improved Comfort
Lightweight Construction
NRR = 24db
Spring Action Mounting Clip

Suggested Applications

Construction
Entertainment
Fire brigade


Associated Items

BDN6668A
BDN6729A
BDN6732A
BDN6664A
BDN6726A


Radio Compatibility

GP300
GP300 & P110
GP900
GP900/1200 HT & MT Range
HT1100


Voiceducer System - High Noise Ear Microphone - Grey

 BDN6641A	<p>Product Details This bone inductive ear microphone utilizes bone vibration in the ear canal to detect speech. It is suitable in ambient noise environments up to 105db. This unit must be used in conjunction with either the standard radio interface module or the VOX interface module.</p>	<p>Suggested Applications Entertainment Security Police</p>	
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p> <p>Features and Benefits Bone Induction Microphone Technology Discrete Operation Good in Noisy Environments Hands Free Operation Ultra Discrete Earpiece Voice Operated Transmit</p>	<p>Radio Compatibility GP900/1200 HT & MT Range HT800 P210</p>	


Voiceducer System - Optional Ear Microphone - Beige


 BDN6678A	<p>Product Details This bone inductive ear microphone utilizes bone vibrations in the ear canal to detect speech. It is suitable in ambient noise environments up to 95db. This unit must be used in conjunction with either the standard radio interface module or the vox interface module. Colour - Beige</p>	<p>Suggested Applications Security Fire brigade Police</p>	
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p> <p>Features and Benefits Bone Induction Microphone Technology Discrete Listening Good in Noisy Environments Hands Free Operation</p>	<p>Radio Compatibility GP1200 GP300 GP900 GP900/1200 HT & MT Range HT1000 P110 Visar</p>	

Voiceducer System - Radio Interface with PTT


 BDN6708B	<p>Product Details This PTT radio interface module can be used with any of the bone inductive microphones. In addition it is possible to connect either an optional body switch PTT or a finger PTT.</p>	<p>Suggested Applications Security Fire brigade Police</p>	<p>Associated Items 01-80358B33 01-80358B35 BDN6641A 01-80358B36 01-80358B34 01-80358B37 01-80358B32 01-80300E25 01-80300E83 01-80358B38 BDN6678A BDN6677A</p>
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p> <p>Features and Benefits Discrete Listening Easy Release Simple Mounting Spring Action Mounting Clip</p>	<p>Radio Compatibility</p>	

Voiceducer System - Radio Interface with VOX & PTT

 BDN6671B	<p>Product Details This VOX radio interface module can be used with any of the bone inductive microphones. Additionally, this module allows for complete hands free operation via an easily selectable switch. In addition it is possible to connect either an optional body switch PTT or a finger PTT.</p>	<p>Suggested Applications Security Fire brigade Police</p>	<p>Associated Items 0180358B35 0180358B32 BDN6641A BDN6678A 0180358B38 0180300E83 0180358B36 0180300E25 BDN6677A 0180358B37 0180358B33 0180358B34</p>
	<p>Standard/ Approvals Cenelec: N CE: Y FM: Y</p> <p>Features and Benefits Discrete Listening Easy Release Hands Free Operation Simple Mounting Spring Action Mounting Clip</p>	<p>Radio Compatibility</p>	


 MOTOROLA	GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1 MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9 MTX9000	<i>Audio Accessory</i>
---	--	------------------------

Voiceducer System - Replacement Ear Microphone - Black


 <p align="center">BDN6677A</p>	<p><u>Product Details</u></p> <p>This bone inductive ear microphone utilizes bone vibrations in the ear canal to detect speech. It is suitable in ambient noise environments up to 95db. This unit must be used in conjunction with either the standard radio interface module or the vox interface module</p> <p align="center">Colour - Black</p>	<p><u>Suggested Applications</u></p> <p>Security Fire brigade Police</p>	<p><u>Associated Items</u></p>
	<p><u>Standard/ Approvals</u> Cenelec: N CE: Y FM: N</p>	<p><u>Radio Compatibility</u></p> <p>GP1200 GP300 GP900 GP900/1200 HT & MT Range HT1000 P110 Visar</p>	
<p><u>Features and Benefits</u></p> <p>Discrete Operation Good in Noisy Environments Separate Speaker, Microphone & Press to Talk Unobtrusive</p>			

 MOTOROLA	GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1 MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9 MTX9000	Batteries
---	--	------------------


NiCd Cenelec High Capacity Battery

 NTN7148B	Product Details This high capacity NiCd battery has been approved by Cenelec to a rating of IIcT4	Suggested Applications Oil Fire brigade Petro-chemical	Associated Items NTN1174 NTN1175 NTN1168 NTN1169 NTN1170 NTN1171 NTN1172
	Standard/ Approvals Cenelec: Y CE: N/A FM: N	Radio Compatibility	
	Features and Benefits Cenelec Approval Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 900 mAh Useable in Explosive Environments		


NiCd FM High Capacity Battery

 NTN7146A	Product Details This high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III (Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&DE	Suggested Applications Oil Manufacturing Petro-chemical	Associated Items NTN1172A NTN1173A NTN7160A NTN7209A NTN1177B NTN78
	Standard/ Approvals Cenelec: N CE: N/A FM: Y	Radio Compatibility	
	Features and Benefits Factory Mutual Approval (Limited FM C-D) Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1200 mAh Use with Motorola Rapid & Slow Chargers Useable in Explosive Environments		


NiCd FM High Capacity Battery

 NTN7372A	Product Details This high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III (Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D	Suggested Applications Oil Fire brigade Petro-chemical	Associated Items NTN1174 NTN1175 NTN1168 NTN1169 NTN1170 NTN1171 NTN1172
	Standard/ Approvals Cenelec: N CE: N/A FM: Y	Radio Compatibility GP900	
	Features and Benefits Factory Mutual Approval (Limited FM C-D) Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1200 mAh Useable in Explosive Environments		


**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000**Batteries****NiCd FM Ultra High Capacity Battery**

 NTN7147A	Product Details This ultra high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for group D, Class II (Dusts) environments for groups E,F&G and Class III (Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D	Suggested Applications Oil Manufacturing Petro-chemical	Associated Items NTN71174 NTN1175A NTN1168A NTN1169A NTN1170A NTN1171A
	Standard/ Approvals Cenelec: N CE: N/A FM: Y Features and Benefits Factory Mutual Approval (Limited FM C-D) Maximised Re-chargeable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1300 mAh Use with Motorola Rapid & Slow Chargers Useable in Explosive Environments	Radio Compatibility	


NiCd FM Ultra High Capacity Battery

 NTN7341A	Product Details This ultra high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III (Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D	Suggested Applications Oil Manufacturing Petro-chemical	Associated Items NTN71174A NTN1175A NTN1168A NTN1169A NTN1170A NTN1171A
	Standard/ Approvals Cenelec: N CE: N/A FM: Y Features and Benefits Factory Mutual Approval (Limited FM C-D) Maximised Re-chargeable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1350 mAh Useable in Explosive Environments	Radio Compatibility GP1200 GP900 HT1000 HT1100 MT2000 MT2100 MTS2000 MTX838	


NiCd High Capacity Battery

 NTN7143C	Product Details The NiCd technology in this high capacity battery performs across a wide temperature range with nominal reductions in radio talk time.	Suggested Applications Security Emergency services Utilities	Associated Items NTN1168A NTN1179C NTN1177B NTN1173A NTN7209A NTN7160A
	Standard/ Approvals Cenelec: N CE: N/A FM: N Features and Benefits Maximised Re-chargeable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1200 mAh Use with Motorola Rapid & Slow Chargers Used in Many Different Environments	Radio Compatibility	


**MOTOROLA**GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000**Batteries****NiCd Ultra High Capacity Battery**

 NTN7144A	Product Details The NiCd technology in this ultra high capacity battery performs across a wide temperature range with nominal reductions in radio talk time.	Suggested Applications Security Fire brigade Police Emergency services Utilities	Associated Items NTN1168A NTN1174 NTN1174A NTN1175 NTN1176A NTN1168 NTN1169A NTN1169 NTN1170A NTN1170 NTN1171A NTN1171 NTN1172
	Standard/ Approvals Cenelec: N CE: N/A FM: N Features and Benefits Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1350 mAh Use with Motorola Rapid & Slow Chargers	Radio Compatibility	


NiMH FM Ultra High Capacity Battery

 WPNN4037A	Product Details This ultra high capacity NiMH battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsicly Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E, F&G and Class III (Fibers & Fillings) environments. Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A, B, C&D	Suggested Applications Oil Manufacturing Petro-chemical	Associated Items
	Standard/ Approvals Cenelec: N CE: N/A FM: Y Features and Benefits Environmentally Acceptable Design Longer Usage Between Battery Recharges Low Maintenance Battery Rated Capacity 1900 mAh Reduced Capacity Warranty 60% Safe	Radio Compatibility	


NiMH Ultra High Capacity Battery

 WPNN4013A	Product Details The NiMH technology in this ultra high capacity battery performs across a wide temperature range with nominal reductions in radio talk time.	Suggested Applications Security Police Local authorities	Associated Items
	Standard/ Approvals Cenelec: N CE: N/A FM: N Features and Benefits Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 2000 mAh Reduced Capacity Warranty 60% Use with Motorola Rapid & Slow Chargers Useable in Explosive Environments	Radio Compatibility	

Single Unit Rapid Rate Conditioning Charger with 220v Euro Plug


 PMTN4006B	<p><u>Product Details</u> 220v charger with two pin Euro plug 90min negative pulse charging of Battery. For use with NiCd or NiMH batteries. Substantially Reduces incidence of memory effect. Remove battery from the radio to use.</p>	<p><u>Suggested Applications</u> Manufacturing Emergency services Utilities</p>	<p><u>Associated Items</u> NTN7144A NTN7143A NTN7146A NTN7147A NTN7372A NTN7341A</p>
	<p><u>Standard/ Approvals</u> Cenelec: N CE: Y FM: N</p> <p><u>Features and Benefits</u> Conditions Battery Discharges & Charges Battery Fully Charged Battery Detection Negative Pulse Charging Reduces Memory Effect</p>	<p><u>Radio Compatibility</u> MT2100</p>	

Single Unit Rapid Rate Conditioning Charger with 240v UK Plug


 PMTN4005B	<p><u>Product Details</u> 240v charger with UK plug 90min negative pulse charging of battery. For use with NiCd or NiMH batteries. Substantially Reduces incidence of memory effect. Remove battery from the radio to use.</p>	<p><u>Suggested Applications</u> Manufacturing Emergency services Utilities</p>	<p><u>Associated Items</u> NTN7143C MNTN7144 WPNN4013A NTN7147A NTN7372A NTN7341A</p>
	<p><u>Standard/ Approvals</u> Cenelec: N CE: Y FM: N</p> <p><u>Features and Benefits</u> Discharges & Charges Battery Fully Charged Battery Detection Negative Pulse Charging</p>	<p><u>Radio Compatibility</u></p>	

 MOTOROLA	GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1 MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9 MTX9000	Carry Accessory
---	--	-----------------


Leather Carry Case with Swivel Belt Loop and T-Strap for High Capacity Batteries

 NTN7241A	<u>Product Details</u> High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and T' strap (for securing radio).	<u>Suggested Applications</u> Construction Manual Working Environments Fire brigade	<u>Associated Items</u> GLN6591
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> Durability Freedom of Movement Protective Substantial Construction	GP1200 GP900 HT1000		


Nylon Carry Case

 NTN7247A	<u>Product Details</u> Being easy to clean, this cost effective carry case is ideal for outdoor or dirty environments. Its robust metal fasteners on the T-Strap and belt loop provide for secure mounting.	<u>Suggested Applications</u> Construction Manual Working Environments Fire brigade	<u>Associated Items</u> TDN9687A
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> Durability Protective Substantial Construction	GP1200 GP600 HT1000 HT1100 MT2000 MT2100 MTS2000 MTX838		

Open Front Leather Carry Case for use with High Capacity Batteries


 NTN7238A	<u>Product Details</u> High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and T' strap (for securing radio).	<u>Suggested Applications</u> Construction Manual Working Environments Local authorities	<u>Associated Items</u> GLN6591
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> Durability Protective Substantial Construction	GP1200 GP900 HT1000		

Open Front Leather Carry Case for use with Ultra High Capacity Batteries


 NTN7239A	<u>Product Details</u> High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and T' strap (for securing radio).	<u>Suggested Applications</u> Construction Manufacturing Security	<u>Associated Items</u> GLN6591
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
<u>Features and Benefits</u> Durability Freedom of Movement Protective Substantial Construction	GP1200 GP900 HT1000		

 MOTOROLA	GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1 MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9 MTX9000	<i>Carry Accessory</i>
---	--	------------------------


Open Front Swivel Loop Leather Case for use with Ultra High Capacity Batteries

 NTN7242A	<u>Product Details</u> High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio).	<u>Suggested Applications</u> Construction Manual Working Environments Fire brigade	<u>Associated Items</u> GLN6591
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u> GP1200 GP900 HT1000	
<u>Features and Benefits</u> Durability Freedom of Movement Protective Substantial Construction			

Shoulder Strap for use Carry Cases


 GLN6591A	<u>Product Details</u> This substantial Nylon carry strap has a comfortable shoulder pad and metal clips. It is adjustable for length to suit individual user needs.	<u>Suggested Applications</u> Agriculture Sport & Leisure	<u>Associated Items</u> NTN7238A NTN7239A NTN7242A NTN7247A NTN7317B NTN7318A
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u> GP900	
<u>Features and Benefits</u> Black Durable Easy Release Greater Mobility Substantial Construction			

Spring Action 6.6cm Belt Clip


 NTN7318A	<u>Product Details</u> 6.4cm clip is constructed from black aluminium and is an alternative to the standard item.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u> GP1200	
<u>Features and Benefits</u> Secure Fixing Spring Action Mounting Clip Unobtrusive			

 MOTOROLA	GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9 MTX9000	Charger
---	---	---------


6 Unit Rapid Rate Charger with 220v Euro Plug

 NTN1178C	Product Details 220v 1 hour 6unit charger with 2pin Euro plug. Charges NiCd and NiMh Batteries. Includes Line cord.	Suggested Applications Retail Horticulture Oil Manufacturing Emergency services Petro-chemical	Associated Items
	Standard/ Approvals Cenelec: N CE: Y FM: N	Radio Compatibility	
Features and Benefits Accepts Battery with or without Radio Charges 6 Unit Fast Charging Fully Charged Battery Detection Supports Multiple Users Supports Second Battery Useage			


6 Unit Rapid Rate Charger with 240v UK Plug

 NTN1179D	Product Details 240V 1 hour 6 unit charger with UK plug. Charges NiCd and NiMh batteries. Includes line cord	Suggested Applications Oil Emergency services Petro-chemical	Associated Items
	Standard/ Approvals Cenelec: N CE: Y FM: N	Radio Compatibility	
Features and Benefits Accepts Battery with or without Radio Charges 6 Unit Fast Charging Fully Charged Battery Detection Supports Multiple Users Supports Second Battery Useage			

Single Unit Rapid Rate Desk Top Charger with 220v Euro Plug


 NTN1169A	Product Details 220v with 2 pin Euro plug enhanced desktop 1 hour charger. Charges NiCd or NiMh batteries. Includes integral power supply unit.	Suggested Applications Horticulture	Associated Items NTN7372A NTN7341A NTN7143C NTN7144A NTN7146A NTN7147A
	Standard/ Approvals Cenelec: N CE: Y FM: N	Radio Compatibility	
Features and Benefits Accepts Battery with or without Radio Charge State Indicators Fast Charging Fully Charged Battery Detection Supports Second Battery Useage			

Single Unit Rapid Rate Desk Top Charger with 240v UK Plug


 NTN1170A	Product Details 240V with UK plug enhanced Desktop 1 hour charger. Charges NiCd or NiMh batteries. Includes integrated power supply unit.	Suggested Applications Emergency services Petro-chemical Utilities	Associated Items NTN7372A NTN7341A NTN7143C NTN7144A NTN7146A NTN7147A
	Standard/ Approvals Cenelec: N CE: Y FM: N	Radio Compatibility	
Features and Benefits Accepts Battery with or without Radio Charge State Indicators Fast Charging Fully Charged Battery Detection Supports Second Battery Useage			

 MOTOROLA	GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1 MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9 MTX9000	<i>Vehicle Accessory</i>
---	--	--------------------------


12 vDC - Vehicle Battery Eliminator

 RLN4335A	<u>Product Details</u> The Battery Eliminator fits to the radio in place of the battery and provides power to the radio via the cigarette lighter adapter..	<u>Suggested Applications</u> General Use	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec: N/A CE: N/A FM: N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u> Coiled Cord Convenient Operation Easy Insertion and Release Freedom of Movement Substantial Construction		


Vehicle Adaptor / Charger for High Capacity Battery Users

 GPN6136D	<u>Product Details</u> Vehicle adaptor and charger for high capacity battery. ONLY for use with NiCd batteries. Input voltage 12/24v ,Metal housing full access to radio keypad. Kit includes speaker ,microphone and BNC antenna connector	<u>Suggested Applications</u> Agriculture Security Event management Fire brigade Local authorities	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec: N CE: Y FM: N	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u> Charge State Indicators Easy Insertion and Release Easy Keypad Access In Vehicle Charging Capability Rugged Metal Housing	GP1200 GP900 HT1000 HT1100 MT2100	

Vehicle Adaptor / Charger for Ultra High Capacity Battery Users

 GPN6141D	<u>Product Details</u> Vehicle adapter and charger for ultra-high cap battery. ONLY for use with NiCd batteries. Input voltage 12/24V, metal housing full access to radio keypad. Kit includes speaker-microphone & BNC antenna connector	<u>Suggested Applications</u> Construction Security Fire brigade Emergency services Local authorities	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec: N CE: Y FM: N	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u> Charge State Indicators Combined Mic & Press to Talk Easy Insertion and Release Optimum Performance Substantial Construction	GP1200 GP900 MT2100	

Vehicle Adaptor/ Charger for CENELEC Radio Users

 GPN6146A	<u>Product Details</u> Vehicle adapter and charger for Cenelec battery. input voltage 12/24V regulated, metal housing full access to radio keypad. Kit includes speaker-microphone & BNC antenna connector	<u>Suggested Applications</u> Fire brigade Petro-chemical	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec: Y CE: Y FM: N	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u> Easy Insertion and Release Enhances Audio Performance In Vehicle Charging Capability	GP1200 GP900 MT2100	




MOTOROLA


GP900 - GP1200 - HT1000 - HT1100 - JT1000 - LTS2000 - MT1
MT2100 - MTS1200 - MTS2000 - MTX838 - MTX8000 - MTX9
MTX9000

Vehicle Accessory


Vehicle Charger Only. For High Capacity Battery Users

 GPN6139C	Product Details Vehicle charger for high capacity battery, input voltage 12/24v metal housing with full access to radio keypad	Suggested Applications Security Sport & Leisure Fire brigade Local authorities	Associated Items
	Standard/ Approvals Cenelec: N CE: Y FM: N Features and Benefits Charge State Indicators Easy Insertion and Release Easy Keypad Access In Vehicle Charging Capability Rugged Metal Housing	Radio Compatibility GP1200 GP900 HT1000 HT1100 MT2100	

Vehicle Charger Only. For Ultra High Capacity Battery Users

 GPN6140C	Product Details Vehicle charger for ultra-high cap battery. input voltage 12/24V, metal housing full access to radio keypad.	Suggested Applications Security Fire brigade Local authorities	Associated Items
	Standard/ Approvals Cenelec: N CE: Y FM: N Features and Benefits Easy Insertion and Release Easy Keypad Access In Vehicle Charging Capability Rugged Metal Housing	Radio Compatibility	

Vehicle Radio Holder

 TDN9373A	Product Details This portable radio hanger slides over the vehicle door panel. The radio belt clip then slides on the radio hanger allowing convenient, easy storage of the radio. For use with door panels up to 8.2cm in depth.	Suggested Applications Construction Agriculture Security	Associated Items
	Standard/ Approvals Cenelec: N/A CE: N/A FM: N/A Features and Benefits Convenient Mounting Durability Lightweight Construction Simple Mounting	Radio Compatibility GP1200 GP900 HT1000 Visar	



MOTOROLA

**Accessory and Aftermarket
Product Catalogue**

GP300 & P110

- **GP300 & P110**
 - Antennas
 - Audio Accessories
 - Batteries
 - Carry Accessories
 - Chargers
 - Vehicle Accessories
-



Helical Antenna - VHF 136.0MHz - 162.0MHz



HAD9338AR

Product Details This general purpose antenna (approx. 15cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.	Suggested Applications General Use	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	
Features and Benefits 136.0MHz - 162.0MHz Colour Code - Yellow Optimum Performance		

Helical Antenna - VHF 146.0MHz - 174.0MHz



NAD6502AR

Product Details This general purpose antenna (approx 15cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.	Suggested Applications General Use	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	
Features and Benefits 146.0MHz - 174.0MHz Colour Code - Black Optimum Performance		

Stubby Antenna - UHF 403.0MHz - 430.0MHz



8505816K24


Product Details This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio	Suggested Applications General Use	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	
Features and Benefits 403.0MHz - 430.0MHz Colour Code - Red Good RF Performance Small Size		

Stubby Antenna - UHF 440.0MHz - 470.0MHz




8505816K25


Product Details This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio	Suggested Applications General Use	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	
Features and Benefits 433.0MHz - 470.0MHz Colour Code - Green Good RF Performance Small Size		

 MOTOROLA	GP300 - GP300 5 tone - P110	Antenna
---	-----------------------------	---------


Stubby Antenna - UHF 470.0MHz - 520.0MHz

 <p style="text-align: center; font-weight: bold;">8505816K26</p>	<p>Product Details</p> <p>This small antenna (approx. 9cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of a radio.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300 & P110</p>	
	<p>Features and Benefits</p> <p>465.0MHz - 495.0MHz Colour Code - Black Good RF Performance Small Size</p>		


Stubby Antenna - VHF 146.0MHz - 162.0MHz

 <p style="text-align: center; font-weight: bold;">HAD9742A</p>	<p>Product Details</p> <p>This small antenna (approx 7.5cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of the radio.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>146.0MHz - 162.0MHz Colour Code - Black Good RF Performance Small Size</p>		

Stubby Antenna - VHF 162.0MHz - 174.0MHz

 <p style="text-align: center; font-weight: bold;">HAD9743A</p>	<p>Product Details</p> <p>This small antenna (approx 7.5cm) provides reliable RF performance and is suitable for applications where shorter antenna length is a consideration in the use of the radio.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>162.0MHz - 174.0MHz Colour Code - Blue Good RF Performance Small Size</p>		

Tunable Antenna - VHF 146.0MHz - 174.0MHz


 <p style="text-align: center; font-weight: bold;">HAD9728B</p>	<p>Product Details</p> <p>This tunable antenna (approx 15cm) Provides a maximum RF performance when tuned to a specific customer frequency. This makes it ideal for applications where coverage and reception quality is of paramount importance.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>146.0MHz - 176.0MHz Maximum RF Performance Tunable to an Exact Frequency</p>		




GP300 - GP300 5 tone - P110

Antenna


Wide Band Antenna - UHF 403.0Mhz - 470.0Mhz

 <p>NAE6483A</p>	<p>Product Details</p> <p>This general purpose antenna (approx. 17cm) provides an optimum RF performance and is suitable for most applications where the antenna length is not a major consideration.</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP1280 GP140 GP300 & P110 GP320 GP340 GP380 GP640 GP680</p>	
	<p>Features and Benefits</p> <p>403.0MHz - 520.0MHz Good RF Performance</p>		


Com-Control PTT Control unit for Noise-Com and Helmet-Com with long cable

 WALN4077A	<p>Product Details</p> <p>The Com-control provides an interface to the radio for Noise-com and Helmet-com. Its integrated amplifier provides clear, enhanced communication and the extra large, rugged PTT provides positive, instant communication even when operated with thick gloves. This model comes with a red PTT and long radio connector cable.</p>	<p>Suggested Applications</p> <p>Agriculture Manufacturing Local authorities</p>	<p>Associated Items</p> <p>WALN4062A WALN4064A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Coiled Cord Convenient Mounting Easy Release In line PTT Increases Radio Utility Substantial Construction</p>		


Com-Control PTT Control unit for Noise-Com and Helmet-Com with short cable

 WALN4076A	<p>Product Details</p> <p>The Com-control provides an interface to the radio for Noise-com and Helmet-com. Its integrated amplifier provides clear, enhanced communication and the extra large, rugged PTT provides positive, instant communication even when operated with thick gloves. This model comes with a red PTT and short radio connector cable.</p>	<p>Suggested Applications</p> <p>Agriculture Manufacturing Local authorities</p>	<p>Associated Items</p> <p>WALN4062A WALN4064A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Convenient Mounting Easy Release In line PTT Increases Radio Utility Straight Cord Substantial Construction</p>		

Earpiece with Combined Microphone/PTT - Beige

 HMN9754D	<p>Product Details</p> <p>An ideal solution where discrete operation is preferred, be it in a surveillance environment or a customer facing role. The separate microphone / PTT can be concealed about the person e.g. under a lapel or attached to the inside cuff of a jacket. Colour - Beige</p>	<p>Suggested Applications</p> <p>Retail Security Hotel & Catering</p>	<p>Associated Items</p> <p>RLN4764A RLN4760A RLN4761A RLN4762A NTN8371A RLN4763A RLN4765A NTN8370A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Discrete Operation Factory Mutual Approval (Limited FM C-D) Good in Noisy Environments Separate Speaker, Microphone & Press to Talk Unobtrusive</p>		

Earpiece with Volume Control - Beige

 HMN9752B	<p>Product Details</p> <p>A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard. This earpiece incorporates an in-line volume control as a more convenient way of adjusting volume to the specific user needs. Colour - Beige</p>	<p>Suggested Applications</p> <p>Retail Security Hotel & Catering</p>	<p>Associated Items</p> <p>RLN4760A RLN4764A NTN8370A RLN4765A RLN4763A NTN8371A RLN4761A RLN4762A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Durable Hands Free Operation Lightweight Secure Fixing</p>		

**Flexible Ear Receiver**

BDN6720A

Product Details

A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard.

Standard/ Approvals

Cenelec : N CE : Y FM : Y

Features and Benefits

Colour - Black
Enhances Audio Performance
Good in Noisy Environments
On the Ear Mounting

Suggested Applications

Entertainment
Hotel & Catering
Event management

Associated Items

HLN8096

Radio Compatibility

GP300
P110

Heavy Duty Headset

BDN6648C

Product Details

Superior quality headset can withstand the most rugged of environments. In addition to the elasticated headband there is a behind the head sprung steel headband making it a secure fit for all head sizes. The noise cancelling technology ensures a clear voice message is communicated even in high noise environments.

Standard/ Approvals

Cenelec : N CE : Y FM : Y

Features and Benefits

Boom Microphone
Durability
For use Under Headgear
Good in Noisy Environments
Noise Cancelling

Suggested Applications


Construction
Agriculture
Manufacturing

Associated Items

HLN8096A

Radio Compatibility

GP300
P110

Helmet-Com Cenelec Bone Inductive Headset

WALN4062A

Product Details

The Helmet-Com, when connected via the Com-control, is designed to meet the needs of professional users working in extreme conditions with helmets or breathing apparatus. Its bone inductive technology provides clear and reliable communications when connected to almost any protective headgear via a simple and secure mounting system. The unit is Cenelec approved (when used with the appropriate Com-control and radio) and IP55.

Standard/ Approvals

Cenelec : Y CE : Y FM : N

Features and Benefits

Bone Induction Microphone Technology
Cenelec Approval
Convenient Mounting
For use Under Headgear
Lightweight
Useable in Explosive Environments

Suggested Applications


Oil
Emergency services
Petro-chemical

Associated Items

WALN4069A
WALN4068A

Radio Compatibility

GP300 & P110

Lightweight Headset

HMN9787DR

Product Details

Whilst providing enhanced audio performance it is still possible to communicate with non radio users with this single sided headset. The lightweight construction ensures user comfort for extended periods.

Standard/ Approvals

Cenelec : N CE : Y FM : N

Features and Benefits

Boom Microphone
Constant Radio Awareness
Enhances Audio Performance
Freedom of Movement
Lightweight Construction
Single Earpiece

Suggested Applications

Retail
Security
Sport & Leisure


Associated Items

HLN8096


Radio Compatibility

GP300


Listen Only Earpiece - Beige

 HMN9727B	<p>Product Details</p> <p>A simple, cost effective, listen only earpiece that provides all users, especially the first time user, with the ability to listen to radio messages without them being overheard. This earpiece incorporates an in-line volume control as a more convenient way of adjusting volume to the specific user needs. Colour - Beige</p>	<p>Suggested Applications</p> <p>Construction Retail Sport & Leisure</p>	<p>Associated Items</p> <p>RLN4763A RLN4765A NTN8370A RLN4760A RLN4761A RLN4762A RLN4764A NTN8371A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP300 P110</p>	
	<p>Features and Benefits</p> <p>Colour - Beige Discrete Listening Good in Noisy Environments In Ear Mounting Plastic Ear Loop Unobtrusive</p>		


Low Profile Earpiece with Spring Clip Microphone / PTT

 HMN9036A	<p>Product Details</p> <p>This discrete yet simple earpiece with separate microphone/PTT is ideal for environments where discrete two-way communication is required within a customer facing environment.</p>	<p>Suggested Applications</p> <p>Security Sport & Leisure Emergency services</p>	
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Comfortable Ear Mount Discrete Operation In Ear Mounting Lightweight Low Profile Boom Microphone</p>		


Medium Weight Headset

 BDN6647F	<p>Product Details</p> <p>Whilst providing enhanced audio performance it is still possible to communicate with non radio users with this single sided headset. The more robust nature of this headset bridges the gap between lighter headsets and more specialized solutions.</p>	<p>Suggested Applications</p> <p>Retail Manual Working Environments Sport & Leisure Event management</p>	<p>Associated Items</p> <p>HLN8096A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300 P110</p>	
	<p>Features and Benefits</p> <p>Boom Microphone Constant Radio Awareness Discrete Listening Enhances Audio Performance Freedom of Movement Single Earpiece</p>		


Noise-Com Cenelec Headset for use with Ear Protectors - Connects via Com-contr

 WALN4064A	<p>Product Details</p> <p>The Noise-com ear defender headset is designed for the professional user working in high noise environments. Its simple, secure, and interchangeable system of mounting to existing ear defenders makes it a cost effective alternative to standard heavy duty headsets whilst still being IP55 and Cenelec approved when connected to the appropriate Com-control and radio.</p>	<p>Suggested Applications</p> <p>Oil Emergency services Petro-chemical</p>	<p>Associated Items</p> <p>WALN4069A WALN40688</p>
	<p>Standard/ Approvals Cenelec : Y CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300 & P110</p>	
	<p>Features and Benefits</p> <p>Comfortable Ear Mount Easy Insertion and Release Good in Noisy Environments Lightweight Construction Noise Cancelling Simple Mounting</p>		


Noise-Com Headset for use with Ear Protectors for direct connection

 WALN4067A	<p>Product Details</p> <p>The Noise-com ear defender headset is designed for the professional user working in high noise environments. Its simple, secure, and interchangeable system of mounting to existing ear defenders makes it a cost effective alternative to standard heavy duty headsets whilst still being IP55 approved.</p>	<p>Suggested Applications</p> <p>Agriculture Manufacturing Local authorities</p>	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p> <p>Features and Benefits</p> <p>Comfortable Ear Mount Easy Insertion and Release Good in Noisy Environments Lightweight Construction Noise Cancelling Simple Mounting</p>	<p>Radio Compatibility</p>	


Remote Speaker Microphone


 HMN9030A	<p>Product Details</p> <p>Provides remote talk and listen capability in a lightweight & compact housing. The remote speaker microphone is generally used in conjunction with a belt mounted carry accessory.</p>	<p>Suggested Applications</p> <p>Security Sport & Leisure Event management</p>	Associated Items
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p> <p>Features and Benefits</p> <p>Easy Release Good in Noisy Environments</p>	<p>Radio Compatibility</p> <p>GP300</p>	

Transparent Acoustic Ear Tube


 NTN8371A	<p>Product Details</p> <p>This acoustic tube attaches easily to all earpiece discrete accessories to provide a more comfortable and discrete solution. The additional ear plugs on this ear tube make this the ideal solution for high noise environments such as night clubs or sports stadia.</p>	<p>Suggested Applications</p> <p>Entertainment</p>	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p> <p>Features and Benefits</p> <p>Constant Radio Awareness Discrete Listening For use Under Headgear Good in Noisy Environments Lightweight Construction</p>	<p>Radio Compatibility</p> <p>GP300 GP300 & P110 GP900 GP900/1200 HT & MT Range HT1000</p>	<p>HMN9727B BDN6668A BDN6730A BDN6669A BDN6731A</p>

Transparent Acoustic Ear Tube


 NTN8370A	<p>Product Details</p> <p>This acoustic tube attaches to all earpiece discrete accessories to provide a more comfortable and discrete solution. Additional foam ear plugs on this ear tube make this the ideal solution for high noise environments.</p>	<p>Suggested Applications</p> <p>Construction Entertainment Fire brigade</p>	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p> <p>Features and Benefits</p> <p>Discrete Listening Good in Noisy Environments Improved Comfort Lightweight Construction NRR = 24db Spring Action Mounting Clip</p>	<p>Radio Compatibility</p> <p>GP300 GP300 & P110 GP900 GP900/1200 HT & MT Range HT1100</p>	<p>BDN6668A BDN6729A BDN6732A BDN6664A BDN6726A</p>

 MOTOROLA	GP300 - GP300 5 tone - P110	Audio Accessory
---	-----------------------------	-----------------


Voiceducer System - Complete System with PTT

 <p style="text-align: center; font-weight: bold;">BDN6646C</p>	<p>Product Details</p> <p>The innovative technology used in this product relies on the bone vibrations in the ear canal generated by speech. This allows for clear communication without the need for a separate microphone giving the user the ultimate in discrete audio functionality.</p>	<p>Suggested Applications</p> <p>Security Fire brigade Police</p>	<p>Associated Items</p> <p>BDN6641A BDN6677A</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300 P110</p>	
<p>Features and Benefits</p> <p>Bone Induction Microphone Technology Discrete Listening Good in Noisy Environments Ultra Discrete Earpiece</p>			


Voiceducer System - Complete System with VOX and PTT

 <p style="text-align: center; font-weight: bold;">BDN6706B</p>	<p>Product Details</p> <p>The innovative technology used in this product relies on the bone vibrations in the ear canal generated by speech. This allows for clear communication without the need for a separate microphone giving the user the ultimate in discrete audio functionality.</p>	<p>Suggested Applications</p> <p>Security Fire brigade Police</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Bone Induction Microphone Technology Discrete Listening Good in Noisy Environments Hands Free Operation</p>			

Voiceducer System - High Noise Ear Microphone - Grey

 <p style="text-align: center; font-weight: bold;">BDN6641A</p>	<p>Product Details</p> <p>This bone inductive ear microphone utilises bone vibration in the ear canal to detect speech. It is suitable in ambient noise environments up to 105db. This unit must be used in conjunction with either the standard radio interface module or the VOX interface module.</p>	<p>Suggested Applications</p> <p>Entertainment Security Police</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP900/1200 HT & MT Range HT800 P210</p>	
<p>Features and Benefits</p> <p>Bone Induction Microphone Technology Discrete Operation Good in Noisy Environments Hands Free Operation Ultra Discrete Earpiece Voice Operated Transmit</p>			

Voiceducer System - Optional Ear Microphone - Beige


 <p style="text-align: center; font-weight: bold;">BDN6678A</p>	<p>Product Details</p> <p>This bone inductive ear microphone utilizes bone vibrations in the ear canal to detect speech. It is suitable in ambient noise environments up to 95db. This unit must be used in conjunction with either the standard radio interface module or the vox interface module.</p> <p style="text-align: center;">Colour - Beige</p>	<p>Suggested Applications</p> <p>Security Fire brigade Police</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : Y</p>	<p>Radio Compatibility</p> <p>GP1200 GP300 GP900 GP900/1200 HT & MT Range HT1000 P110 Visar</p>	
<p>Features and Benefits</p> <p>Bone Induction Microphone Technology Discrete Listening Good in Noisy Environments Hands Free Operation</p>			




GP300 - GP300 5 tone - P110


Audio Accessory

Voiceducer System - Replacement Ear Microphone - Black


 BDN6677A	<p>Product Details</p> <p>This bone inductive ear microphone utilizes bone vibrations in the ear canal to detect speech. It is suitable in ambient noise environments up to 95db. This unit must be used in conjunction with either the standard radio interface module or the vox interface module</p> <p>Colour - Black</p>	<p>Suggested Applications</p> <p>Security Fire brigade Police</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p> <p>Features and Benefits</p> <p>Discrete Operation Good in Noisy Environments Separate Speaker, Microphone & Press to Talk Unobtrusive</p>	<p>Radio Compatibility</p> <p>GP1200 GP300 GP900 GP900/1200 HT & MT Range HT1000 P110 Visar</p>	

 MOTOROLA	GP300 - GP300 5 tone - P110	Batteries
---	------------------------------------	------------------


NiCd FM High Capacity Battery

 <p align="center">HNN8133C</p>	<p>Product Details</p> <p>This high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III (Fibers & Fillings) environments .Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D</p>	<p>Suggested Applications</p> <p>Security Fire brigade Petro-chemical</p>	<p>Associated Items</p> <p>ETN4612A ETN4613A HTN9805A HTN9812C HTN9043A HTN9044A</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Factory Mutual Approval (Limited FM C-D) Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1100 mAH Use with Motorola Rapid & Slow Chargers Useable in Explosive Environments</p>			


NiCd FM High Capacity Battery

 <p align="center">HNN9701A</p>	<p>Product Details</p> <p>This high capacity NiCd battery has been approved by Factory Mutual for use in the following environments: Division 1 (Rated Intrinsically Safe) for use in Class I (Vapours & Gases) environments for groups C & D, Class II (Dusts) environments for groups E,F&G and Class III (Fibers & Fillings) environments .Division 2 (Rated Nonincendive) for use in Class 1 (Vapours & Gases) environments for Groups A,B,C&D</p>	<p>Suggested Applications</p> <p>Oil Emergency services Petro-chemical</p>	<p>Associated Items</p> <p>ETN4612 ETN4613 HTN9805 HTN9812 HTN9043 HTN9044</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Factory Mutual Approval (Full C-G) Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1100 mAH Use with Motorola Rapid & Slow Chargers Used in Many Different Environments</p>			


NiCd High Capacity Battery


 <p align="center">HNN9628B</p>	<p>Product Details</p> <p>The NiCd technology in this high capacity battery performs across a wide temperature range with nominal reductions in radio talk time.</p>	<p>Suggested Applications</p> <p>Retail Entertainment Emergency services</p>	<p>Associated Items</p> <p>HTN9044A ETN4613A HTN9043A ETN4612A HTN9805A HTN9812C</p>
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : N</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 1100 mAH Use with Motorola Rapid & Slow Chargers Used in Many Different Environments</p>			

NiCd Medium Capacity Battery


 <p style="font-size: 1.2em; margin-top: 10px;">HNN8308A</p>	<p>Product Details</p> <p>The NiCd technology in this medium capacity battery performs across a wide temperature range with nominal reductions in radio talk time.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Manual Working Environments</p>	<p>Associated Items</p> <p>ETN4612A ETN4613A HTN9805A HTN9812C HTN9043A HTN9044A</p>	
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : N</p>	<p>Radio Compatibility</p> <p>GP300 GP600</p>		
	<p>Features and Benefits</p> <p>Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 600 mAH Use with Motorola Rapid & Slow Chargers Used in Many Different Environments</p>			

NiCd Medium Capacity Battery


 <p style="font-size: 1.2em; margin-top: 10px;">HNN9808B</p>	<p>Product Details</p> <p>The NiCd technology in this medium capacity battery performs across a wide temperature range with nominal reductions in radio talk time.</p>	<p>Suggested Applications</p> <p>Oil Manufacturing Petro-chemical</p>	<p>Associated Items</p> <p>ETN4612 ETN4613 HTN9805 HTN9812 HTN9043 HTN9044</p>	
	<p>Standard/ Approvals Cenelec : N CE : N/A FM : Y</p>	<p>Radio Compatibility</p> <p>GP300</p>		
	<p>Features and Benefits</p> <p>Factory Mutual Approval (Limited FM C-D) Maximised Re-chargable Life Performs Across a Wide Temperature Range Proven NiCd Technology Rated Capacity 600 mAH Use with Motorola Rapid & Slow Chargers Useable in Explosive Environments</p>			

 MOTOROLA	GP300 - GP300 5 tone - P110	Carry Accessory
---	-----------------------------	-----------------


Keypad Radio Leather Carry Case

 <p style="text-align: center; font-weight: bold;">HLN9978A</p>	<p>Product Details</p> <p>High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio). Drilled front and PTT / Call button cut out ensures unhindered use of the radio whilst in the case.</p>	<p>Suggested Applications</p> <p>Manufacturing Event management Emergency services</p>	<p>Associated Items</p> <p>NTN5243</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>			


Keypad Radio Swivel Loop Leather Carry Case

 <p style="text-align: center; font-weight: bold;">HLN9011A</p>	<p>Product Details</p> <p>High quality thick leather case with belt loop swivel mount, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio). Drilled front and PTT/Call button cut out ensures unhindered use of the radio whilst in the case.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p> <p>4200865599</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>			


Lightweight 3cm Belt Clip

 <p style="text-align: center; font-weight: bold;">HLN9724A</p>	<p>Product Details</p> <p>This Lightweight 3cm clip fits to the battery slide mount.</p>	<p>Suggested Applications</p> <p>Suitable for all markets</p>	<p>Associated Items</p> <p>HLN9076</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Lightweight Secure Fixing Unobtrusive</p>			


Non - Keypad Leather Carry Case for use with High Capacity Batteries

 <p style="text-align: center; font-weight: bold;">HLN9720A</p>	<p>Product Details</p> <p>High quality thick leather case with belt loop swivel mount, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio). Drilled front and PTT / Call button cut out ensures unhindered use of the radio whilst in the case.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p> <p>NTN5243 4200865599</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
<p>Features and Benefits</p> <p>Durability Protective Substantial Construction</p>			


Non - Keypad Leather Carry Case for use with Medium Capacity Batteries

 HLN9721A	<p>Product Details</p> <p>High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio). Drilled front and PTT / Call button cut out ensures unhindered use of the radio whilst in the case.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p> <p>4200865599</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Durability Protective Substantial Construction</p>		


Non-KeyPad Leather Carry Case


 HLN9008A	<p>Product Details</p> <p>High quality thick leather case with belt loop, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio).</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p> <p>4200865599</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Durability Protective Substantial Construction</p>		

Non-Keypad Nylon Carry Case for use with High Capacity Batteries


 HLN9750B	<p>Product Details</p> <p>Being easy to clean, this cost effective carry case is ideal for outdoor or dirty environments. Its robust metal fasteners on the T-Strap and belt loop provide for secure mounting.</p>	<p>Suggested Applications</p> <p>Construction Security Manual Working Environments</p>	<p>Associated Items</p> <p>HLN9149</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Protective Substantial Construction Unobtrusive</p>		

Non-Keypad Nylon Case with Belt Loop for use with FM High Capacity Battery


 HLN9017A	<p>Product Details</p> <p>Being easy to clean, this cost effective carry case is ideal for outdoor or dirty environments. Its robust metal fasteners on the T-Strap and belt loop provide for secure mounting.</p>	<p>Suggested Applications</p> <p>Construction Manufacturing Security</p>	<p>Associated Items</p> <p>TDN9687A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Durability Protective Substantial Construction</p>		

 MOTOROLA	GP300 - GP300 5 tone - P110	Carry Accessory
---	-----------------------------	-----------------


Non-Keypad Radio Nylon Carry Case for use with all P110 Batteries

 HLN8153B	<p>Product Details</p> <p>Being easy to clean, this cost effective carry case is ideal for outdoor or dirty environments.</p>	<p>Suggested Applications</p> <p>Security Police</p>	<p>Associated Items</p> <p>TDN9687A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>P110</p>	
	<p>Features and Benefits</p> <p>Durability Protective Substantial Construction</p>		


Non-Keypad Swivel Loop Leather Carry Case for use with High Capacity Batteries

 HLN9873A	<p>Product Details</p> <p>High quality thick leather case with belt loop swivel mount, 'D' rings (to allow the fitting of a shoulder strap) and 'T' strap (for securing radio). Drilled front and PTT / Call button cut out ensures unhindered use of the radio whilst in the case.</p>	<p>Suggested Applications</p> <p>Construction Security Manual Working Environments</p>	<p>Associated Items</p> <p>NTN5243</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Durability Freedom of Movement Protective Substantial Construction</p>		


Spring Action 7.5cm Plastic Belt Clip

 HLN8255B	<p>Product Details</p> <p>This 6.4cm clip is a replacement for the standard clip supplied with the radio. The clip incorporates a robust metal hinge for maximum durability.</p>	<p>Suggested Applications</p> <p>Event management</p>	<p>Associated Items</p> <p>HLN9076</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Easy Release Secure Fixing Waterproof</p>		


T-Strap for Leather Carry Case


 HLN9973A	<p>Product Details</p> <p>A replacement item for the HLN9008, HLN9873, HLN9720, HLN9721 & HLN9750 range of leather cases</p>	<p>Suggested Applications</p> <p>Suitable for all markets</p>	<p>Associated Items</p> <p>HLN9008A HLN9873A HLN9721A HLN9750A</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Easy Release Secure Fixing</p>		

T-Strap for Leather Carry Case.


 HLN9975A	<u>Product Details</u> A replacement item for the HLN9978		<u>Suggested Applications</u> Suitable for all markets	<u>Associated Items</u> HLN9978A
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A		<u>Radio Compatibility</u>	
	<u>Features and Benefits</u> Easy Release Secure Fixing			

T-strap for Nylon Carry Case


 HLN9974B	<u>Product Details</u> A replacement item for the HLN8153 or HLN9750 Nylon carry cases.		<u>Suggested Applications</u> Suitable for all markets	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A		<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>			

 MOTOROLA	GP300 - GP300 5 tone - P110	Charger
---	-----------------------------	---------


6 Unit Rapid Rate Charger with 110v US Plug

 HTN9748C	Product Details Six unit 110V charger with three pin US plug 1 hour rapid charger. ONLY for use only with Nickel Cadmium Batteries. Includes line cord.	Suggested Applications Retail Entertainment Emergency services	Associated Items HNN9628A HNN8308A HNN8133B HNN8133B
	Standard/ Approvals Cenelec : N CE : N FM : N	Radio Compatibility	
	Features and Benefits Accepts Battery with or without Radio Charges 6 Unit Fully Charged Battery Detection Supports Multiple Users Supports Second Battery Useage	GP300 GP600 LTS2000 P110	


6 Unit Rapid Rate Charger with 220v Euro Plug


 HTN9811C	Product Details Six unit, 220v charger with two pin Euro plug 1 hour rapid charger. ONLY for use only with Nickel Cadmium batteries. Includes line cord.	Suggested Applications Retail Entertainment Emergency services	Associated Items HNN9628A HNN8308A HNN8133B HNN9808B
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility	
	Features and Benefits Accepts Battery with or without Radio Charges 6 Unit Fully Charged Battery Detection Supports Multiple Users Supports Second Battery Useage		

6 Unit Rapid Rate Charger with 240v UK Plug


 HTN9812C	Product Details Six unit, 240v charger with UK plug 1 hour rapid charger. ONLY for use only with Nickel Cadmium batteries. Includes line cord.,	Suggested Applications Retail Entertainment Emergency services	Associated Items HNN9808B HNN8133A HNN9701A HNN8308A HNN9628A
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility	
	Features and Benefits Accepts Battery with or without Radio Charges 6 Unit Fully Charged Battery Detection Supports Multiple Users Supports Second Battery Useage		

Single Unit Rapid Rate Conditioning Charger with 220v Euro Plug


 PMTN4012B	Product Details 220v charger with two pin Euro plug.90min negative pulse charging of battery.For use with NiCd or NiMh batteries. Substantially reduces incidence of memory effect. Remove batteryfrom radio to use.	Suggested Applications General Use	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility	
	Features and Benefits Conditions Battery Discharges & Charges Battery Fully Charged Battery Detection Increases Radio Utility Negative Pluse Charging Reduces Memory Effect	GP300 GP600	

 MOTOROLA	GP300 - GP300 5 tone - P110	Charger
---	------------------------------------	----------------


Single Unit Rapid Rate Conditioning Charger with 240v UK Plug

 <p align="center">PMTN4011B</p>	<p>Product Details</p> <p>240V Charger with UK plug. 90 min rapid charger for use with Nickel cadmium OR Nickel Metal Hydride batteries. Prevents; over-charge, charging of fully charged batteries and ensures constant temperature charging prolonging battery life. Includes separate PSU.</p>	<p>Suggested Applications</p> <p>Manufacturing Emergency services Utilities</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300 GP600</p>	
	<p>Features and Benefits</p> <p>Conditions Battery Discharges & Charges Battery Fully Charged Battery Detection Increases Radio Utility Negative Pulse Charging Reduces Memory Effect</p>		


Single Unit Rapid Rate Intelli-Charger with 230v Euro Plug


 <p align="center">MDHTN9043A</p>	<p>Product Details</p> <p>230V Charger with EURO plug. 90 min rapid charger for use with Nickel cadmium OR Nickel Metal Hydride batteries. Prevents; over-charge, charging of fully charged batteries and ensures constant temperature charging prolonging battery life. Includes separate PSU. Replaces ETN4613</p>	<p>Suggested Applications</p> <p>Retail Entertainment Manufacturing</p>	<p>Associated Items</p> <p>WPNN4040A WPNN4041A HNN8308A HNN9701A HNN8148A HNN9808B</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300 GP600 LTS2000 P110</p>	
	<p>Features and Benefits</p> <p>Charge State Indicators Enhances Battery Life Fast Charging Fully Charged Battery Detection Optimum Performance Supports Second Battery Useage</p>		

Single Unit Rapid Rate Unit with 110v US Plug


 <p align="center">MDHTN9042A</p>	<p>Product Details</p> <p>110v with 2 pinUS plug enhanced desktop 1 hour(approx) charger. Charges NiCd or NiMh batteries. Supplied complete with external power supply.</p>	<p>Suggested Applications</p> <p>Suitable for all markets</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Fast Charging</p>		

Single Unit Slow Rate with 220v Euro Plug


 <p align="center">HTN9804A</p>	<p>Product Details</p> <p>220v charger with Euro plug, 10 hour slow rate charger. ONLY for use with NiCd Batteries. DO NOT use with NiMh batteries.</p>	<p>Suggested Applications</p> <p>Retail Horticulture Suitable for all markets</p>	<p>Associated Items</p> <p>HNN9628A HNN8308A HNN8133B HNN9808B</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>GP300</p>	
	<p>Features and Benefits</p> <p>Accepts Battery with or without Radio Charge State Indicators Fully Charged Battery Detection Low Cost Charging Solution Supports Second Battery Useage</p>		

 MOTOROLA	GP300 - GP300 5 tone - P110	Charger
---	-----------------------------	---------


Single unit slow rate Charger with 240v UK Plug

 HTN9805A	Product Details 240v charger with UK plug 10 hour slow charger. ONLY for use only with Nickel Cadmium batteries. Do not use with NiMH batteries.	Suggested Applications Retail Horticulture Manufacturing	Associated Items HNN9628A HNN8308A HNN8133B HNN9808B
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility	
	Features and Benefits Accepts Battery with or without Radio Charge State Indicators Fully Charged Battery Detection Low Cost Charging Solution Supports Second Battery Useage		


12 - 36 vDC Vehicle Charger for all Battery Users

 GPN6137C	Product Details This rugged in vehicle charger provides a convenient charging point whilst on the move. Its simple construction allows for easy installation and benefits from high visibility charge state indicators.	Suggested Applications Construction Security Suitable for all markets Local authorities	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility GP300	
	Features and Benefits Charge State Indicators Easy Insertion and Release Easy Keypad Access Easy Release In Vehicle Charging Capability Rugged Metal Housing		

12 vDC Vehicle Battery Eliminator

 HKN8036B	Product Details The Battery Eliminator fits to the radio in place of the battery and provides power to the radio via the cigarette lighter adapter..	Suggested Applications Construction Security Local authorities	Associated Items
	Standard/ Approvals Cenelec : N CE : Y FM : N	Radio Compatibility	
	Features and Benefits Durable Lightweight Construction		

Vehicle Charger Bracket for Single Pocket Charger

 HLN9719A	Product Details This simple low cost charge bracket allows for the use of a standard single pocket GP300 charger on the move in any mobile or fixed location where a 12 V cigar socket is available.	Suggested Applications Entertainment Sport & Leisure Event management	Associated Items HTN9044A HTN9886A HTN9043A ENTN4000
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility GP300 P110	
	Features and Benefits Flexibility In Vehicle Charging Capability Low Cost Charging Solution Simple Mounting		




MOTOROLA

**Accessory and Aftermarket
Product Catalogue**


**GM Professional
Series**

- **GM Professional Series**
 - Microphones
 - Mobile Antennas
 - Desktop Solutions
 - In-vehicle Accessory Kits
 - Mounting Solutions


Desk microphone - MPT version

 EMN3001	<u>Product Details</u> Suitable for dispatch operations when the mobil radio is mounted in a desktop tray. Includes call cancel button.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


Desk Microphone - Standard

 HMN3000	<u>Product Details</u> Suitable for dispatch operations when the mobile radio is mounted in a desktop tray.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


Enhanced Compact Microphone

 MDRMN4025	<u>Product Details</u> In emergency situations the embedded "hot mic" feature allows for transmission without the need to press the PTT button.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


Enhanced Keypad Microphone

 MDRMN4026	<u>Product Details</u> Enhances mobile radio operation by providing a convenient method of entering channel, address and phone numbers.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


Heavy Duty Microphone

 <p style="margin-top: 10px;">MDRMN4038</p>	<p>Product Details</p> <p>Ideal for more rugged environments, in particular, for users wearing protective gloves.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	Radio Compatibility	
	<p>Features and Benefits</p>		


Telephone Style Handset

 <p style="margin-top: 10px;">MDREX4617</p>	<p>Product Details</p> <p>Ergonomically designed for professionals seeking the increased privacy of a simline telephone style handset with PTT. Receive audio is automatically routed to the speaker in the handset rather than the radio's internal/external speaker.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	Radio Compatibility	
	<p>Features and Benefits</p>		


Visor Mounted microphone

 <p style="margin-top: 10px;">ENMN4019</p>	<p>Product Details</p> <p>Placed on the sun-visor or headlining above the driver, it is used instead of a hand held microphone. Use with any of the following: emergency footswitch, footswitch PTT, gooseneck PTT or push button PTT. These in-vehicle accessories cater for requirements specific to professionals working in vehicles for extended periods. They enable users to operate their mobile radios with remote press to talk facilities and customers their two-way communications to suit various market applications.</p>	Suggested Applications	Associated Items
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	Radio Compatibility	GM Professional RLN4836 RLN4856 RLN4858 RLN4857
	<p>Features and Benefits</p>		


External Speaker 13 Watts

 <p align="center">RSN4001</p>	<p><u>Product Details</u></p> <p>For receiving in high noise working environments. For professionals who require louder radio volume output to compensate for high levels of background noise.</p>	<p><u>Suggested Applications</u></p>	<p><u>Associated Items</u></p>
	<p><u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A</p>	<p><u>Radio Compatibility</u></p>	
	<p><u>Features and Benefits</u></p>		


External Speaker 7.5 Watts

 <p align="center">HSN8145</p>	<p><u>Product Details</u></p> <p>For receiving in high noise working environments. For professionals who require louder radio volume output to compensate for high levels of background noise.</p>	<p><u>Suggested Applications</u></p>	<p><u>Associated Items</u></p>
	<p><u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A</p>	<p><u>Radio Compatibility</u></p>	
	<p><u>Features and Benefits</u></p>		


1/4 Wave Roof Mount - Frequency 136-144 MHz

 <p>RAD4198</p>	Product Details Also available with Mini U. (part no. HAD4006). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


1/4 Wave Roof Mount - Frequency 146-150.8 MHz

 <p>RAD4199</p>	Product Details Also available with Mini U (part no. HAD4007). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


1/4 Wave Roof Mount - Frequency 150.8-162 MHz

 <p>RAD4200</p>	Product Details Also available with Mini U (part no. HAD4008). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


1/4 Wave Roof Mount - Frequency 162-174 MHz

 <p>RAD4201</p>	Product Details Also available with Mini U (part no. HAD4009). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


1/4 Wave Roof Mount - Frequency 403-430 MHz

 <p>RAE4151</p>	Product Details Also available with Mini U (part no. HAD4002). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


1/4 Wave Roof Mount - Frequency 450-470 MHz

 <p>RAE4152</p>	Product Details Also available with Mini U (part no. HAE4003). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


3.5Db Gain Roof Mount - Frequency 406-420 MHz

 <p>RAE4158</p>	Product Details Also available with Mini U (part no. HAE4010). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


3.5Db Gain Roof Mount - Frequency 450-470 MHz

 <p>RAE4154</p>	Product Details Also available with Mini U (part no. HAE4011). BNC connector.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


Desktop Power Supply 1-25 Watts

 HPN4002	<u>Product Details</u> Provides power supply. Use with power cords: NTN7374 Euro plug (230 V) - NTN7375 UK plug (230 V) - NTN7373 US plug (110 V).	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


Desktop Power Supply 1-25 Watts

 GPN6145	<u>Product Details</u> Provides power supply. Use with power cords: NTN7374 Euro plug (230 V) - NTN7375 UK plug (230 V) - NTN7373 US plug (110 V).	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : Y FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


Desktop Power Supply 25-45 Watts

 HPN4001	<u>Product Details</u> Provides power supply. Use with power cords: NTN7374 Euro plug (230 V) - NTN7375 UK plug (230 V) - NTN7373 US plug (110 V).	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		

Desktop Tray with Speaker


 GLN7326	<u>Product Details</u> Provides increased volume when receiving in high noise environments.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		

Desktop Tray without Speaker


 <p>GLN7318</p>	<u>Product Details</u> Uses the radio's internal speaker or an external speaker.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		




Emergency Footswitch

 RLN4836	Product Details Easily and secretly triggers an emergency signal that is sent to the base station. These in-vehicle accessories cater for requirements specific to professionals working in vehicles for extended periods. They enable users to operate their mobile radios with remote press to talk facilities and customers their two-way communications to suit various market applications.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


Footswitch Push-to-talk

 RLN4856	Product Details Remotely activates the PTT function while using an external microphone. These in-vehicle accessories cater for requirements specific to professionals working in vehicles for extended periods. They enable users to operate their mobile radios with remote press to talk facilities and customers their two-way communications to suit various market applications.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


Gooseneck Push-to-talk

 RLN4858	Product Details Placed on the gear stick or the steering wheel column, it remotely activates the PTT in the microphone. These in-vehicle accessories cater for requirements specific to professionals working in vehicles for extended periods. They enable users to operate their mobile radios with remote press to talk facilities and customers their two-way communications to suit various market applications.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		

Push Button Push-to-talk

 RLN4857	Product Details Standard PTT button. These in-vehicle accessories cater for requirements specific to professionals working in vehicles for extended periods. They enable users to operate their mobile radios with remote press to talk facilities and customers their two-way communications to suit various market applications.	Suggested Applications	Associated Items
	Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A	Radio Compatibility	
	Features and Benefits		


DIN Mounting Kit

 RLN4781	<u>Product Details</u> For users who require the direct mounting of the mobile radio into the vehicle dashboard. Control heads: Popular, Versatile.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		


High Profile Mounting Trunnion

 GLN7317	<u>Product Details</u> Provides a wider range of mounting position.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		

Key Lock Mount


 RLN4779A	<u>Product Details</u> Provides increased security when the mobile radio is in the mounting trunnion.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		

Low Profile Mounting Trunnion


 GLN7324	<u>Product Details</u> Ideal for mounting the mobile radio in more confined space.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		




Remote Mounting Kit (Control Head Popular)

 <p>RLN4801</p>	<p>Product Details</p> <p>Allows mounting in confined spaces by disconnecting the control head from the radio unit. The control head is mounted where it is visible while the radio unit is mounted where space is easily available. Use with remote mount cables: RKN4077 (3 m), RKN4078 (5 m) and RKN4079 (7 m).</p>	<p>Suggested Applications</p>	<p>Associated Items</p> <p>RKN4077 RKN4078 RKN4079</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p>		


Remote Mounting Kit (Control Head Sophisticated)

 <p>RLN4780</p>	<p>Product Details</p> <p>Allows mounting in confined spaces by disconnecting the control head from the radio unit. The control head is mounted where it is visible while the radio unit is mounted where space is easily available. Use with remote mount cables: RKN4077 (3 m), RKN4078 (5 m) and RKN4079 (7 m).</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p>		


Remote Mounting Kit (Control Head Versatile)

 <p>RLN4802</p>	<p>Product Details</p> <p>Allows mounting in confined spaces by disconnecting the control head from the radio unit. The control head is mounted where it is visible while the radio unit is mounted where space is easily available. Use with remote mount cables: RKN4077 (3 m), RKN4078 (5 m) and RKN4079 (7 m).</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p>		


Removable Slide Mount (BNC)

 <p>GLN7341</p>	<p>Product Details</p> <p>For users who need to remove the mobile radio from its mounting kit frequently and easily.</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p>		

Removable Slide Mount (Mini U)

 HLN8097	<u>Product Details</u> For users who need to remove the mobile radio from its mounting kit frequently and easily.	<u>Suggested Applications</u>	<u>Associated Items</u>
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		

Voice Storage Option Board

 MDHLN9725	<u>Product Details</u> Plug in option board delivering voice storage capability (voice storage functionality standard in all MPT models and Sophisticated 5 TONE). Requires Option Board installation kit (RLN4823).	<u>Suggested Applications</u>	<u>Associated Items</u> RLN4823
	<u>Standard/ Approvals</u> Cenelec : N/A CE : N/A FM : N/A	<u>Radio Compatibility</u>	
	<u>Features and Benefits</u>		




MOTOROLA

**Accessory and Aftermarket
Product Catalogue**


Energy Management

- **Energy Management**
 - Battery Optimising System (BOS)
 - Battery Maintenance System (BMS +)
 - Adapters


4 Unit Battery Optimising System (BOS) with 220V Euro Plug

 WALN4040A	<p>Product Details 220V 4 pocket Battery Optimizer with two pin Euro plug . Over 600 adapters available. Approved for Cenelec batteries.</p>	<p>Suggested Applications Oil Emergency services Petro-chemical</p>	<p>Associated Items RL76345</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits Comprehensive Analysis Increases Radio Utility Interchangeable Battery Adaptor Maintains most Battery Chemistries Supports Multiple Battery Useage</p>		


4 Unit Battery Optimising System (BOS) with 240V UK Plug

 WALN4041A	<p>Product Details 220V 4 pocket Battery Optimizer with three pin UK plug. Over 600 adapters available. Approved for Cenelec batteries.</p>	<p>Suggested Applications Oil Emergency services Petro-chemical</p>	<p>Associated Items RL76345</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits Comprehensive Analysis Increases Radio Utility Interchangeable Battery Adaptor Maintains most Battery Chemistries Supports Multiple Battery Useage</p>		


4 Unit Battery Optimising System (BOS) with Bar Code Wand and 220V Euro Plug

 WALN4046A	<p>Product Details 220V 4 pocket Battery Optimizer with two pin Euro plug with printer output port and bar-code wand. Over 600 adapters available. Enables print-out of the analysis and the use of bar-code labels to serialise the batteries under test. Approved for Cenelec.</p>	<p>Suggested Applications Oil Emergency services Petro-chemical</p>	<p>Associated Items RL76345</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits 220 Volt Comprehensive Analysis Conditions Battery Euro Plug Maintains most Battery Chemistries Reduces Memory Effect</p>		


4 Unit Battery Optimising System (BOS) with Bar Code Wand and 240v UK Plug

 WALN4047A	<p>Product Details 240V 4 pocket Battery Optimizer with UK plug with printer output port and bar-code wand. Over 600 adapters available. Enables print-out of the analysis and the use of bar-code labels to serialize the batteries under test. Approved for Cenelec. Analyses, conditions, charges and measures impedance of NiMH, NiCd, Li-Ion and SLA computer, camcorder, power tool as well as two way and cellular radio batteries</p>	<p>Suggested Applications Oil Emergency services Petro-chemical</p>	<p>Associated Items RL76345</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits 240 Volt Comprehensive Analysis Conditions Battery Reduces Memory Effect UK Plug</p>		


4 Unit Battery Optimising System (BOS) with Printer Output and 220v Euro Plug

 WALN4048A	<p>Product Details</p> <p>220V 4 pocket Battery Optimizer with two pin Euro plug. Over 600 adapters available. Printer output port RS232C for serial printers and parallel printer outputs. Enables print-out of the analysis. Approved for Cenelec. Analyses, conditions, charges and measures impedance of NiMH, NiCd, Li-Ion and SLA computer, camcorder, power tool as well as two way and cellular radio batteries</p>	<p>Suggested Applications</p> <p>Oil Emergency services Petro-chemical</p>	<p>Associated Items</p> <p>RL76345</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Charge State Indicators Comprehensive Analysis Increased Systems Utility Interchangeable Battery Adaptor Supports Multiple Battery Useage</p>		


4 Unit Battery Optimising System (BOS) with Printer Output and 240v UK Plug

 WALN4049A	<p>Product Details</p> <p>240V 4 pocket Battery Optimizer with two pin Euro plug. Over 600 adapters available. Printer output port RS232C for serial printers and parallel printer outputs. Enables print-out of the analysis. Approved for Cenelec. Analyses, conditions, charges and measures impedance of NiMH, NiCd, Li-Ion and SLA computer, camcorder, power tool as well as two way and cellular radio batteries</p>	<p>Suggested Applications</p> <p>Oil Emergency services Petro-chemical</p>	<p>Associated Items</p> <p>RL76345</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <p>Comprehensive Analysis Comprehensive Analysis Increases Radio Utility Interchangeable Battery Adaptor Maintains most Battery Chemistries Supports Multiple Battery Useage</p>		

6 Unit Battery Maintenance System (BMS+) 220V Euro Plug

 WPLN4080BR	<p>Product Details</p> <p>220V 6 pocket Battery Maintenance System with Euro plug. Adapters for two way radio. Charges and conditions NiCd and NiMH batteries for two way. Printer output to a "Star" printer is a standard feature. Includes line cord. Replaces TDN9431 versions.</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p>		

6 Unit Battery Maintenance System (BMS+) 240V UK Plug

 WPLN4081BR	<p>Product Details</p> <p>240V 6 pocket Battery Maintenance System with UK plug. Adapters for two way radio. Charges and conditions NiCd and NiMH batteries for two way. Printer output to a "Star" printer is a standard feature. Includes line cord. Replaces TDN9431 versions.</p>	<p>Suggested Applications</p>	<p>Associated Items</p>
	<p>Standard/ Approvals Cenelec : N CE : Y FM : N</p>	<p>Radio Compatibility</p> <p>Visar</p>	
	<p>Features and Benefits</p>		



Battery Maintenance System Adapter Pocket



TDN9717A

Product Details
 Adapter supporting Nickel Cadmium batteries,NTN7395, NTN7394, NTN7396, NTN7398, NTN7397

Suggested Applications
 General Use

Associated Items

Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A

Radio Compatibility

Features and Benefits

Visar

Battery Maintenance System Adapter Pocket



TDN9662A

Product Details
 Adapter supporting Nickel Cadmium batteries,HNN8148

Suggested Applications
 Suitable for all markets

Associated Items
 WPLN4080AR
 WPLN4081AR

Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A

Radio Compatibility

Features and Benefits
 Charges and Discharges Batteries
 Conditions Battery
 Enhances Battery Life
 Interchangeable Battery Adaptor
 Maintains most Battery Chemistries
 Reduces Memory Effect

Battery Maintenance System Adapter Pocket



TDN9452A

Product Details
 Adapter supporting Nickel Cadmium batteries,types NTN7143, NTN7144, NTN7145, NTN7147 and NTN7149.

Suggested Applications
 General Use

Associated Items
 WPLN4080AR
 WPLN4081AR

Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A

Radio Compatibility

Features and Benefits
 Charges and Discharges Batteries
 Conditions Battery
 Enhances Battery Life
 Interchangeable Battery Adaptor
 Maintains most Battery Chemistries
 Reduces Memory Effect

Battery Maintenance System Adapter Pocket



TDN9438A

Product Details
 Adapter supporting Nickel Cadmium batteries, types: HNN9808 and HLN9724.

Suggested Applications
 General Use


Associated Items
 WPLN4081AR
 WPLN4080AR

Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A


Radio Compatibility

Features and Benefits
 Charges and Discharges Batteries
 Conditions Battery
 Enhances Battery Life
 Interchangeable Battery Adaptor
 Optimum Performance


Battery Maintenance System Adapter Pocket

 <p style="font-size: 1.2em; font-weight: bold; margin-top: 10px;">TDN9437A</p>	<p>Product Details</p> <p>Adapter supporting Nickel Cadmium batteries, types HNN9701, HLN9724, HNN9628</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p> <p>WPLN4080AR WPLN4081AR</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <ul style="list-style-type: none"> Charges and Discharges Batteries Conditions Battery Enhances Battery Life Interchangeable Battery Adaptor Maintains most Battery Chemistries 		

Battery Maintenance System Adapter Pocket

 <p style="font-size: 1.2em; font-weight: bold; margin-top: 10px;">CDN6141A</p>	<p>Product Details</p> <p>Adapter supporting Nickel- Cadmium batteries,</p>	<p>Suggested Applications</p> <p>Suitable for all markets</p>	<p>Associated Items</p> <p>NDN4005B NDN4006B</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p> <p>Visar</p>	
	<p>Features and Benefits</p>		

Battery Maintenance System Universal Adapter Clips

 <p style="font-size: 1.2em; font-weight: bold; margin-top: 10px;">TDN9432A</p>	<p>Product Details</p> <p>Adapter supporting Nickel Cadmium batteries,</p>	<p>Suggested Applications</p> <p>General Use</p>	<p>Associated Items</p> <p>WPLN4080AR WPLN4081AR</p>
	<p>Standard/ Approvals Cenelec : N/A CE : N/A FM : N/A</p>	<p>Radio Compatibility</p>	
	<p>Features and Benefits</p> <ul style="list-style-type: none"> Charges and Discharges Batteries Conditions Battery Enhances Battery Life Interchangeable Battery Adaptor Maintains most Battery Chemistries Optimum Performance 		

MOTOROLA ADAPTERS

ADAPTER TYPE CODE KEY

0 = All NiCd and/or NiMH adapters, **not** Li-Ion safe.

1 = All NiCd and/or NiMH adapters, **Li-Ion safe, requires version 4.4 or later software. May not be used in IQ^{sen}.**

3 = Tri-chemistry or Li-Ion only for **BMS^{plus} only w/ upgrade to ver. 9.3X.**

3-cell adapter for use in

BMS^{plus} only

N= NEW

C=CHANGE

ITECH P/N	MOTOROLA P/N	ADAPTER TYPE	CHEMISTRY	CHG	DEVICE COMPATIBILITY	BATTERY P/N	VDC/mAh	CELLS	CAT.
N/A	WPPN4084AR	1	NiCd		MOT DCR3000	SDNN4348B	7.5/600	6	3
BA1010	TDN9436A	0	NiCd		MOT EXPO	NLN7161A	7.5/260	6	1
BA1010	TDN9436A	0	NiCd		MOT EXPO	NLN7279B	7.5/530	6	1
BA1010	TDN9436A	0	NiCd		MOT EXPO	NLN7162A	7.5/530	6	1
BA1010	TDN9436A	0	NiCd		MOT EXPO	NLN7353B	7.5/260	6	1
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7143C	7.5/1200	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7144A	7.5/1400	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7145A	7.5/600	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7146A	7.5/1200	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7147A	7.5/1400	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7149B	7.5/1400	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	WPNN4013A	7.5/2000	6	2
BA4011	CDN6364A	0	NiCd & NiMH		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	WPNN4037A	7.5/1900	6	2
BA1105	TDN9435C	0	NiCd		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7143C	7.5/1200	6	2
BA1105	TDN9435C	0	NiCd		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7144A	7.5/1400	6	2
BA1105	TDN9435C	0	NiCd		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7145A	7.5/600	6	2
BA1105	TDN9435C	0	NiCd		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7146A	7.5/1200	6	2
BA1105	TDN9435C	0	NiCd		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7147A	7.5/1400	6	2
BA1105	TDN9435C	0	NiCd		MOT HT1000, MT2000, MTS2000, MTX838, MTX8000, MTX9000, MTX-LS, JT1000, GP900, GP1200, MTS2100, MT600E	NTN7149B	7.5/1400	6	2
BA1002	TDN9439A	0	NiCd		MOT HT220, MT500 OMNI	NLN4463B	15/530	12	1
BA1002	TDN9439A	0	NiCd		MOT HT220, MT500 OMNI	NLN6761A	15/530	12	1
BA1002	TDN9439A	0	NiCd		MOT HT220, MT500 OMNI	NLN6900B	15/530	12	1
BA1002	TDN9439A	0	NiCd		MOT HT220, MT500 OMNI	NLN8232 (Orange Only)	15/530	12	1
BA1079	TDN9721A	0	NiCd		MOT HT220, MT500 SLIMLINE	NLN4462A	15/275	12	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4563A	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4564A	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4584A	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4585A	10/900	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4586A	10/900	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4588A	10/900	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4822B	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4823A	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4823B	10/550	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4824A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4825A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4868A	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN4869A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5161A	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5413A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5414A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5415A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5447A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5447B	10/1100	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5447-XT	10/1300	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5448A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN5448B	10/1100	8	1
BA1018	TDN9441A	0	NiCd		MOT HT600, HT800, MT1000, MTX800,	NTN7046A	10/1100	8	1
BA1039	TDN9440A	0	NiCd		MOT HT90, HT440	NLN7401A	12.5/630	10	1
BA1039	TDN9440A	0	NiCd		MOT HT90, HT440	NLN7434A	12.5/630	10	1

MOTOROLA ADAPTERS

ADAPTER TYPE CODE KEY

0 = All NiCd and/or NiMH adapters, **not** Li-Ion safe.

1 = All NiCd and/or NiMH adapters, **Li-Ion safe, requires version 4.4 or later software. May not be used in IQ^{sen}.**

3 = Tri-chemistry or Li-Ion only for **BMS^{plus} only w/ upgrade to ver. 9.3X.**

3-cell adapter for use in BMS^{plus} only

N= NEW

C=CHANGE

ITECH P/N	MOTOROLA P/N	ADAPTER TYPE	CHEMISTRY	CHG	DEVICE COMPATIBILITY	BATTERY P/N	VDC/mAh	CELLS	CAT.
BA1039	TDN9440A	0	NiCd		MOT HT90, HT440	NLN7435A	12.5/630	10	1
BA1039	TDN9440A	0	NiCd		MOT HT90, HT440	NLN7640A	12.5/630	10	1
BA6003	RLN4988A	3	Ni, Li-Ion		MOT IDEN i1000, i1000plus, i2000	NTN8614A	3.6/900	1	4.5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT IDEN i1000, i1000plus, i2000	NTN8615A	3.6/500	1	4.5
BA1039	TDN9440A	0	NiCd		MOT HT90, HT440	NLN7694A	12.5/630	10	1
BA6505	RLN5079A	3	Li-Ion		MOT IDEN i85s	SNN5704A	3.6/500	1	4
BA6505	RLN5079A	3	Li-Ion		MOT IDEN i85s	SNN5705A	3.6/800	1	4
BA6505	RLN5079A	3	Li-Ion		MOT IDEN i85s	SNN5706A	3.6/1100	1	4
BA6505	RLN5079A	3	Li-Ion		MOT IDEN i85s	SNN5716A	3.6/1350	1	4
BA4534	RLN4930A	0	NiMH		NEXTEL IDEN i500plus, i550plus, i700plus	NTN1675	4.8/725	4	2
BA4534	RLN4930A	0	NiMH		NEXTEL IDEN i500plus, i550plus, i700plus	NTN8970A	4.8/650	4	2
BA4534	RLN4930A	0	NiMH		NEXTEL IDEN i500plus, i550plus, i700plus	NTN8971A	4.8/1100	4	2
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8098B	6/600	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8099B	6/700	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8099C	6/700	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8100C	6/1500	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8482A	6/600	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8520A	6/550	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8521A	6/900	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8522A	6/1100	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8609B	6/600	5	4
BA4010	CDN6188A	0	NiCd & NiMH		MOT IDEN i280, i370, i390, i470, i600, r300, r370, r470	NTN8754A	6/1300	5	4
BA4544	RLN5134A	0	NiMH		NEXTEL IDEN r750plus	NTN9037A	4.8/1400	4	3
BA4544	RLN5134A	0	NiMH		NEXTEL IDEN r750plus	NTN9038A	4.8/1100	4	3
BA4017	WPPN4083AR	1	NiCd & NiMH		CT450, PRO 3150, P040, P080, GP308 MOT KARISMA CP250, CP450, C1250,	PMNN4018A	7.2/1150	6	4
BA4017	WPPN4083AR	1	NiCd & NiMH		CT450, PRO 3150, P040, P080, GP308 MOT KARISMA CP250, CP450, C1250,	PMNN4019A	7.2/1150	6	4
BA4017	WPPN4083AR	1	NiCd & NiMH		CT450, PRO 3150, P040, P080, GP308 MOT KARISMA CP250, CP450, C1250,	PMNN4020A	7.2/1050	6	4
BA4017	WPPN4083AR	1	NiCd & NiMH		CT450, PRO 3150, P040, P080, GP308 MOT KARISMA CP250, CP450, C1250,	PMNN4021A	7.2/1050	6	4
BA1004	TDN9443A	0	NiCd		MOT MH10, MH70 HANDICOM	NLN5857A	12.5/630	10	1
BA1004	TDN9443A	0	NiCd		MOT MH10, MH70 HANDICOM	NLN8002A	12.5/630	10	1
BA1004	TDN9443A	0	NiCd		MOT MH10, MH70 HANDICOM	NLN8096A	12.5/630	10	1
BA3031	TDN9453A	0	NiCd		MOT MICRO TAC (UNIVERSAL)	ALL	6/XXX	5	1
BA4501	WPPN4056AR	0	NiMH		MOT MICRO TAC (UNIVERSAL)	ALL	6/XXXX	5	3
BA1181	TDN9718A	0	NiCd		MOT MIRS/LINGO L3000 (7.5V BATTERIES ONLY - EARLY IDEN MODELS - L SERIES)	NTN7762A	7.5/XXX	6	2
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN4002B	7.5/500	6	1
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN4891C	7.5/1400	6	1
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN5320C	7.5/2600	6	1
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN5860C	7.5/1400	6	1
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN8834C	7.5/1100	6	1
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN9040B	7.5/1400	6	1
BA1008	TDN9445A	0	NiCd		MOT MX300	NLN9998C	7.5/1300	6	1
BA1060	TDN9444A	0	NiCd		MOT MXR300	NLN9726C	7.5/1100	6	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5521A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5521B	10/1100	8	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5521-XT	10/1300	8	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5531B	10/630	8	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5545A	10/1070	8	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5545B	10/1000	8	1
BA1018	TDN9441A	0	NiCd		MOT P200, P210	NTN5561A	10/550	8	1
BA1055	TDN9437A	0	NiCd		MOT RADIUS GP300, GTX/LTS 2000, GP600	HNN9701A	7.5/1100	6	1
BA1056	TDN9438A	0	NiCd		MOT RADIUS GP300, GTX/LTS 2000, GP600	HNN9808B	7.5/600	6	1
BA1098	TDN9662A	0	NiCd		MOT RADIUS GP300, GTX/LTS 2000, GP88, GP600	HNN9628A	7.5/1200	6	1
BA1142	CDN6189A	0	NiCd		MOT RADIUS GP350	HNN9360A	7.5/1200	6	2
BA1142	CDN6189A	0	NiCd		MOT RADIUS GP350	HNN9361A	7.5/1000	6	2
BA1061	TDN9449A	0	NiCd		MOT RADIUS HT50	NTN5453	10/1100	8	1
BA1023	TDN9446A	0	NiCd		MOT RADIUS P10, P50, P60, HT10, SP10 (4 & 5 WATT RADIOS)	HNN9027A	11.25/630	9	1
BA1023	TDN9446A	0	NiCd		MOT RADIUS P10, P50, P60, HT10, SP10 (4 & 5 WATT RADIOS)	HNN9234A	11.25/550	9	1
BA1022	TDN9447A	0	NiCd		MOT RADIUS P10, P50, P60, HT10, SP10, SP21 & SP50 (2 WATT RADIO)	HNN9044A	7.5/630	6	1
BA1022	TDN9447A	0	NiCd		MOT RADIUS P10, P50, P60, HT10, SP10 & SP21 (2 WATT RADIO)	HNN9233A	7.5/550	6	1

MOTOROLA ADAPTERS

ADAPTER TYPE CODE KEY

0 = All NiCd and/or NiMH adapters, **not** Li-Ion safe.

1 = All NiCd and/or NiMH adapters, **Li-Ion safe, requires version 4.4 or later software. May not be used in IQ^{sen}.**

3 = Tri-chemistry or Li-Ion only for **BMS^{plus} only w/ upgrade to ver. 9.3X.**

3-cell adapter for use in

BMS^{plus} only

N= NEW

C=CHANGE

ITECH P/N	MOTOROLA P/N	ADAPTER TYPE	CHEMISTRY	CHG	DEVICE COMPATIBILITY	BATTERY P/N	VDC/mAh	CELLS	CAT.
BA1061	TDN9449A	0	NiCd		MOT RADIUS P100	NTN5451B	10/1100	8	1
BA1098	TDN9662A	0	NiCd		MOT RADIUS P110	HNN8148A	7.5/1200	6	1
N/A	CDN6353A	0	NiCd		MOT RADIUS P1225, P1225LS	HNN9049A	7.5/1200	6	3
N/A	CDN6353A	0	NiCd		MOT RADIUS P1225, P1225LS	HNN9050A	7.5/1200	6	3
N/A	CDN6353A	0	NiCd		MOT RADIUS P1225, P1225LS	HNN9051A	7.5/1600	6	3
BA1022	TDN9447A	0	NiCd		MOT RADIUS SP50	HNN9018A	7.5/1200	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4537A	7.5/530	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4537C	7.5/700	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4538A	7.5/1000	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4538D	7.5/1000	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4592A	7.5/530	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4592C	7.5/700	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4593A	7.5/1070	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4593D	7.5/1100	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4594A	7.5/1300	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4595A	7.5/1800	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4595D	7.5/1800	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4596A	7.5/1800	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4596D	7.5/1800	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4657A	7.5/1100	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4992A	7.5/1800	6	1
BA1019	TDN9450A	0	NiCd		MOT SABER MX1000, MX2000, MX3000	NTN4992C	7.5/1800	6	1
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4537A	7.5/530	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4537C	7.5/700	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4538A	7.5/1000	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4538D	7.5/1000	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4592A	7.5/530	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4592C	7.5/700	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4593A	7.5/1070	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4593D	7.5/1100	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4594A	7.5/1300	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4595A	7.5/1800	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4595D	7.5/1800	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4596A	7.5/1800	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4596D	7.5/1800	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4657A	7.5/1100	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4992A	7.5/1800	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN4992C	7.5/1800	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN7014A	7.5/950	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN7426A	7.5/950	6	3
BA4018	WPPN4087AR	1	NiCd & NiMH		MOT SABER MX1000, MX2000, MX3000	NTN8251A	7.5/1650	6	3
BA6501	WPPN4091AR	3	Li-Ion		MOT SABER MX1000, MX2000, MX3000	NTN8818A	7.2/XXXX	2	4.5
BA1104	TDN9434A	0	NiCd		MOT SABER-R	NTN7058A	7.5/1800	6	1
N/A	RLN4538A	0	NiCd		MOT SABER-R (WITH VELCRO STRAP)	NTN7058A	7.5/1800	6	2
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	ENERGIZER CP5036	3.6/600	3	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4503	3.6/XXXX	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4505	3.6/XXXX	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4809	3.6/500	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4810A	3.6/500	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4811A	3.6/500	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4813	3.6/500	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4814B	3.6/900	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4815	3.6/900	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4816	3.6/900	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4819C	3.6/900	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4820	3.6/900	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4821	3.6/900	1	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4904B	3.6/500	3	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4905C	3.6/500	3	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4924	3.6/1000	3	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN4925	3.6/1000	3	5
BA6003	RLN4988A	3	Ni, Li-Ion		MOT STAR TAC	SNN5564	3.6/900	1	5
BA1027	TDN9451A	0	NiCd		MOT STX	NTN4326A	7.5/1300	6	1
BA1027	TDN9451A	0	NiCd		MOT STX	NTN4327A	7.5/1250	6	1
BA1027	TDN9451A	0	NiCd		MOT STX	NTN4327C	7.5/1250	6	1
BA1027	TDN9451A	0	NiCd		MOT STX	NTN4500A	7.5/1800	6	1
BA1027	TDN9451A	0	NiCd		MOT STX	NTN4518A	7.5/1300	6	1
BA1027	TDN9451A	0	NiCd		MOT STX	NTN4534A	7.5/1300	6	1
BA3041	TDN9454A	0	NiCd		MOT ULTRA CLASSIC (UNIVERSAL)	ALL	7.5/XXXX	6	2
N/A	CDN6141A	0	NiCd & NiMH		MOT VISAR	NTN7394B	7.5/1300	6	4
N/A	CDN6141A	0	NiCd & NiMH		MOT VISAR	NTN7395A	7.5/1200	6	4
N/A	CDN6141A	0	NiCd & NiMH		MOT VISAR	NTN7396B	7.5/600	6	4
N/A	CDN6141A	0	NiCd & NiMH		MOT VISAR	NTN7397B	7.5/1500	6	4
N/A	CDN6141A	0	NiCd & NiMH		MOT VISAR	NTN7398B	7.5/1200	6	4
N/A	TDN9717A	0	NiCd		MOT VISAR	NTN7395A	7.5/1200	6	2
N/A	TDN9717A	0	NiCd		MOT VISAR	NTN7398A	7.5/1200	6	2

MOTOROLA ADAPTERS

ADAPTER TYPE CODE KEY

0 = All NiCd and/or NiMH adapters, **not** Li-Ion safe.

1 = All NiCd and/or NiMH adapters, **Li-Ion safe, requires version 4.4 or later software. May not be used in IQ^{sen}.**

3 = Tri-chemistry or Li-Ion only for **BMS^{plus} only w/ upgrade to ver. 9.3X.**

3-cell adapter for use in BMS^{plus} only

N= NEW

C=CHANGE

ITECH P/N	MOTOROLA P/N	ADAPTER TYPE	CHEMISTRY	CHG	DEVICE COMPATIBILITY	BATTERY P/N	VDC/mAh	CELLS	CAT.
BA4014	WPPN4079AR	1	NiCd & NiMH		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9008A	7.2/1475	6	4
BA4014	WPPN4079AR	1	NiCd & NiMH		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9009A	7.2/2100	6	4
BA4014	WPPN4079AR	1	NiCd & NiMH		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9010A	7.2/1650	6	4
BA4014	WPPN4079AR	1	NiCd & NiMH		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9011A	7.2/1400	6	4
BA4014	WPPN4079AR	1	NiCd & NiMH		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9012A	7.2/1400	6	4
BA6006	WPPN4080AR	3	Ni, Li-Ion		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9008A	7.2/1475	6	5
BA6006	WPPN4080AR	3	Ni, Li-Ion		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9009A	7.2/2100	6	5
BA6006	WPPN4080AR	3	Ni, Li-Ion		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9010A	7.2/1650	6	5
BA6006	WPPN4080AR	3	Ni, Li-Ion		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9011A	7.2/1400	6	5
BA6006	WPPN4080AR	3	Ni, Li-Ion		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9012A	7.2/1400	6	5
BA6006	WPPN4080AR	3	Ni, Li-Ion		MOT GP140, GP320, GP340, GP360, GP380, GP640, GP680, GP1280, HT750, HT1250, HT1250LS, HT1550	HNN9013A	7.2/1200	2	5
N/A	WPPN4019AR	1	NiCd		MOT XTS3000, XTS3500	NTN8294A	7.5/1500	6	4
N/A	WPPN4019AR	1	NiCd		MOT XTS3000, XTS3500	NTN8295A	7.5/1500	6	4
N/A	WPPN4019AR	1	NiCd		MOT XTS3000, XTS3500	NTN8297A	7.5/1500	6	4
N/A	WPPN4022AR	1	NiCd & NiMH		MOT XTS3000, XTS3500	NTN8923A	7.5/1800	6	4.25
N/A	WPPN4022AR	1	NiCd & NiMH		MOT XTS3000, XTS3500	NTN8294A	7.5/1500	6	4.25
N/A	WPPN4022AR	1	NiCd & NiMH		MOT XTS3000, XTS3500	NTN8295A	7.5/1500	6	4.25
N/A	WPPN4022AR	1	NiCd & NiMH		MOT XTS3000, XTS3500	NTN8297A	7.5/1500	6	4.25
N/A	WPPN4022AR	1	NiCd & NiMH		MOT XTS3000, XTS3500	NTN8299A	7.5/1650	6	4.25
BA6002	WPPN4086AR	3	Ni, Li-Ion		MOT XTS3000, XTS3500	NTN8923A	7.5/1800	6	5
BA6002	WPPN4086AR	3	Ni, Li-Ion		MOT XTS3000, XTS3500	NTN8294A	7.5/1500	6	5
BA6002	WPPN4086AR	3	Ni, Li-Ion		MOT XTS3000, XTS3500	NTN8295A	7.5/1500	6	5
BA6002	WPPN4086AR	3	Ni, Li-Ion		MOT XTS3000, XTS3500	NTN8297A	7.5/1500	6	5
BA6002	WPPN4086AR	3	Ni, Li-Ion		MOT XTS3000, XTS3500	NTN8299A	7.5/1650	6	5
BA6002	WPPN4086AR	3	Ni, Li-Ion		MOT XTS3000, XTS3500	NTN8610AR	7.5/1500	6	5

Instant Access Battery Ratings

Battery Part #	Description	Rated Capacity	80%	Volts
GP Professional Series				
HNN9008AR	NI-MH	1200	960	7.5
HNN9009AR	NI-MH	1600	1280	7.5
HNN9012AR	NICAD	1300	1040	7.5
HNN9010AR	FM NI-MH	1600	1280	7.5
HNN9011AR	FM NICAD	1200	960	7.5
HNN9013AR	Li-Ion	1150	920	7.5
P040/P080				
PMNN4017A	NI-MH	1150	920	7.2
PMNN4018A	NI-MH	1150	920	7.2
PMNN4019A	NI-MH	1150	920	7.2
PMNN4020A	NICAD	1050	840	7.2
PMNN4021A	NICAD	1050	840	7.2
VISAR				
NTN7395	Ni-Cd	1200	960	7.5
NTN7394	NI-MH	1300	1040	7.5
NTN7396	NI-MH	600	480	7.5
NTN7397	NI-MH	1300	1040	7.5
NTN7398	Ni-Cd	1200	960	7.5
GP300 GTX/LTS 2000				
HNN8133	Ni-Cd	1100	880	7.5
HNN9628	Ni-Cd	1100	880	7.5
HNN9701	Ni-Cd	1100	880	7.5
HNN8308	Ni-Cd	600	480	7.5
HNN9808	Ni-Cd	600	480	7.5
WPNN4012	Ni-Cd	1000	800	7.5
WPNN4040	NI-MH	1600	1280	7.5
HNN9987	Ni-Cd	1100	880	7.5
P110				
WPNN4041	NI-MH	1600	1280	7.5
WPNN4042	Ni-Cd	1000	800	7.5
HNN8148	Ni-Cd	1100	880	7.5
GP900/1200/MT2000/MTS2000/MTX838				
NTN7143	Ni-Cd	1200	960	7.5
NTN7144	Ni-Cd	1350	1080	7.5
NTN7146	Ni-Cd	1200	960	7.5
NTN7147	Ni-Cd	1300	1040	7.5
NTN7149	Ni-Cd	1300	1040	7.5
NTN7150	Ni-Cd	1200	960	7.5
NTN7341	Ni-Cd	1350	1080	7.5
NTN7372	Ni-Cd	1200	960	7.5
WPNN4013	NIMH	2000	1200 60%	7.5
WPNN4037	NIMH	1900	1140 60%	7.5
NTN7148B	NI-CD	900	720	7/6*

*Dependent on which contacts are used for measurement.

Instant Access Battery Ratings

Battery Part # Description Rated Capacity 80% Volts

XTS3000

NTN8299	NI-MH	1650	1320	7.5
NTN8293	NI-MH	1800	1440	7.5
NTN8294	Ni-Cd	1500	1200	7.5
NTN8297	Ni-Cd	1500	1200	7.5
NTN8295	Ni-Cd	1500	1200	7.5

SABER

NTN4537	Ni-Cd	700	560	7.5
NTN4538	Ni-Cd	1100	880	7.5
NTN4592	Ni-Cd	700	560	7.5
NTN4593	Ni-Cd	1100	880	7.5
NTN4595	Ni-Cd	1800	1440	7.5
NTN4596	Ni-Cd	1800	1440	7.5
NTN4657	Ni-Cd	900	720	7.5
NTN4992	Ni-Cd	1800	1440	7.5
NTN7014	NI-MH	950	760	7.5
NTN7426	Ni-Cd	950	760	7.5
NTN7058	Ni-Cd	1800	1440	7.5
NTN8251	NI-MH	1650	1320	7.5

HT800/P210/HT600E/MT1000/MTX 800-900 Series

NTN4564	Ni-Cd	630	504	10
NTN4584	Ni-Cd	630	504	10
NTN4823	Ni-Cd	630	504	10
NTN5161	Ni-Cd	630	504	10
NTN5414	Ni-Cd	1100	880	10
NTN5415	Ni-Cd	1100	880	10
NTN5447	Ni-Cd	1100	880	10
NTN5448	Ni-Cd	1100	880	10
NTN5521	Ni-Cd	1100	880	10
NTN5531	Ni-Cd	630	504	10
NTN7015	NI-MH	900	720	10
NTN7016	NI-MH	900	720	10
NTN7046	Ni-Cd	1100	880	10
NTN5561	Ni-Cd	630	504	10
NTN5545	Ni-Cd	1100	880	10

Warranty

All batteries are warranted for 12 months @ 80% capacity except for the following:

- WPNN-4013 12 Months @ 60% Capacity
- WPNN-4037 12 Months @ 60% Capacity
- NTN-7396 6 Months @ 80% Capacity

Rated Capacity – Nominal capacity of a new battery