














































Motorola Accessories



Enhancing Performance





































| Radio Family | image | Part No. | Description | Operation | PTT | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | Comment |
|--|---|-------------------|--|----------------------|-------------------|----------------|-------------------------|---------------------------|-----------------------|------------|--|
| GP Professional GP140 - GP1280 |  | ENMN4013 | Flexible ear receiver | Receive only | NA | NA | NA | FM | Ease of use | | |
| GP Professional GP140 - GP1280 |  | MDRMN4021 | 1 wire earpiece, beige | Receive only | NA | NA | NA | FM | Ease of use | | |
| GP Professional GP140 - GP1280 |  | MDRMN4028 | 1 wire earpiece, black | Receive only | NA | NA | NA | FM | Ease of use | | |
| GP Professional GP140 - GP1280 |  | MDRMN4022 | 2 wire earpiece with microphone and PTT combined, beige | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| GP Professional GP140 - GP1280 |  | MDRMN4029 | 2 wire earpiece with microphone and PTT combined, black | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| GP Professional GP140 - GP1280 |  | MDPMLN4418 | 2 wire earbud with microphone and PTT combined | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| GP Professional GP140 - GP1280 |  | PMLN4605 | Voicetube kit for MDPMLN4418 | NA | NA | NA | NA | FM | Ease of use | | |
| GP Professional GP140 - GP1280 |  | MDPMLN4607 | 2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & MDPMLN4418) | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| GP Professional GP140 - GP1280 |  | ENMN4017 | 3 wire earpiece with microphone and PTT separated, beige | Receive and transmit | Separate wire PTT | Yes | No | FM | | Efficiency | |
| GP Professional GP140 - GP1280 |  | ENMN4014 | 3 wire earpiece with microphone and PTT separated, black | Receive and transmit | Separate wire PTT | Yes | No | FM | | Efficiency | |
| GP Professional GP140 - GP1280 |  | MDPMLN4557 | MagOne earpiece with in-line microphone and PTT | Receive and transmit | In-line | Yes | Yes | No | Ease of use | | |
| GP Professional GP140 - GP1280 |  | MDPMLN4556 | MagOne earbud with in-line microphone and PTT | Receive and transmit | In-line | Yes | Yes | No | Ease of use | | |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6664 | 1 wire earpiece 3.5mm plug, beige | Receive only | NA | NA | NA | FM | Ease of use | | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6726 | 1 wire earpiece 3.5mm plug, black | Receive only | NA | NA | NA | FM | Ease of use | | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6665 | 1 wire extra-loud earpiece 3.5mm plug, beige | Receive only | NA | NA | NA | FM | Ease of use | | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |

















| Radio Family | image | Part No. | Description | Operation | PTT | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | Comment |
|--|---|-------------------|--|----------------------|-------------------|----------------|-------------------------|---------------------------|-----------------------|------------|--|
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6727 | 1 wire extra-loud earpiece 3.5mm plug, black | Receive only | NA | NA | NA | FM | Ease of use | | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6666 | 1 wire earpiece with volume control, 3.5mm plug, beige | Receive only | NA | NA | NA | FM | Ease of use | | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6728 | 1 wire Earpiece with volume control, 3.5mm plug, black | Receive only | NA | NA | NA | FM | Ease of use | | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6667 | 2 wire earpiece with microphone and PTT combined, 3.5mm plug, beige | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6729 | 2 wire earpiece with microphone and PTT combined, 3.5mm plug black | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6669 | 2 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug, beige | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6731 | 2 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug black | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688 |  | MDPMLN4519 | 2 wire earbud with microphone and PTT combined | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| GP Compact GP344, GP388, GP644 and GP688 |  | PMLN4605 | Voicetube kit for MDPMLN4519 | NA | NA | NA | NA | FM | Ease of use | | |
| GP Compact GP344, GP388, GP644 and GP688 |  | MDPMLN4608 | 2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & MDPMLN4519) | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and JEDI |  | BDN6668 | 3 wire earpiece with microphone and PTT combined, 3.5mm plug, beige | Receive and transmit | Separate wire PTT | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6730 | 3 wire earpiece with microphone and PTT combined, 3.5mm plug, black | Receive and transmit | Separate wire PTT | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6670 | 3 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug, beige | Receive and transmit | Separate wire PTT | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| GP Compact GP344, GP388, GP644 and GP688, VISAR and GP900-GP1200 |  | BDN6732 | 3 wire extra-loud earpiece with microphone and PTT combined, 3.5mm plug, black | Receive and transmit | Separate wire PTT | Yes | No | FM | | Efficiency | Earpieces required audio adapter MDPMLN4455 for usage with GP Compact GP344, GP388, GP644 and GP688, and BDN6676 for use with GP900-GP1200 |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | BDN6720 | 1 wire ear hook, black | Receive only | NA | NA | NA | FM | Ease of use | | |


| Radio Family | image | Part No. | Description | Operation | PTT | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | Comment |
|---|---|-------------------|--|----------------------|------------|----------------|-------------------------|---------------------------|-----------------------|------------|---------|
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9727 | 1 wire earpiece, beige | Receive only | NA | NA | NA | FM | Ease of use | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RLN4894 | 1 wire earpiece, black | Receive only | NA | NA | NA | No | Ease of use | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9752 | 1 wire earpiece with volume control, beige | Receive only | NA | NA | NA | FM | Ease of use | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9754 | 2 wire earpiece with microphone and PTT combined, beige | Receive and transmit | PTT on mic | No | No | FM | | Efficiency | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RLN4895 | 2 wire earpiece with microphone and PTT combined, black | Receive and transmit | PTT on mic | No | No | No | | Efficiency | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9036 | 2 wire earbud with microphone and PTT combined, black | Receive and transmit | PTT on mic | No | No | FM | | Efficiency | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | PMLN4294 | 2 wire earbud with microphone and PTT combined | Receive and transmit | PTT on mic | Yes | No | No | | Efficiency | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | PMLN4605 | Voicetube kit for PMLN4294 | NA | NA | No | No | FM | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMLN4606 | 2 wire earpiece with clear acoustic tube (consisting of PMLN4605 & PMLN4294) | Receive and transmit | PTT on mic | Yes | No | FM | | Efficiency | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMLN4442 | MagOne earbud with in-line microphone and PTT | Receive and transmit | In-line | Yes | Yes | No | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMLN4443 | MagOne earpiece with in-line microphone and PTT | Receive and transmit | In-line | Yes | Yes | No | | | |
| Earpieces for Remote Speaker Microphones |  | WADN4190 | Ear hook 3.5mm plug | Receive only | NA | NA | NA | FM | Ease of use | | |
| Earpieces for Remote Speaker Microphones |  | MDRLN4885 | Earbud 3.5mm plug for RSM | Receive only | NA | NA | NA | FM | Ease of use | | |
| Earpieces for Remote Speaker Microphones |  | MDRLN4941 | Receive only earpiece with translucent tube and 3.5mm plug | Receive only | NA | NA | NA | FM | Ease of use | | |
| Earpieces for Remote Speaker Microphones |  | MDPMLN4620 | D-Shell ear receiver for RSM , 3.5mm plug | Receive only | NA | NA | NA | FM | Ease of use | | |


| Radio Family | image | Part No. | Description | Operation | PTT | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | Comment |
|--|---|-------------------|---|--------------|-----|----------------|-------------------------|---------------------------|-----------------------|--|---------|
| Earpieces for Remote Speaker Microphones |  | MDPMLN4621 | D-Shell ear receiver for RSM , 2,5mm plug | Receive only | NA | NA | NA | FM | Ease of use | | |
| Earpieces for Remote Speaker Microphones |  | MDPMLN4393 | Earbud with 2.5mm plug | Receive only | NA | NA | NA | No | Ease of use | | |

| Radio Family | Image | Part No. | Description | PTT | Receive via | Transmit via | Headband | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | | | Comments |
|---|---|-------------------|---|---------|-------------|----------------|----------|----------------|-------------------------|---------------------------|-----------------------|------------|------------|--------|--|
| GP Professional GP140 - GP1280 |  | ENMN4012 | Ultra light weight headset with in-line PTT (breeze) | In-line | Single ear | Boom mic | Behind | Yes | No | FM | Ease of use | | | | |
| GP Professional GP140 - GP1280 |  | MDPMLN4653 | D Shell ultra light weight headset with PTT and VOX | In-line | Single ear | Boom mic | None | Yes | Yes | No | Ease of use | | | | |
| GP Professional GP140 - GP1280 |  | MDRMN4017 | Light weight headset | No | Single ear | Boom mic | None | Yes | No | FM | Ease of use | | | | |
| GP Professional GP140 - GP1280 |  | ENMN4015 | Light weight headset | No | Both ears | Boom mic | Over | Yes | No | FM | Ease of use | | | | Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280 |
| GP Professional GP140 - GP1280 |  | MDRMN4018 | Light weight headset with PTT | In-line | Single ear | Boom mic | Over | Yes | No | FM | Ease of use | | | | |
| GP Professional GP140 - GP1280 |  | MDRMN4031 | Light weight headset | No | Single ear | Boom mic | Over | Yes | No | FM | Ease of use | | | | Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280 |
| GP Professional GP140 - GP1280 |  | MDPMLN4558 | MagOne Light weight headset with PTT | In-line | Single ear | Boom mic | Over | Yes | Yes | FM | Ease of use | | | | |
| GP Professional GP140 - GP1280 |  | ENMN4016 | Medium weight headset with PTT | In-line | Both ears | Boom mic | Behind | Yes | No | FM | | | Robustness | Safety | |
| GP Professional GP140 - GP1280 |  | MDRMN4019 | Medium weight headset with PTT | In-line | Both ears | Boom mic | Over | Yes | No | FM | | | Robustness | Safety | |
| GP Professional GP140 - GP1280 |  | MDRMN4032 | Medium weight headset | No | Both ears | Boom mic | Over | No | No | FM | | | Robustness | Safety | Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280 |
| GP Professional GP140 - GP1280 |  | MDRMN4020 | Heavy duty headset with ear cup PTT | Ear cup | Both ears | Boom mic | Over | Yes | Yes | FM | | | Robustness | Safety | Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280 |
| GP Professional GP140 - GP1280 |  | GMLN1117 | Light weight headset with multi PTT and direct connection | In-line | Single ear | Boom mic | Over | Yes | No | ATEX | Ease of use | | | | Safety |
| GP Professional GP140 - GP1280 |  | GMLN1114 | Medium headset with PTT and ambient sound reception | In-line | Both ears | Boom mic | Over | Yes | No | ATEX | | | Robustness | Safety | |
| GP Professional GP140 - GP1280 |  | GMLN1109 | Contact com bone inductive headset | In-line | Single ear | Bone Induction | None | Yes | No | ATEX | | Efficiency | | | Safety |
| GP Compact GP344, GP388, GP644 and GP688 |  | MDPMLN4657 | D Shell ultra light weight headset with PTT and VOX | In-line | Single ear | Boom mic | None | Yes | Yes | No | Ease of use | | | | |
| GP Compact GP344, GP388, GP644 and GP688 |  | MDJMMN4066 | Light weight headset with boom microphone and in-line PTT | In-line | Single ear | Boom mic | Over | Yes | No | FM | Ease of use | | | | |
| GP Compact GP344, GP388, GP644 and GP688-GP900-GP1200 |  | BDN6635 | Heavy duty headset with noise canceling boom mic (requires adapter cable BDN6639) | No | Both ears | Boom mic | Over | Yes | Yes | FM | | | Robustness | Safety | (Requires adapter cable BDN6639 for use with GP Compact GP344, GP388, GP644 and GP688). (Requires adapter cable BDN6673 for use with GP900-GP1200) |

| Radio Family | Image | Part No. | Description | PTT | Receive via | Transmit via | Headband | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | | | Comments |
|---|---|-------------------|---|---------|-------------|--------------|----------|----------------|-------------------------|---------------------------|-----------------------|--|------------|--------|--|
| GP Compact GP344, GP388, GP644 and GP688-GP900-GP1200 |  | BDN6636 | Heavy duty headset with throat microphone (requires adapter cable BDN6639) | No | Both ears | Throat mic | Over | Yes | No | FM | | | Robustness | Safety | (Requires adapter cable BDN6639 for use with GP Compact GP344, GP388, GP644 and GP688). (Requires adapter cable BDN6673 for use with GP900-GP1200) |
| GP Compact GP344, GP388, GP644 and GP688 - GP900 and GP1200 |  | BDN6645 | Heavy duty headset with ear cup PTT (requires adapter cable BDN6639) | Ear cup | Both ears | Boom mic | Over | Yes | No | FM | | | Robustness | Safety | (Requires adapter cable BDN6639 for use with GP Compact GP344, GP388, GP644 and GP688). (Requires adapter cable BDN6673 for use with GP900-GP1200) |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMLN4658 | D Shell ultra light weight headset with PTT and VOX | In-line | Single ear | Boom mic | None | Yes | Yes | No | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RLN5411 | Ultra light weight headset with in-line PTT (breeze) | In-line | Single ear | Boom mic | Behind | Yes | No | No | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMLN4444 | MagOne ultra light weight headset with in-line PTT and VOX | In-line | Single ear | Boom mic | None | Yes | Yes | No | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMLN4445 | MagOne light weight headset with in-line PTT and VOX | In-line | Single ear | Boom mic | Over | Yes | Yes | No | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9013 | Light weight headset | No | Single ear | Boom mic | Over | Yes | No | FM | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9787 | Light weight headset | No | Single ear | Boom mic | Over | Yes | No | FM | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RMN4016 | Light weight headset with swivel boom microphone | In-line | Single ear | Boom mic | Over | Yes | No | No | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RLN5238 | Light weight headset with in-line PTT, stadium style | In-line | Single ear | Boom mic | Over | Yes | No | No | Ease of use | | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9021 | Medium weight dual muff headset | No | Both ears | Boom mic | Over | Yes | No | No | | | Robustness | Safety | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9022 | Medium weight dual muff headset | No | Both ears | Boom mic | Behind | Yes | No | No | | | Robustness | Safety | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RMN4051 | Medium weight hard hat mount, black | No | Both ears | Boom mic | Over | Yes | No | No | | | Robustness | Safety | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | BDN6648 | Heavy duty dual muff headset with noise canceling microphone | No | Both ears | Boom mic | Over | Yes | No | FM | | | Robustness | Safety | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | RMN5015 | Heavy duty dual muff racing headset (requires RKN4090 headset adapter cable) | No | Both ears | Boom mic | Over | Yes | No | No | | | Robustness | Safety | |
| GP900 and GP1200, and Minnow and Visar |  | NMN6246 | Ultra light weight headset | In-line | Single ear | Boom mic | None | Yes | No | FM | Ease of use | | | | |
| GP900 and GP1200 |  | ELN4640 | Light weight headset with noise canceling microphone and PTT (requires adapter ELN4647) | Yes | Single ear | Boom mic | Over | Yes | No | Cenelec and ATEX | Ease of use | | | Safety | |















| Radio Family | Image | Part Number | Description | PTT | Receive via | Transmit via | Headband | Vox capability | Extra Vox-Switch on PTT | Intrinsic Safety Standard | End User Requirements | | Comments |
|---|---|-----------------|---|---------|-------------|----------------|----------|--------------------|-------------------------|---------------------------|-----------------------|--------|---|
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | BDN6646 | Bone inductive ear microphone with PTT interface (includes BDN6677) | Yes | Single ear | Ear mic | None | No | No | FM | Efficiency | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | BDN6706 | Bone inductive ear microphone with VOX/PTT interface (includes BDN6677) | Yes | Single ear | Ear mic | None | Yes | Yes | No | Efficiency | | |
| GP Professional GP140 - GP1280.GP900-GP1200 |  | BDN6641 | Bone inductive ear microphone, grey | No | Single ear | Ear mic | None | VOX via voiceducer | No | FM | Efficiency | | Requires the voiceducer with PTT MDRMN4044 or with VOX/PTT switch MDRMN4045 fo use with GP Professional. Requires the voiceducer with PTT BDN6708 and with VOX/PTT switch BDN6671 for use with GP900-GP1200 |
| GP Professional GP140 - GP1280.GP900-GP1200 |  | BDN6677 | Bone inductive ear microphone , black | No | Single ear | Ear mic | None | VOX via voiceducer | No | FM | Efficiency | | Requires the voiceducer with PTT MDRMN4044 or with VOX/PTT switch MDRMN4045 fo use with GP Professional. Requires the voiceducer with PTT BDN6708 and with VOX/PTT switch BDN6671 for use with GP900-GP1200 |
| GP Professional GP140 - GP1280.GP900-GP1200 |  | BDN6678 | Bone inductive ear microphone, beige | No | Single ear | Ear mic | None | VOX via voiceducer | No | FM | Efficiency | | Requires the voiceducer with PTT MDRMN4044 or with VOX/PTT switch MDRMN4045 fo use with GP Professional. Requires the voiceducer with PTT BDN6708 and with VOX/PTT switch BDN6671 for use with GP900-GP1200 |
| GP Professional GP140 - GP1280 |  | ENMN4010 | Noise com direct connection | In-line | Single ear | Boom mic | None | Yes | No | FM | Efficiency | | |
| GP Professional GP140 - GP1280 |  | ENMN4018 | Helmet com direct connection | Yes | Single ear | one Inductio | Over | Yes | No | FM | Efficiency | | |
| GP Professional GP140 - GP1280, GP900 and GP1200 |  | WALN4062 | Helmet com (requires PTT module) | No | Single ear | one Inductio | Over | Yes | No | Cenelec and Standard | Efficiency | | |
| GP Professional GP140 - GP1280, GP900 and GP1200 |  | WALN4064 | Noise com (requires PTT module) | No | Single ear | Boom mic | None | Yes | No | Cenelec and Standard | Efficiency | | |
| GP Professional GP140 - GP1280 |  | ENLN4135 | PTT module | Yes | NA | NA | NA | NA | NA | FM | Efficiency | | |
| GP Professional GP140 - GP1280 | | GMMN1108 | Bone inductive ear microphone CT475 | In-line | Single ear | Bone Induction | NA | Yes | No | ATEX | Efficiency | Safety | |
| GP Professional GP140 - GP1280 |  | GMLN1109 | Contact com bone inductive headset | In-line | Single ear | Bone Induction | None | Yes | No | ATEX | Efficiency | Safety | |
| Visar. GP Compact GP344, GP388, GP644 and GP688 |  | BDN6768 | Bone inductive ear microphone, black | No | Single ear | Ear mic | None | VOX via voiceducer | No | No | Efficiency | | Requires the voiceducer with VOX/PTT switch MDJMMN4064 for use with GP Compact |
| Visar. GP Compact GP344, GP388, GP644 and GP689 |  | BDN6769 | Bone inductive ear microphone, beige | No | Single ear | Ear mic | None | VOX via voiceducer | No | No | Efficiency | | Requires the voiceducer with VOX/PTT switch MDJMMN4064 for use with GP Compact |
| GP900 and GP1200 |  | ELN4638 | Contact com PTT (requires adapter ELN4647) | Yes | Single ear | Bone Induction | NA | No | No | Cenelec and ATEX | Efficiency | Safety | |
| GP900 and GP1200 |  | WALN4069 | PTT module | Yes | NA | NA | NA | NA | NA | Cenelec and ATEX | Efficiency | Safety | |
| GP900 and GP1200 |  | WALN4091 | Noise com direct connection | In-line | Single Ear | Discreet mic | NA | No | No | No | Efficiency | | |

| Radio Family | Image | Part No. | Description | Audio Jack | Emergency Button | Volume Control | Antenna | Noise Cancelling | Intrinsic Safety Standard | End User Requirements | | | | Comment |
|---|---|-------------------|---|------------|------------------|----------------|---------|------------------|---------------------------|-----------------------|------------|------------|--------|---|
| GP Professional GP140 - GP1280 |  | MDHMN9052 | Remote speaker microphone with omnidirectional mic | No | No | No | No | No | FM | | Efficiency | | | Please refer to Technical Information Bulletin CT2016 before using a remote speaker microphone. |
| GP Professional GP140 - GP1280 |  | MDHMN9053 | Remote speaker microphone with noise cancelling | 3.5mm | No | No | No | Yes | FM | | Efficiency | | | Please refer to Technical Information Bulletin CT2016 before using a remote speaker microphone. |
| GP Professional GP140 - GP1280 |  | MDHMN9054 | Public safety microphone with antenna (for use with UHF models only) | 3.5mm | No | No | Yes | No | FM | | Efficiency | | | Please refer to Technical Information Bulletin CT2016 before using a remote speaker microphone. |
| GP Professional GP140 - GP1280 |  | MDRMN5037 | Rugged remote speaker microphone with volume control | No | No | Yes | No | No | FM | | Efficiency | Robustness | | Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280 |
| GP Professional GP140 - GP1280 |  | MDRMN5055 | Rugged remote speaker microphone with volume control | 3.5mm | No | Yes | No | No | FM | | Efficiency | Robustness | | Can not be used with the trunked models GP240, GP280, GP540, GP580, GP640, GP680 and GP1280 |
| GP Professional GP140 - GP1280 |  | GMMN1111 | Rugged remote speaker microphone with volume control and emergency button | No | Yes | Yes | No | Yes | ATEX | | Efficiency | Robustness | Safety | For ATEX models GP340 Ex, GP380 Ex, GP580 Ex and GP680 Ex |
| GP Professional GP140 - GP1280 |  | MDPMMN4009 | MagOne Remote speaker microphone with omnidirectional mic | No | No | No | No | No | No | Ease of use | | | | |
| GP Compact GP344, GP388, GP644 and GP688 |  | MDJMMN4073 | Remote speaker microphone with omnidirectional mic | 2.5mm | No | No | No | No | FM | | Efficiency | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | HMN9030 | Remote speaker microphone with omnidirectional mic | No | No | No | No | No | FM | | Efficiency | | | |
| CP040, CP140, CP160, CP180, P020, P030, P040, P080, GP300, P110 |  | MDPMMN4008 | MagOne Remote speaker microphone with omnidirectional mic | No | No | No | No | No | No | Ease of use | | | | |
| GP900 and GP1200 |  | NMN6191 | Remote speaker microphone with noise cancelling | 3.5mm | No | No | No | Yes | FM | | Efficiency | | | |
| GP900 and GP1200 |  | NMN6193 | Remote speaker microphone with omnidirectional mic | 3.5mm | No | No | No | No | FM | | Efficiency | | | |
| GP900 and GP1200 |  | NMN6242 | Remote speaker microphone with emergency button and omnidirectional mic | 3.5mm | Yes | Yes | Yes | No | No | | Efficiency | | | |
| GP900 and GP1200 |  | RMN5038 | Rugged remote speaker microphone with volume control and emergency button | 3.5mm | Yes | Yes | No | Yes | No | | Efficiency | | | |

| Radio Family | Image | Part No. | Description | Audio Jack | Emergency Button | Volume Control | Antenna | Noise Cancelling | Intrinsic Safety Standard | End User Requirements | | | Comment | |
|------------------|---|----------------|--|------------|------------------|----------------|---------|------------------|---------------------------|-----------------------|------------|--|---------|--|
| GP900 and GP1200 |  | EMN6225 | Remote speaker microphone with noise cancelling. Cenelec approved | 3.5mm | No | No | No | Yes | Cenelec | | Efficiency | | Safety | |
| GP900 and GP1200 |  | EMN6226 | Remote speaker microphone with omnidirectional mic. Cenelec approved | 3.5mm | No | No | No | No | Cenelec | | Efficiency | | Safety | |
| GP900 and GP1200 |  | EMN6230 | Remote speaker microphone with noise cancelling. ATEX approved | 3.5mm | No | No | No | Yes | ATEX | | Efficiency | | Safety | |
| GP900 and GP1200 |  | EMN6231 | Remote speaker microphone with omnidirectional mic. ATEX approved | 3.5mm | No | No | No | No | ATEX | | Efficiency | | Safety | |
| Visar |  | NMN6196 | Remote speaker microphone with omnidirectional mic | No | No | No | No | No | FM | | Efficiency | | | |














| Radio Family | Image | Part No. | Description | Material | Belt Attachment | Belt Swivel | Quick release of the radio | Comment |
|------------------------------|---|----------------|---|--------------|-----------------|-------------|----------------------------|---------|
| GP Professional GP140-GP1280 |  | HLN9701 | Nylon carry case for non keypad models | Nylon | Belt loop | No | Yes | |
| GP Professional GP140-GP1280 |  | HLN9652 | Leather carry case with belt loop for non keypad models (for radios with slim Lithium Ion battery) | Hard leather | Belt loop | No | Yes | |
| GP Professional GP140-GP1280 |  | HLN9665 | Leather carry case with belt loop for non keypad models (for radios with NiMh, NiCd and FM battery) | Hard leather | Belt loop | No | No | |
| GP Professional GP140-GP1280 |  | HLN9677 | Leather carry case with belt loop for keypad models (for radios with slim Lithium Ion battery) | Hard leather | Belt loop | No | Yes | |
| GP Professional GP140-GP1280 |  | HLN9689 | Leather carry case with belt loop for keypad models (for radios with NiMh, NiCd and FM battery) | Hard leather | Belt loop | No | No | |
| GP Professional GP140-GP1280 |  | HLN9695 | Leather carry case with belt loop (GP1280) | Hard leather | Belt loop | No | No | |
| GP Professional GP140-GP1280 |  | HLN9698 | Leather carry case with belt loop (GP1280) | Hard leather | Belt loop | No | No | |
| GP Professional GP140-GP1280 |  | HLN9670 | Leather carry case with swivel belt loop for non keypad models (for radios with slim Lithium Ion battery) | Hard leather | Belt loop | Yes | Yes | |
| GP Professional GP140-GP1280 |  | HLN9676 | Leather carry case with swivel belt loop for non keypad models (for radios with NiMh and NiCd battery) | Hard leather | Belt loop | Yes | Yes | |
| GP Professional GP140-GP1280 |  | HLN9690 | Leather carry case with swivel belt loop for keypad models (for radios with slim Lithium Ion battery) | Hard leather | Belt loop | Yes | Yes | |
| GP Professional GP140-GP1280 |  | HLN9694 | Leather carry case with swivel belt loop for keypad models (for radios with NiMh and NiCd battery) | Hard leather | Belt loop | Yes | Yes | |
| GP Professional GP140-GP1280 |  | HLN9699 | Leather carry case with swivel belt loop (GP1280) (for radios with slim Lithium Ion battery) | Hard leather | Belt loop | Yes | Yes | |
| GP Professional GP140-GP1280 |  | HLN9700 | Leather carry case with swivel belt loop (GP1280) | Hard leather | Belt loop | Yes | Yes | |
| GP Professional GP140-GP1280 |  | HLN9714 | Spring belt clip | Plastic | Clip | No | Yes | |
| GP Professional GP140-GP1280 |  | HLN9952 | Plastic holster | Plastic | Clip | No | Yes | |


















| Radio Family | Image | Part No. | Description | Material | Belt Attachment | Belt Swivel | Quick release of the radio | Comment |
|--|---|-----------------|---|--------------|-----------------|-------------|----------------------------|--------------------------|
| GP Professional GP140-GP1280 |  | GLN6591 | Shoulder strap | Nylon | NA | NA | NA | |
| GP Professional GP140-GP1280 |  | GMLN1112 | Soft leather case for GP380 EX, GP580 EX and GP680 EX (for keypad models) | Soft leather | Belt loop | No | Yes | For use with ATEX models |
| GP Professional GP140-GP1280 |  | GMLN1113 | Soft leather case for GP340 EX | Soft leather | Belt loop | No | Yes | For use with ATEX models |
| GP Professional GP140-GP1280 |  | GMLN1110 | Heavy duty leather case for GP380 EX, GP580 EX and GP680 EX (for keypad models) | Hard leather | Belt loop | Yes | Yes | For use with ATEX models |
| GP Professional GP140-GP1280 |  | GMLN1111 | Heavy duty leather case for GP340 EX | Hard leather | Belt loop | Yes | Yes | For use with ATEX models |
| GP Compact GP344, GP388, GP644 and GP688 |  | PMLN4470 | Nylon carry case | Nylon | Belt loop | No | Yes | |
| GP Compact GP344, GP388, GP644 and GP688 |  | PMLN4421 | Soft leather carry case with swivel belt loop (GP344 and GP644) | Soft leather | Belt loop | Yes | Yes | |
| GP Compact GP344, GP388, GP644 and GP688 |  | PMLN4521 | Soft leather carry case with swivel belt loop (GP388 and GP688) | Soft leather | Belt loop | Yes | Yes | |
| GP Compact GP344, GP388, GP644 and GP688 |  | PMLN4471 | Hard leather case with swivel belt loop | Hard leather | Belt loop | Yes | Yes | |
| GP Compact GP344, GP388, GP644 and GP688 |  | HLN9714 | Spring belt clip | Plastic | Clip | No | Yes | |
| GP Compact GP344, GP388, GP644 and GP688 |  | JMZN4023 | Plastic holster | Plastic | Clip | No | Yes | |
| GP Compact GP344, GP388, GP644 and GP688 |  | JMZN4020 | Wrist strap | Nylon | NA | NA | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | HLN9701 | Nylon carry case (for radios with slim Lithium Ion battery) | Nylon | Belt loop | No | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5383 | Leather carry case with belt loop (CP140) | Hard leather | Belt loop | No | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5384 | Leather carry case with 6.4 cm swivel belt loop (CP140) | Hard leather | Belt loop | Yes | Yes | |



















| Radio Family | Image | Part No. | Description | Material | Belt Attachment | Belt Swivel | Quick release of the radio | Comment |
|--|---|----------------|--|--------------|-----------------|-------------|----------------------------|---------|
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5385 | Leather carry case with 7.6 cm swivel belt loop (CP140) | Hard leather | Belt loop | Yes | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5640 | Leather carry case with belt loop (CP160) | Hard leather | Belt loop | No | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5641 | Leather carry case with 6.4 cm swivel belt loop (CP160) | Hard leather | Belt loop | Yes | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5642 | Leather carry case with 7.6 cm swivel belt loop (CP160) | Hard leather | Belt loop | Yes | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5496 | Leather carry case with belt loop (CP180) | Hard leather | Belt loop | No | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5497 | Leather carry case with 6.4 cm swivel belt loop (CP180) | Hard leather | Belt loop | Yes | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | RLN5498 | Leather carry case with 7.6 cm swivel belt loop (CP180) | Hard leather | Belt loop | Yes | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | HLN8255 | Spring belt clip | Plastic | Clip | No | Yes | |
| Commercial CP040, CP140, CP160 and CP180 |  | NTN5243 | Shoulder strap | Nylon | NA | NA | Yes | |
| P040 and P080 |  | RLN4868 | Nylon carry case | Nylon | Belt loop | No | Yes | |
| P040 and P080 |  | RLN4865 | Leather carry case with belt loop (for non keypad models) | Hard leather | Belt loop | No | Yes | |
| P040 and P080 |  | RLN4874 | Leather carry case with belt loop (for keypad models) | Hard leather | Belt loop | No | Yes | |
| P040 and P080 |  | RLN4866 | Leather carry case with swivel belt loop (for non keypad models) | Hard leather | Belt loop | Yes | Yes | |
| P040 and P080 |  | RLN4873 | Leather carry case with swivel belt loop (for keypad models) | Hard leather | Belt loop | Yes | Yes | |

| Radio Family | Image | Part No. | Description | Material | Belt Attachment | Belt Swivel | Quick release of the radio | Comment |
|------------------|---|-------------------|--|--------------|-----------------|-------------|----------------------------|---------------------------|
| P040 and P080 |  | HLN9844 | Spring belt clip | Plastic | Clip | No | Yes | |
| P020 and P030 |  | PMLN4467 | Soft leather carry case | Soft leather | Belt loop | No | Yes | |
| P020 and P030 |  | HLN9844 | Spring belt clip | Plastic | Clip | No | Yes | |
| P020 and P030 |  | PMLN4468 | Plastic holster | Plastic | Clip | No | Yes | |
| P020 and P030 |  | 4285820Z01 | Shoulder strap | Nylon | NA | NA | Yes | |
| GP900 and GP1200 |  | NTN7247 | Nylon carry case (for radios with high and ultra high capacity battery) | Nylon | Belt loop | No | Yes | |
| GP900 and GP1200 |  | NTN7238 | Leather carry case with snap belt loop and press-button and T-strap for radios with high capacity battery (1300 mAh) | Hard leather | Belt loop | No | Yes | |
| GP900 and GP1200 |  | NTN7239 | Leather carry case with belt loop (for GP900). | Hard leather | Belt loop | No | Yes | Cenelec and ATEX approved |
| GP900 and GP1200 |  | NDN4018 | Leather carry case with snap belt loop, press-button and T-strap (for keypad models) | Hard leather | Belt loop | No | Yes | Cenelec and ATEX approved |
| GP900 and GP1200 |  | NTN7241 | Leather carry case with 6.4 cm swivel belt loop and T-Strap for radios with high capacity batteries (1300 mAh) | Hard leather | Belt loop | Yes | Yes | |
| GP900 and GP1200 |  | NTN7242 | Leather carry case with 6.4 cm swivel belt loop and T-Strap for GP900 radios with high capacity batteries (1300 mAh) | Hard leather | Belt loop | Yes | Yes | Cenelec and ATEX approved |
| GP900 and GP1200 |  | NTN7244 | Leather carry case with 7.6 cm swivel belt loop for radios with high capacity batteries (1300 mAh) | Hard leather | Belt loop | Yes | Yes | |
| GP900 and GP1200 |  | NTN7245 | Leather carry case with 7.6 cm swivel belt loop for GP900 radios with ultra high capacity batteries (1500 mAh) | Hard leather | Belt loop | Yes | Yes | Cenelec and ATEX approved |
| GP900 and GP1200 |  | NDN4017 | Leather carry case with 8.2 cm swivel belt loop and T-Strap (for keypad models) | Hard leather | Belt loop | Yes | Yes | Cenelec and ATEX approved |
| GP900 and GP1200 |  | NTN7318 | Spring belt clip | Aluminium | Clip | No | Yes | |












| Radio Family | Image | Part No. | Description | Material | Belt Attachment | Belt Swivel | Quick release of the radio | Comment |
|------------------|---|----------------|--|--------------|-----------------|-------------|----------------------------|---------------------------|
| GP900 and GP1200 |  | NTN7317 | Spring belt clip | Plastic | Clip | No | Yes | |
| GP900 and GP1200 |  | GLN6591 | Shoulder strap | Nylon | NA | NA | NA | Cenelec and ATEX approved |
| GP900 and GP1200 |  | TDN9675 | Wrist strap | Nylon | NA | NA | Yes | |
| Visar |  | TDN9658 | Nylon carry case with belt loop for radios with high and ultra high capacity battery | Nylon | Belt loop | No | Yes | |
| Visar |  | TDN9657 | Nylon carry case with belt loop for radios with medium capacity battery | Nylon | Belt loop | No | Yes | |
| Visar |  | TDN9659 | Soft leather carry case with belt loop and wrist strap for radios with medium capacity battery | Soft leather | Belt loop | No | Yes | |
| Visar |  | NTN7633 | Plastic holster | Plastic | Clip | No | Yes | |
| Visar |  | NTN7632 | Plastic holster | Plastic | Clip | No | Yes | |
| GP300 and P110 |  | HLN9750 | Nylon carry case | Nylon | Belt loop | No | Yes | |
| GP300 and P110 |  | HLN9017 | Large nylon carry case | Nylon | Belt loop | No | Yes | |
| GP300 and P110 |  | HLN9008 | Large nylon carry case | Nylon | Belt loop | No | Yes | |
| GP300 and P110 |  | HLN9720 | Leather carry case with belt loop | Hard leather | Belt loop | No | Yes | |
| GP300 and P110 |  | HLN9721 | Leather carry case with small belt loop | Soft leather | Belt loop | No | Yes | |
| GP300 and P110 |  | HLN9970 | Leather carry case with belt loop (for keypad models) | Hard leather | Belt loop | No | Yes | |
| GP300 and P110 |  | HLN9978 | Leather carry case with belt loop (for keypad models) | Hard leather | Belt loop | No | Yes | |

| Radio Family | Image | Part No. | Description | Material | Belt Attachment | Belt Swivel | Quick release of the radio | Comment |
|----------------|---|----------------|--|--------------|-----------------|-------------|----------------------------|---------|
| GP300 and P110 |  | HLN8411 | Leather carry case with swivel belt loop (for keypad models) | Hard leather | Belt loop | Yes | Yes | |
| GP300 and P110 |  | HLN8412 | Leather carry case with swivel belt loop (for keypad models) | Hard leather | Belt loop | Yes | Yes | |
| GP300 and P110 |  | HLN9009 | Large leather carry case with swivel belt loop | Hard leather | Belt loop | Yes | Yes | |
| GP300 and P110 |  | HLN9011 | Large leather carry case with swivel (for keypad models) | Hard leather | Belt loop | Yes | Yes | |
| GP300 and P110 |  | HLN9873 | Large leather carry case with swivel belt loop | Hard leather | Belt loop | Yes | Yes | |
| GP300 and P110 |  | HLN8255 | Spring belt clip | Plastic | Clip | No | Yes | |
| GP300 and P110 |  | HLN9076 | Plastic holster | Plastic | Clip | No | Yes | |
| GP300 and P110 |  | TDN9675 | Wrist strap | Nylon | NA | NA | Yes | |
| Universal |  | HLN6602 | Universal chest pack | Nylon | NA | NA | No | |
| Universal |  | RLN4570 | Break away chest pack | Nylon | NA | NA | No | |
| Universal |  | RLN4815 | Universal chest pack | Nylon | Belt loop | No | Yes | |
| Universal |  | HLN8414 | Universal chest pack | Nylon | NA | NA | Yes | |
| Universal |  | HLN9985 | Waterproof bag | Plastic | NA | No | No | |

| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (g) | Chemistry | Operational Time (hours) | Capacity (mAh) | Intelligent | Number of Charge Cycles | Energy Density (mAh/cm ³) | Operating Temperature Range | Memory Effect | Requires Maintenance | Intrinsic Safety Standard |
|--|---|-----------------|--|-----------------------|------------|-----------|--------------------------|----------------|-------------|-------------------------|---------------------------------------|-----------------------------|---------------|----------------------|---------------------------|
| GP Professional GP140-GP1280 |  | HNN9008 | Battery NiMH 1400mAh high capacity | 120 x 52 x 12 | 204 | NiMH | 10 | 1400mAh | No | 400 | 18.7 | (-20 - +60 deg C) | Yes | Yes | No |
| GP Professional GP140-GP1280 |  | HNN9009 | Battery NiMH 1900mAh ultra high capacity | 120 x 52 x 22 | 215 | NiMH | 14 | 1900mAh | No | 400 | 13.8 | (-20 - +60 deg C) | Yes | Yes | No |
| GP Professional GP140-GP1280 |  | HNN9010 | Battery NiMH 1800mAh ultra high capacity FM | 120 x 52 x 22 | 269 | NiMH | 14 | 1800mAh | No | 400 | 13.1 | (-20 - +60 deg C) | Yes | Yes | FM |
| GP Professional GP140-GP1280 |  | HNN9011 | Battery NiCd 1200mAh high capacity FM | 120 x 52 x 20 | 226 | NiCd | 8 | 1200mAh | No | 650 | 9.6 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP Professional GP140-GP1280 |  | HNN9012 | Battery NiCd 1400mAh high capacity | 120 x 52 x 22 | 228 | NiCd | 10 | 1400mAh | No | 650 | 10.2 | (-30 - +60 deg C) | Yes | Yes | No |
| GP Professional GP140-GP1280 |  | NNTN5510 | Battery Li-ION 1650mAh ultra high capacity ATEX | 120 x 52 x 22 | 228 | Li-ION | 12 | 1650mAh | No | 400 | 11.9 | (-10 - +60 deg C) | No | No | ATEX |
| GP Professional GP140-GP1280 |  | HNN9013 | Battery Li-ION 1800mAh ultra high capacity | 120 x 52 x12 | 125 | Li-ION | 14 | 1800mAh | No | 400 | 24.0 | (-10 - +60 deg C) | No | No | No |
| GP Professional GP140-GP1280 |  | HNN4001 | Impres battery NiMH 1900mAh ultra high capacity | 120 x 52 x 20 | 280 | NiMH | 14 | 1900mAh | Yes | 400 | 15.2 | (-20 - +60 deg C) | Yes | Yes | No |
| GP Professional GP140-GP1280 |  | HNN4002 | Impres battery NiMH 1800mAh ultra high capacity FM | 120 x 52 x 20 | 280 | NiMH | 14 | 1800mAh | Yes | 400 | 14.4 | (-20 - +60 deg C) | Yes | Yes | FM |
| GP Professional GP140-GP1280 |  | HNN4003 | Impres battery Li-ION 2000mAh ultra high capacity | 120 x 52 x 20 | 150 | Li-ION | 16 | 2000mAh | Yes | 400 | 16.0 | (-10 - +60 deg C) | No | No | No |
| GP Compact GP344, GP388, GP644 and GP688 |  | JMNN4025 | Battery NiMH 700mAh medium capacity FM | 90 x 55 x 22 | 165 | NiMH | 5 | 700mAh | No | 400 | 6.4 | (-20 - +60 deg C) | Yes | Yes | FM |
| GP Compact GP344, GP388, GP644 and GP688 |  | JMNN4023 | Battery Li-ION 1000mAh high capacity | 90 x 55 x 15 | 105 | Li-ION | 7 | 1000mAh | No | 400 | 13.5 | (-10 - +60 deg C) | No | No | No |
| GP Compact GP344, GP388, GP644 and GP688 |  | JMNN4024 | Battery Li-ION 1300mAh ultra high capacity | 90 x 55 x 20 | 125 | Li-ION | 9 | 1300mAh | No | 400 | 13.1 | (-10 - +60 deg C) | No | No | No |
| Commercial CP040, CP140, CP160 and CP180 |  | NNTN4851 | Battery NiMH 1400mAh | 120 x 60 x 22 | 210 | NiMH | 10 | 1400mAh | No | 400 | 8.8 | (-20 - +60 deg C) | Yes | Yes | No |
| Commercial CP040, CP140, CP160 and CP180 |  | NNTN4852 | Battery NiMH 1300mAh FM | 120 x 60 x 22 | 220 | NiMH | 9 | 1300mAh | No | 400 | 8.2 | (-20 - +60 deg C) | Yes | Yes | FM |
| Commercial CP040, CP140, CP160 and CP180 |  | NNTN4496 | Battery NiCd 1100mAh | 120 x 60 x 15 | 160 | NiCd | 8 | 1100mAh | No | 650 | 10.2 | (-30 - +60 deg C) | Yes | Yes | No |
| Commercial CP040, CP140, CP160 and CP180 |  | NNTN4497 | Battery Li-ION 1800mAh high capacity | 120 x 60 x 22 | 204 | Li-ION | 14 | 1800mAh | No | 400 | 11.4 | (-10 - +60 deg C) | No | No | No |











| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (g) | Chemistry | Operational Time (hours) | Capacity (mAH) | Intelligent | Number of Charge Cycles | Energy Density (mAH/cm³) | Operating Temperature Range | Memory Effect | Requires Maintenance | Intrinsic Safety Standard |
|--|---|-----------------|---|-----------------------|------------|-----------|--------------------------|----------------|-------------|-------------------------|--------------------------|-----------------------------|---------------|----------------------|---------------------------|
| Commercial CP040, CP140, CP160 and CP180 |  | NNTN4970 | Battery Li-ION 1600mAHh medium capacity | 120 x 60 x 16 | 134 | Li-ION | 12 | 1600mAH | No | 400 | 13.9 | (-10 - +60 deg C) | No | No | No |
| P040 and P080 |  | PMNN4018 | Battery NiMH 1200mAH high capacity | 120 x 52 x 16 | 198 | NiMH | 8 | 1200mAH | No | 400 | 12.0 | (-20 - +60 deg C) | Yes | Yes | No |
| P040 and P080 |  | PMNN4019 | Battery NiMH 1150mAH high capacity FM | 120 x 52 x 16 | 198 | NiMH | 8 | 1150mAH | No | 400 | 11.5 | (-20 - +60 deg C) | Yes | Yes | FM |
| P040 and P080 |  | PMNN4021 | Battery NiCd 1100mAH high capacity | 120 x 52 x 16 | 215 | NiCd | 10 | 1100mAH | No | 400 | 11.0 | (-30 - +60 deg C) | Yes | Yes | No |
| P020 and P030 |  | PMNN4063 | Battery NiMH 1300mAH high capacity | 114 x 52 x 16 | 212 | NiMH | 8 | 1300mAH | No | 400 | 12.7 | (-20 - +60 deg C) | Yes | Yes | No |
| GP900 and GP1200 |  | WPNN4013 | Battery NiMH 2000mAH ultra high capacity | 150 x 57 x 22 | 255 | NiMH | 14 | 2000mAH | No | 380 | 10.6 | (-20 - +60 deg C) | Yes | Yes | No |
| GP900 and GP1200 |  | WPNN4037 | Battery NiMH 1900mAH ultra high capacity FM | 150 x 57 x 22 | 255 | NiMH | 14 | 1900mAH | No | 380 | 10.1 | (-20 - +60 deg C) | Yes | Yes | FM |
| GP900 and GP1200 |  | NTN7143 | Battery NiCd 1300mAH high capacity | 150 x 57 x 18 | 236 | NiCd | 8 | 1300mAH | No | 650 | 8.4 | (-30 - +60 deg C) | Yes | Yes | No |
| GP900 and GP1200 |  | NTN7144 | Battery NiCd 1500mAH high capacity | 150 x 57 x 20 | 285 | NiCd | 9 | 1500mAH | No | 650 | 8.8 | (-30 - +60 deg C) | Yes | Yes | No |
| GP900 and GP1200 |  | NTN7146 | Battery NiCd 1300mAH high capacity FM | 150 x 57 x 18 | 272 | NiCd | 8 | 1300mAH | No | 650 | 8.4 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP900 and GP1200 |  | NTN7372 | Battery NiCd 1200mAH high capacity FM | 150 x 57 x 18 | 274 | NiCd | 8 | 1200mAH | No | 650 | 8.4 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP900 and GP1200 |  | NTN7341 | Battery NiCd 1350mAH high capacity FM | 150 x 57 x 20 | 283 | NiCd | 8 | 1350mAH | No | 650 | 8.8 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP900 and GP1200 |  | NTN7147 | Battery NiCd 1300mAH high capacity FM | 150 x 57 x 20 | 285 | NiCd | 9 | 1300mAH | No | 650 | 8.8 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP900 and GP1200 |  | NTN7148 | Battery NiCd 1000mAH high capacity Cenelec | 150 x 57 x 18 | 235 | NiCd | 8 | 1000mAH | No | 650 | 6.5 | (-30 - +60 deg C) | Yes | Yes | Cenelec |
| GP900 and GP1200 |  | RNN4008 | Battery NiCd 1000mAH high capacity ATEX | 150 x 57 x 18 | 235 | NiCd | 8 | 1000mAH | No | 650 | 6.5 | (-30 - +60 deg C) | Yes | Yes | ATEX |
| GP900 and GP1200 |  | HNN9028 | Impres battery NiCd 1500mAH high capacity (not CE compliant) | 150 x 57 x 18 | 275 | NiCd | 9 | 1500mAH | Yes | 650 | 9.7 | (-30 - +60 deg C) | Yes | Yes | No |
| GP900 and GP1200 |  | HNN9029 | Impres battery NiCd 1400mAH high capacity FM (not CE compliant) | 150 x 57 x 18 | 275 | NiCd | 8 | 1400mAH | Yes | 650 | 9.1 | (-30 - +60 deg C) | No | No | FM |
| Visar |  | NTN7396 | Battery NiMH 600mAH medium capacity | 102 x 55 x 10 | 138 | NiMH | 4 | 600mAH | No | 380 | 10.7 | (-20 - +60 deg C) | Yes | Yes | No |

| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (g) | Chemistry | Operational Time (hours) | Capacity (mAH) | Intelligent | Number of Charge Cycles | Energy Density (mAH/cm ³) | Operating Temperature Range | Memory Effect | Requires Maintenance | Intrinsic Safety Standard |
|----------------|---|----------------|--|-----------------------|------------|-----------|--------------------------|----------------|-------------|-------------------------|---------------------------------------|-----------------------------|---------------|----------------------|---------------------------|
| Visar |  | NTN7394 | Battery NiMH 1500mAH ultra high capacity | 102 x 55 x 20 | 224 | NiMH | 8 | 1500mAH | No | 380 | 13.4 | (-20 - +60 deg C) | Yes | Yes | No |
| Visar |  | NTN7395 | Battery NiCd 1200mAH ultra high capacity | 102 x 55 x 20 | 228 | NiCd | 8 | 1200mAH | No | 650 | 10.7 | (-30 - +60 deg C) | Yes | Yes | No |
| GP300 and P110 |  | HNN8148 | Battery NiCd 1100mAH high capacity P110 | 140 x 57 x 16 | 254 | NiCd | 8 | 1100mAH | No | 650 | 8.6 | (-30 - +60 deg C) | Yes | Yes | No |
| GP300 and P110 |  | HNN9701 | Battery NiCd 1100mAH high capacity FM | 140 x 57 x 22 | 223 | NiCd | 8 | 1100mAH | No | 650 | 6.3 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP300 and P110 |  | HNN9808 | Battery NiCd 600mAH medium capacity FM | 140 x 57 x 17 | 196 | NiCd | 4 | 600mAH | No | 650 | 4.4 | (-30 - +60 deg C) | Yes | Yes | FM |
| GP300 and P110 |  | HNN9628 | Battery NiCd 1200mAH high capacity | 140 x 57 x 17 | 210 | NiCd | 8 | 1200mAH | No | 650 | 8.8 | (-30 - +60 deg C) | Yes | Yes | No |

| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (Kg) | Chemistry | Number of Pockets | Maintenance System | Operating Voltage AC | Line Cord | Display | Charger Type |
|--|---|------------------|--|-----------------------|-------------|------------------|-------------------|--------------------|----------------------|-----------|---------|--------------|
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDHTN3004 | Multi unit charger with six stations, 230V Euro | 152 x 450 x 300 | 4 | Li-ION/NiCd/NiMH | 6 | No | 230 V | Euro | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDHTN3005 | Multi unit charger with six stations, 230V UK | 152 x 450 x 300 | 4 | Li-ION/NiCd/NiMH | 6 | No | 230 V | UK | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDHTN3003 | Multi unit charger with six stations, 120V US (not CE compliant) | 152 x 450 x 300 | 4 | Li-ION/NiCd/NiMH | 6 | No | 120 V | US | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4189 | Impres multi unit charger, 230V Euro | 152 x 450 x 300 | 3.6 | Li-ION/NiCd/NiMH | 6 | Yes | 230V | Euro | Option | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4188 | Impres multi unit charger , 230V UK | 152 x 450 x 300 | 3.6 | Li-ION/NiCd/NiMH | 6 | Yes | 230V | UK | Option | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4205 | Impres multi unit charger, 120V US (not CE compliant) | 152 x 450 x 300 | 3.6 | Li-ION/NiCd/NiMH | 6 | Yes | 120V | US | Option | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4194 | Impres display multi unit charger, 230V Euro | 152 x 450 x 300 | 3.7 | Li-ION/NiCd/NiMH | 6 | Yes | 230V | Euro | Yes | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4193 | Impres display multi unit charger, 230V UK | 152 x 450 x 300 | 3.7 | Li-ION/NiCd/NiMH | 6 | Yes | 230V | UK | Yes | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4204 | Impres display multi unit charger, 120V US (not CE compliant) | 152 x 450 x 300 | 3.7 | Li-ION/NiCd/NiMH | 6 | Yes | 120V | US | Yes | Impres |
| Commercial CP040, CP140, CP160 and CP180 |  | WPLN4162 | Multi unit charger with six stations, 230V Euro | 25 x 400 x 300 | 2.4 | Li-ION/NiCd/NiMH | 6 | No | 230 V | Euro | No | Rapid |
| Commercial CP040, CP140, CP160 and CP180 |  | WPLN4163 | Multi unit charger with six stations, 230V UK | 25 x 400 x 300 | 2.4 | Li-ION/NiCd/NiMH | 6 | No | 230 V | UK | No | Rapid |
| Commercial CP040, CP140, CP160 and CP180 |  | WPLN4161 | Multi unit charger with six stations, 120V US (not CE compliant) | 25 x 400 x 300 | 2.4 | Li-ION/NiCd/NiMH | 6 | No | 120 V | US | No | Rapid |
| P040 and P080 |  | RLN5220 | Multi unit charger with six stations, 230V Euro | 25 x 400 x 300 | 2.4 | NiCd/NiMH | 6 | No | 230 V | Euro | No | Rapid |
| P040 and P080 |  | RLN5219 | Multi unit charger with six stations, 230V UK | 25 x 400 x 300 | 2.4 | NiCd/NiMH | 6 | No | 230 V | UK | No | Rapid |
| P040 and P080 |  | RLN5218 | Multi unit charger with six stations, 120V US (not CE compliant) | 25 x 400 x 300 | 2.4 | NiCd/NiMH | 6 | No | 120 V | US | No | Rapid |

| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (Kg) | Chemistry | Number of Pockets | Maintenance System | Operating Voltage AC | Line Cord | Display | Charger Type |
|--|---|------------------|---|-----------------------|-------------|------------------|-------------------|--------------------|----------------------|-----------|---------|--------------|
| GP900 and GP1200 |  | WPLN4109 | Impres multi unit charger universal, 230V Euro | 152 x 450 x 300 | 3.7 | Li-ION/NiCd/NiMH | 6 | Yes | 230V | Euro | Option | Impres |
| GP900 and GP1200 |  | WPLN4110 | Impres multi unit charger universal, 230V UK | 152x 450 x 300 | 3.7 | Li-ION/NiCd/NiMH | 6 | Yes | 230V | UK | Option | Impres |
| GP900 and GP1200 |  | WPLN4120 | Impres multi unit charger universal, 120V US (not CE compliant) | 152x 450 x 300 | 3.7 | Li-ION/NiCd/NiMH | 6 | Yes | 120V | US | Option | Impres |
| GP900 and GP1200 |  | WPLN4131 | Impres display multi unit charger universal, 230V Euro | 152x 450 x 300 | 3.9 | Li-ION/NiCd/NiMH | 6 | Yes | 230 V | Euro | Yes | Impres |
| GP900 and GP1200 |  | WPLN4132 | Impres display multi unit charger universal, 230V UK | 152x 450 x 300 | 3.9 | Li-ION/NiCd/NiMH | 6 | Yes | 230 V | UK | Yes | Impres |
| GP900 and GP1200 |  | WPLN4135 | Impres display multi unit charger universal, 120V US (not CE compliant) | 152x 450 x 300 | 3.9 | Li-ION/NiCd/NiMH | 6 | Yes | 120 V | US | Yes | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDHTN3001 | Rapid single unit charger, 230V Euro | 50 x 110 x 100 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDHTN3002 | Rapid single unit charger, 230V UK | 50 x 110 x 100 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDHTN3000 | Rapid single unit charger, 120V US (not CE compliant) | 50 x 110 x 100 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 120 V | US | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4184 | Impres single unit charger, 230V Euro | 55 x 95 x 150 | 0.2 | Li-ION/NiCd/NiMH | 1 | Yes | 230 V | Euro | No | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4183 | Impres single unit charger, 230V UK | 55 x 95 x 150 | 0.2 | Li-ION/NiCd/NiMH | 1 | Yes | 230 V | UK | No | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | WPLN4206 | Impres single unit charger, 120V US (not CE compliant) | 55 x 95 x 150 | 0.2 | Li-ION/NiCd/NiMH | 1 | Yes | 120 V | US | No | Impres |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | MDRLN4883 | Travel charger with VPA adapter and coiled cable | 55 x 35 x 60 | 0.16 | Li-ION/NiCd/NiMH | 1 | No | 12 - 32 VDC | Other | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | EN1006 | VHF Vehicle adapter (136 MHz - 174 MHz) | 250 x 100 x 85 | 0.8 | Li-ION/NiCd/NiMH | 1 | No | 12 - 32 VDC | Other | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | EN1007 | UHF Vehicle adapter (403 MHz - 470 MHz) | 250 x 100 x 85 | 0.8 | Li-ION/NiCd/NiMH | 1 | No | 12 - 32 VDC | Other | No | Rapid |

| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (Kg) | Chemistry | Number of Pockets | Maintenance System | Operating Voltage AC | Line Cord | Display | Charger Type |
|--|---|-------------------|---|-----------------------|-------------|------------------|-------------------|--------------------|----------------------|-----------|---------|--------------|
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | EN1008 | UHF Vehicle adapter (450 MHz - 527 MHz) | 250 x 100 x 85 | 0.8 | Li-ION/NiCd/NiMH | 1 | No | 12 - 32 VDC | Other | No | Rapid |
| Professional GP140- GP1280 and compact GP344/GP388 - GP644/GP688 |  | EN1009 | Vehicle adapter (300 MHz) | 250 x 100 x 85 | 0.8 | Li-ION/NiCd/NiMH | 1 | No | 12 - 32 VDC | Other | No | Rapid |
| Commercial CP040, CP140, CP160 and CP180 |  | WPLN4139 | Rapid single unit charger, 230V Euro | 50 x 100 x 110 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |
| Commercial CP040, CP140, CP160 and CP180 |  | WPLN4140 | Rapid single unit charger, 230V UK | 50 x 100 x 110 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| Commercial CP040, CP140, CP160 and CP180 |  | WPLN4138 | Rapid single unit charger, 120V US | 50 x 100 x 110 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 120 V | US | No | Rapid |
| P040 and P080 |  | MDPMTN4036 | Rapid single unit charger, 230V Euro | 50 x 100 x 110 | 0.4 | NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |
| P040 and P080 |  | MDPMTN4037 | Rapid single unit charger, 230V UK | 50 x 100 x 110 | 0.4 | NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| P040 and P080 |  | MDPMTN4038 | Rapid single unit charger, 120V US (not CE compliant) | 50 x 100 x 110 | 0.4 | NiCd/NiMH | 1 | No | 120 V | US | No | Rapid |
| P020 and P030 |  | MDPMTN4088 | Rapid single unit charger, 230V Euro | 55 x 100 x 110 | 0.35 | NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |
| P020 and P030 |  | MDPMTN4089 | Rapid single unit charger, 230V UK | 55 x 100 x 110 | 0.35 | NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| P020 and P030 |  | MDPMTN4087 | Rapid single unit charger, 120V US (not CE compliant) | 55 x 100 x 110 | 0.35 | NiCd/NiMH | 1 | No | 120 V | US | No | Rapid |
| GP900 and 1200 |  | RPX4748 | Rapid single unit charger, 230V Euro | 100 x 110 x 100 | 0.4 | NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |
| GP900 and 1200 |  | RPX4749 | Rapid single unit charger, 230V UK | 100 x 110 x 100 | 0.4 | NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| GP900 and 1200 |  | RPX4747 | Rapid single unit charger, 120V US (not CE compliant) | 100 x 110 x 100 | 0.4 | NiCd/NiMH | 1 | No | 120 V | US | No | Rapid |
| GP900 and 1200 |  | NTN1668 | Rapid single unit charger, 230V Euro | 65 x 110 x 100 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |

| Radio Family | Image | Part No. | Description | Dimensions HxWxD (mm) | Weight (Kg) | Chemistry | Number of Pockets | Maintenance System | Operating Voltage AC | Line Cord | Display | Charger Type |
|----------------|---|------------------|--|-----------------------|-------------|------------------|-------------------|--------------------|----------------------|-----------|---------|--------------|
| GP900 and 1200 |  | NTN1669 | Rapid single unit charger, 230V UK | 65 x 110 x 100 | 0.4 | Li-ION/NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| GP900 and 1200 |  | WPLN4112 | Universal impres single unit charger, 230V Euro | 80 x 100 x 200 | 0.6 | Li-ION/NiCd/NiMH | 1 | Yes | 230V | Euro | No | Impres |
| GP900 and 1200 |  | WPLN4113 | Universal impres single unit charger, 230V UK | 80 x 100 x 200 | 0.6 | Li-ION/NiCd/NiMH | 1 | Yes | 230 V | UK | No | Impres |
| GP900 and 1200 |  | WPLN4117 | Universal impres single unit charger, 120V US (not CE compliant) | 80 x 100 x 200 | 0.6 | Li-ION/NiCd/NiMH | 1 | Yes | 120 V | US | No | Impres |
| Visar |  | NTN1403 | Rapid dual unit charger, 230V Euro | 65 x 100 x 110 | 0.4 | NiCd/NiMH | 2 | No | 230V | Euro | No | Rapid |
| Visar |  | NTN1404 | Rapid dual unit charger, 230V UK | 65 x 100 x 110 | 0.4 | NiCd/NiMH | 2 | No | 230V | UK | No | Rapid |
| Visar |  | NTN1402 | Rapid dual unit charger, 120V US (not CE compliant) | 65 x 100 x 110 | 0.4 | NiCd/NiMH | 2 | No | 120V | US | No | Rapid |
| GP300 and P110 |  | MDHTN9043 | Rapid single unit charger, 230V Euro | 100 x 110 x 100 | 0.4 | NiCd/NiMH | 1 | No | 230 V | Euro | No | Rapid |
| GP300 and P110 |  | MDHTN9044 | Rapid single unit charger, 230V UK | 100 x 110 x 100 | 0.4 | NiCd/NiMH | 1 | No | 230 V | UK | No | Rapid |
| GP300 and P110 |  | MDHTN9042 | Rapid single unit charger, 120V US (not CE compliant) | 100 x 110 x 100 | 0.4 | NiCd/NiMH | 1 | No | 120 V | US | No | Rapid |