



**Professional Radio Business**

Middle East, Africa Reseller Price List

Revision Date Of Text:

Feb. 06th, 2008

Pricing Information Valid As Of:

Aug. 08, 2007

**Professional Radio**

**GP340 ATEX 5 Tone Portables**

**VHF & UHF Models**

Section 1 D - Page 1

**GP340 ATEX - The Popular Radio (5 Tone, no keypad)**

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

- Higher gas protection class II 2G Ex ib IIC T4
- Unique dust protection class II 3D IP5x T60°C
- Mining I M2 Ex ib I

**ATEX Certificate: UHF radios: BVS 05 ATEX E 082; VHF Radios: 3rd Supplement to BVS 05 ATEX E 082**

**Hardware features:**

- 16 position rotary with stop
- 3 side buttons
- Emergency button, top
- fixed channel spacing

**Operator friendly controls and features include:**

- Select 5 (5 Tone) Signaling
- Voice Operated Transmit (VOX)
- Optional factory fitted ATEX Option Man Down Board
- X-Pand™ Voice Compression and Low Level Expansion
- Channel Scan
- Whisper
- Lone Worker
- Emergency Signalling
- Talkaround

All GP340 ATEX Portables include:

- Portable Radio without keypad
- ATEX Lilon battery NNTN5510\_R
- Leather Carry case
- User Guide CD / Safety leaflet

**ATEX Approval is only valid if radio is used with carry case as listed below!**

Please select appropriate carry case and antenna from list below.



New Items highlighted					
BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	16	MDH25KCC4AN3AEA	GP340 VHF 5T ATEX (12.5K)	\$1.400,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16	MDH25KCC6AN3AEA	GP340 VHF 5T ATEX (20/25K)	\$1.400,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	16	MDH25RCC4AN3AEA	GP340 UHF1 5T ATEX (12.5K)	\$1.400,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16	MDH25RCC6AN3AEA	GP340 UHF1 5T ATEX (20/25K)	\$1.400,00
VHF: 136 - 174 MHz; 12,5 kHz	1 W	16	MDH25KCC4AN3AEASP1	GP340 VHF ATEX OPTBD (12.5K)	\$1.890,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16	MDH25KCC6AN3AEASP1	GP340 VHF ATEX OPTBD (20/25K)	\$1.890,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	16	MDH25RCC4AN3AEASP1	GP340 U1 ATEX OPTBD (12.5K)	\$1.890,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16	MDH25RCC6AN3AEASP1	GP340 U1ATEX OPTBD (20/25K)	\$1.890,00

**The following frequencies are potentially self-quieting and should be avoided:**

VHF: 151.2MHz and 168MHz

UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
STDANT	Adds VHF Antenna 14cm (150-161 MHz) - <b>PMAD4023</b>	\$0,00
MDH129AC	Adds VHF Antenna 9cm (150-161 MHz) - <b>PMAD4025 (omits std. ant.)</b>	\$0,00
Q87AA	Adds VHF Whip Antenna 19cm (148-161 MHz) - <b>NAD6579 (omits std. ant.)</b>	\$0,00
MDH65AC	Adds VHF Antenna 14cm (155-174 MHz) - <b>PMAD4015 (omits std. ant.)</b>	\$0,00
MDH65AB	Adds VHF Antenna 9cm (155-174 MHz) - <b>PMAD4013 (omits std. ant.)</b>	\$0,00
MDH128AD	Adds VHF Antenna 14cm (136-155 MHz) - <b>PMAD4014 (omits std. ant.)</b>	\$0,00
MDH128AC	Adds VHF Antenna 9cm (136-155 MHz) - <b>PMAD4012 (omits std. ant.)</b>	\$0,00
MDH150AD	Adds VHF Wideband Antenna 136 -174Mhz - <b>NAD6502 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
STDANT	Adds UHF Whip Antenna ( 403-470 MHz) - <b>NAE6483</b>	\$0,00
MDH125AC	Adds UHF Antenna 9cm (403-433 MHz) - <b>PMAE4002 (omits std. ant.)</b>	\$0,00
MDH125AB	Adds UHF Stubby Antenna (438-470 MHz) - <b>NAE6522 (omits std. ant.)</b>	\$0,00
MDH126AB	Adds UHF Antenna 9cm (438-470 MHz) - <b>PMAE4003 (omits std. ant.)</b>	\$0,00
<b>Carry Case Options:</b>		
STDCAR0705AB	Adds SOFT LEATHER CARRY CASE NKP - <b>GMLN1113</b>	\$0,00
Q707AC	Adds HARD LEATHER CARRY CASE NKP - <b>GMLN1111 (omits standard carry case)</b>	\$18,00

For accessories, please refer to pages 5

**Professional Radio Business**
**GP380 ATEX 5 Tone Portables  
VHF & UHF Models**

Middle East, Africa Reseller Price List

Revision Date Of Text:

Feb. 06th, 2008

Pricing Information Valid As Of:


Aug. 08, 2007

Section 1 D - Page 2

**GP380 ATEX - The Versatile Radio (5 Tone, full keypad)**

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

 Higher gas protection class  II 2G Ex ib IIC T4

 Unique dust protection class  II 3D IP5x T60°C

 Mining  I M2 Ex ib I

ATEX Certificate: UHF radios: BVS 05 ATEX E 082; VHF Radios: 3rd Supplement to BVS 05 ATEX E 082

**Hardware features:**

- 1 x 14 Display
- 6-key Menu Keypad
- Numeric Keypad
- Emergency button, top
- Rotary Switch continuous
- 3 Side Buttons
- fixed channel spacing

**Operator friendly controls and features include:**

- Select 5 (5 Tone) Signaling
- Voice Operated Transmit (VOX)
- Optional factory fitted ATEX Option Man Down Board
- X-Pand™ Voice Compression and Low Level Expansion
- Channel Scan
- Whisper
- Lone Worker
- Emergency Signalling
- Talkaround

**All GP380 ATEX Portables include:**

- Portable Radio with full keypad
- ATEX Lilon battery NNTN5510\_R
- Leather Carry case
- User Guide CD / Safety leaflet

ATEX Approval is only valid if radio is used with carry case as listed below!

Please select appropriate carry case and antenna from list below.



New Items highlighted

BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	255	MDH25KCH4AN6AEA	GP380 VHF 5T ATEX (12.5K)	\$1.600,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	255	MDH25KCH6AN6AEA	GP380 VHF 5T ATEX (20/25K)	\$1.600,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	255	MDH25RCH4AN6AEA	GP380 UHF1 5T ATEX (12.5K)	\$1.600,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	255	MDH25RCH6AN6AEA	GP380 UHF1 5T ATEX (20/25K)	\$1.600,00
VHF: 136 - 174 MHz; 12,5 kHz	1 W	255	MDH25KCH4AN6AEASP1	GP380 VHF ATEX OPTBD (12.5K)	\$2.090,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	255	MDH25KCH6AN6AEASP1	GP380 VHF ATEX OPTBD (20/25K)	\$2.090,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	255	MDH25RCH4AN6AEASP1	GP380 U1 ATEX MD OPTBD (12.5K)	\$2.090,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	255	MDH25RCH6AN6AEASP1	GP380 U1 ATEX MD OPTBD (20/25K)	\$2.090,00

**The following frequencies are potentially self-quieting and should be avoided:**

VHF: 151.2MHz and 168MHz

UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
STDANT	Adds VHF Antenna 14cm (150-161 MHz) - <b>PMAD4023</b>	\$0,00
MDH129AC	Adds VHF Antenna 9cm (150-161 MHz) - <b>PMAD4025 (omits std. ant.)</b>	\$0,00
Q87AA	Adds VHF Whip Antenna 19cm (148-161 MHz) - <b>NAD6579 (omits std. ant.)</b>	\$0,00
MDH65AC	Adds VHF Antenna 14cm (155-174 MHz) - <b>PMAD4015 (omits std. ant.)</b>	\$0,00
MDH65AB	Adds VHF Antenna 9cm (155-174 MHz) - <b>PMAD4013 (omits std. ant.)</b>	\$0,00
MDH128AD	Adds VHF Antenna 14cm (136-155 MHz) - <b>PMAD4014 (omits std. ant.)</b>	\$0,00
MDH128AC	Adds VHF Antenna 9cm (136-155 MHz) - <b>PMAD4012 (omits std. ant.)</b>	\$0,00
MDH150AD	Adds VHF Wideband Antenna 136 -174Mhz - <b>NAD6502 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
STDANT	Adds UHF Whip Antenna ( 403-470 MHz) - <b>NAE6483</b>	\$0,00
MDH125AC	Adds UHF Antenna 9cm (403-433 MHz) - <b>PMAE4002 (omits std. ant.)</b>	\$0,00
MDH125AB	Adds UHF Stubby Antenna (438-470 MHz) - <b>NAE6522 (omits std. ant.)</b>	\$0,00
MDH126AB	Adds UHF Antenna 9cm (438-470 MHz) - <b>PMAE4003 (omits std. ant.)</b>	\$0,00
<b>Carry Case Options:</b>		
STDGAR0705AA	Adds SOFT LEATHER CARRY CASE KP - <b>GMLN1112</b>	\$0,00
Q707AB	Adds HARD LEATHER CARRY CASE KP - <b>GMLN1110 (omits standard carry case)</b>	\$21,00

For accessories, please refer to pages 5



# Professional Radio Business

Middle East, Africa Reseller Price List

Revision Date Of Text:

Feb. 06th, 2008

Pricing Information Valid As Of:

Aug. 08, 2007

## Professional Radio

### GP680 MPT1327 Portables VHF & UHF Models

Section 1 D - Page 3

#### GP680 ATEX - The Versatile Radio (MPT, full keypad)

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

Higher gas protection class		II 2G Ex ib IIC T4
Unique dust protection class		II 3D IP5x T60°C
Mining		I M2 Ex ib I

ATEX Certificate: UHF radios: BVS 05 ATEX E 082; VHF Radios: 3rd Supplement to BVS 05 ATEX E 082

#### Hardware features:

- 1 x 14 Display
- 6 Menu Keys
- Keypad
- Rotary Switch continuous
- 3 Side Buttons
- Emergency button, top
- fixed channel spacing

#### Operator friendly controls and features include:

- MPT1327 Signalling
- Wideband
- ATEX Option Board Expandability
- X-Pand™ Voice Compression and Low Level Expansion
- Dynamic Regrouping
- Missed Call Alerts
- Ease of Use - Menus
- Caller Identification
- Talkgroup Select etc.

#### All GP680 ATEX Portables include:

- Portable Radio with full keypad
- ATEX Lilon battery NNTN5510\_R
- Leather Carry case
- User Guide CD / Safety leaflet

**ATEX Approval is only valid if radio is used with carry case as listed below!**

Please select appropriate carry case and antenna from list below.



New Items highlighted					
BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	16ch per conv. personality	MDH25KCH4CK6AEA	GP680 VHF MPT ATEX (12.5K)	\$2.200,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16ch per conv. personality	MDH25KCH6CK6AEA	GP680 VHF MPT ATEX (20/25K)	\$2.200,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	16ch per conv. personality	MDH25RCH4CK6AEA	GP680 UHF1 MPT ATEX (12.5K)	\$2.200,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16ch per conv. personality	MDH25RCH6CK6AEA	GP680 UHF1 MPT ATEX (20/25K)	\$2.200,00
VHF: 136 - 174 MHz; 12,5 kHz	1 W	16ch per conv. personality	MDH25KCH4CK6AEASP1	GP680 VHF ATEX OPTBD (12.5K)	\$2.690,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16ch per conv. personality	MDH25KCH6CK6AEASP1	GP680 VHF ATEX OPTBD (20/25K)	\$2.690,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	16ch per conv. personality	MDH25RCH4CK6AEASP1	GP680 U1 ATEX MD OPTBD (12.5K)	\$2.690,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16ch per conv. personality	MDH25RCH6CK6AEASP1	GP680 U1 ATEX MD OPTBD (20/25K)	\$2.690,00

#### The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.2MHz and 168MHz  
UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
STDANT	Adds VHF Antenna 14cm (150-161 MHz) - <b>PMAD4023</b>	\$0,00
MDH129AC	Adds VHF Antenna 9cm (150-161 MHz) - <b>PMAD4025 (omits std. ant.)</b>	\$0,00
Q87AA	Adds VHF Whip Antenna 19cm (148-161 MHz) - <b>NAD6579 (omits std. ant.)</b>	\$0,00
MDH65AC	Adds VHF Antenna 14cm (155-174 MHz) - <b>PMAD4015 (omits std. ant.)</b>	\$0,00
MDH65AB	Adds VHF Antenna 9cm (155-174 MHz) - <b>PMAD4013 (omits std. ant.)</b>	\$0,00
MDH128AD	Adds VHF Antenna 14cm (136-155 MHz) - <b>PMAD4014 (omits std. ant.)</b>	\$0,00
MDH128AC	Adds VHF Antenna 9cm (136-155 MHz) - <b>PMAD4012 (omits std. ant.)</b>	\$0,00
MDH150AD	Adds VHF Wideband Antenna 136 -174 Mhz - <b>NAD6502 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
STDANT	Adds UHF Whip Antenna ( 403-470 MHz) - <b>NAE6483</b>	\$0,00
MDH125AC	Adds UHF Antenna 9cm (403-433 MHz) - <b>PMAE4002 (omits std. ant.)</b>	\$0,00
MDH125AB	Adds UHF Stubby Antenna (438-470 MHz) - <b>NAE6522 (omits std. ant.)</b>	\$0,00
MDH126AB	Adds UHF Antenna 9cm (438-470 MHz) - <b>PMAE4003 (omits std. ant.)</b>	\$0,00
<b>Carry Case Options:</b>		
STDCAR0705AA	Adds SOFT LEATHER CARRY CASE KP - <b>GMLN1112</b>	\$0,00
Q707AB	Adds HARD LEATHER CARRY CASE KP - <b>GMLN1110 (omits standard carry case)</b>	\$21,00

For accessories, please refer to pages 5



Professional Radio Business

GP580 ATEX SmartZone Portables  
VHF & UHF Models

Middle East, Africa Reseller Price List

Revision Date Of Text: Feb. 06th, 2008  
Pricing Information Valid As Of: Aug. 08, 2007

**GP580 ATEX SmartZone - The Versatile Radio with full keypad)**  
*Designed to operate in Stat-Alert, StartSite, SMARTNET, SmartZone and conventional systems*

This model is a system radio and can only be ordered by authorized MOTOROLA Distribution Partners with

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

- Higher gas protection class II 2G Ex ib IIC T4
- Unique dust protection class II 3D IP5x T60°C
- Mining I M2 Ex ib I

ATEX Certificate: UHF radios: BVS 05 ATEX E 082; VHF Radios: 3rd Supplement to BVS 05 ATEX E 082

**Hardware features:**

- 1 x 14 Display
- 6-key Menu Keypad
- Numeric Keypad
- Emergency button, top
- Rotary Switch continuous
- 3 Side Buttons
- fixed channel spacing

**Features**

- Signaling:
  - SmartZone (Typ II/ III/ Trunking)
  - Stat-Alert (MDC-1200)
  - Conventional
    - 10 Systems/ 90 Modes
    - 20 Call Lists ea. 19 Members
    - Privat/ Group Call
    - Call Alert
    - Telephone Interconnect
    - Dual Mode/ Scanning
    - AMSS (Auto. Multiple Site Select)
    - Selective Radio Inhibit
    - Failsoft Operation
- 20 Systems / 250 Modes
- 20 Call Lists ea. 19 Members
- SmartZone
- Emergency Alarm/ Call
- Priority Scan (2 Level)
- Dynamic Regrouping
- Remote Monitor
- One-Touch Button
- Status/ Message Decoder
- Stat-Alert (MDC-1200)



**All GP580 ATEX Portables include:**

- Portable Radio with full keypad
- ATEX Lilon battery NNTN5510\_R
- Leather Carry case
- User Guide CD / Safety leaflet

**ATEX Approval is only valid if radio is used with carry case as listed below!**  
Please select appropriate carry case and antenna from list below.

New Items highlighted					
BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	N/A	MDH25KCH4GC6AEA	GP580 VHF S/Zone ATEX (12.5K)	\$2.300,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	N/A	MDH25KCH6GC6AEA	GP580 VHF S/Zone ATEX (20/25K) PW3	\$2.300,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	N/A	MDH25RCH4GC6AEA	GP580 UHF1 S/Zone ATEX (12.5K)	\$2.300,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	N/A	MDH25RCH6GC6AEA	GP580 UHF1 S/Zone ATEX (20/25K)	\$2.300,00

**The following frequencies are potentially self-quieting and should be avoided:**

- VHF: 151.2MHz and 168MHz
- UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
STDANT	STD - VHF Wideband Antenna 136-174 Mhz - <b>NAD6502</b>	\$0,00
Q395AA	ADD: VHF Stubby Antenna (136-155 MHz) - <b>PMAD4012 (omits std. ant.)</b>	\$0,00
Q396AA	ADD: VHF Stubby Antenna (155-174 MHz) - <b>PMAD4013 (omits std. ant.)</b>	\$0,00
Q680AA	ADD: VHF Whip Anenna (136-155 MHz) - <b>PMAD4014 (omits std. ant.)</b>	\$0,00
Q681AA	ADD: VHF Whip Anenna (155-174 MHz) - <b>PMAD4015 (omits std. ant.)</b>	\$0,00
Q682AA	ADD: VHF Whip Antenna (150-161 MHz) - <b>PMAD4023 (omits std. ant.)</b>	\$0,00
Q394AA	ADD: VHF Stubby Antenna (150-161 MHz) - <b>PMAD4025 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
STDANT	Adds UHF Whip Antenna ( 403-470 MHz) - <b>NAE6483</b>	\$0,00
Q683AA	Adds UHF Antenna 9cm (403-433 MHz) - <b>PMAE4002 (omits std. ant.)</b>	\$0,00
Q684AA	Adds UHF Antenna 9cm (438-470 MHz) - <b>PMAE4003 (omits std. ant.)</b>	\$0,00
<b>Carry Case Options:</b>		
STDCAR0705AA	Adds SOFT LEATHER CARRY CASE KP - <b>GMLN1112</b>	\$0,00
Q707AB	Adds HARD LEATHER CARRY CASE KP - <b>GMLN1110 (omits standard carry case)</b>	\$21,00

For accessories, please refer to pages 5



# Professional Radio Business

Middle East, Africa Reseller Price List

# ATEX Professional Portable Radio

## Accessories for GP ATEX Series

Revision Date Of Text: Feb. 06th, 2008

Pricing Information Valid As Of: Aug. 08, 2007

Section 1D - Page 5

New Items highlighted		
MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE: US\$
<b>ANTENNAS</b>		
PMAD4012	VHF 9 cm Antenna 136-155 MHz (coded red)	\$7,00
PMAD4014	VHF 14 cm Antenna 136-155 MHz (coded red)	\$8,40
PMAD4025	VHF 9 cm Antenna 150-161 MHz (coded brown)	\$9,00
PMAD4023	VHF 14 cm Antenna 150-161 MHz (coded brown)	\$9,00
PMAD4013	VHF 9 cm Antenna 155-174 MHz (coded black)	\$7,00
PMAD4015	VHF 14 cm Antenna 155-174 MHz (coded black)	\$7,50
NAD6502_R	VHF Wideband Antenna 136 -174Mhz	\$10,00
PMAE4002	UHF 9 cm Antenna 403-433 MHz (coded green)	\$11,30
NAE6483_R	UHF Whip Antenna 403-470 MHz	\$9,00
PMAE4003	UHF 9 cm Helical Antenna 438-470 MHz (coded white)	\$9,00
<b>BATTERY</b>		
<b>NOTE: This battery must NOT be operated with BLUE radios!</b>		
NNTN5510BR	GP PROF SER ATEX LI-ION BATTERY 1480 mAh	\$231,00
<b>BATTERY CHARGERS</b>		
MDHTN3000	120 V Single Unit Charger (US Plug) <b>NOT CE COMPLIANT</b>	\$57,00
MDHTN3001	230 V Single Unit Charger (Euro Plug)	\$59,00
MDHTN3002	230 V Single Unit Charger (UK Plug)	\$59,00
MDHTN3003	115 V Multi-Unit Charger (US Plug) <b>NOT CE COMPLIANT</b>	\$464,00
MDHTN3004	230 V Multi-Unit Charger (Euro Plug)	\$569,00
MDHTN3005	230 V Multi-Unit Charger (UK Plug)	\$569,00
MDHTN9000	Single Unit Rapid Charger Pocket	\$43,00
WPLN4188	IMPRES™ MUC (Non-display) UK	\$598,00
WPLN4189	IMPRES™ MUC (Non-display) EURO	\$598,00
WPLN4193	IMPRES™ MUC (Display) UK	\$1.250,00
WPLN4194	IMPRES™ MUC (Display) EURO	\$1.250,00
<b>CARRY ACCESSORIES</b>		
GMLN1113	SOFT LEATHER CARRY CASE NKP	\$13,00
GMLN1111	HARD LEATHER CARRY CASE NKP	\$31,00
GMLN1112	SOFT LEATHER CARRY CASE KP	\$13,00
GMLN1110	HARD LEATHER CARRY CASE KP	\$34,00
4280483B07	BELT LOOP FOR GMLN1110 / 1111 ATEX	\$7,50
GMDN0386	Sew on Dock to allow mounting on uniforms body armour and other garments.	\$3,30
GMDN0497	Click fast Belt loop. Available in 38mm belt width	\$4,90
GMDN0445_C	Leather belt loop with riveted klick fast dock to allow belt mounting. Fits up to 50mm wide. Dropped one belt width	\$13,90
GMDN0566	Leather belt loop with our riveted klick fast dock to allow belt mounting. Fits belt up to 50mm wide	\$8,90
GMDN0547	Fits into existing remote speaker mic tags on uniform to give instant klick fast mounting option for terminal case.	\$9,30
WALN4307	Screw to fit dock. Can be fitted in minutes.	\$18,00
MDRLN4815	RADIO PACK GP PROF ATEX (available in May 06)	\$52,00
MDHLN6602	CHEST PACK GP PROF ATEX (available in May 06)	\$42,00
NTN5243	CARRYING STRAP FOR GMLN1110 and GMLN1111 WITH D-RINGS 9 Available in May 06)	\$23,00
<b>AUDIO ACCESSORIES</b>		
GMMN1111	Remote Speaker Microphone	\$210,00
<b>The RSM will be shipped with a clothing spring clip RLN6258. Alternatively the RSM can be used with one of the dock solutions.</b>		
<b>Note that apart from the below mentioned items no clips are accepted to be used with the ATEX remote speaker microphone in hazardous environments</b>		
<b>NOTE: All audio Accessories with the 12-pin connector are only gas approved 2G IIC T4, NOT for dust 3D</b>		
GMLN1108	Adapter 12-Pin Hirose Connector	\$259,00
EDN7702	PTT Headset w. Ambient Sound Reception 12-Pin Hirose Connector	\$775,00
ELN4640	Light Weight Headset "comfort" 12 PIN Hirose Connector	\$499,00
<b>MISCELLANEOUS</b>		
GMLN4226	Dust Cover Kit ATEX	\$18,00
<b>MANUALS</b>		
GMLN4239A	WARIS ATEX USER GUIDE CD (for GP340/380/680/580, standard languages)	\$4,00
ENLN4073	Product Manual GP 5 Tone Series English *	\$199,00
ENLN4074	Product Manual GP 5 Tone Series German *	\$199,00
ENLN4075	Product Manual GP 5 Tone Series French *	\$199,00
ENLN4076	Product Manual GP 5 Tone Series Italian *	\$199,00
ENLN4077	Product Manual GP 5 Tone Series Russian *	\$199,00
ENLN4130	Product Manual GP 5 Tone Series Spanish *	\$199,00
ENLN4078	Product Manual GP MPT Series English *	\$199,00
ENLN4079	Product Manual GP MPT Series German *	\$199,00
ENLN4080	Product Manual GP MPT Series French *	\$199,00
ENLN4081	Product Manual GP MPT Series Russian *	\$199,00
ENLN5000	Product Manual GP SmartZone Series English *	\$200,00
<b>* all Product Manuals include: Full Feature User Guide, Selling Guide, CPS Installation Manual and CPS</b>		
<b>PROGRAMMING ACCESSORIES</b>		
RKN4075	RIBless Programming Cable	\$140,00
RKN4074	Programming / Test Cable (requires RIB box RLN4008 & RIB PSU EPN4041)	\$54,00
EPN4042	Radio Interface Box Power Supply (EPN4042 replaces EPN4040 / 4041)	\$15,50
RLN4008	Radio Interface Box (RIB)	\$272,00
HLN9756	RF Adapter (Ferrule - BNC)	\$14,70
EPN4040	RIB PSU 240 VAC	\$32,00
GMVN5094A	CD ROM PROG SW ATEX MAN DOWN BOARD	\$180,00

**Professional Radio Business**
**GP340 ATEX 5 Tone Portables  
VHF & UHF Models**

Middle East, Africa Reseller Price List

Revision Date Of Text:

Feb. 06th, 2008

Pricing Information Valid As Of:

Feb. 06th, 2008

Section 1 D - Page 1


*GP340 ATEX - The Popular Radio (5 Tone, no keypad)*

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

 Higher Gas Protection Class 

 Unique Dust Protection Class 

 Unique Mining Protection Class 

Certification Number: BVS 07 ATEX E 095 X

Blue Radios can be operated in potentially explosive atmospheres without mandatory need of a carry case !

**Hardware features:**

- 16 position rotary with stop
- 3 side buttons
- Emergency button, top
- Fixed channel spacing

**Operator friendly controls and features include:**

- Select 5 (5 Tone) Signaling
- Voice Operated Transmit (VOX)
- Optional factory fitted ATEX Option Man Down Board
- X-Pand™ Voice Compression and Low Level Expansion
- Channel Scan
- Whisper
- Lone Worker
- Emergency Signalling
- Talkaround

All GP340 ATEX Portables include:

- Portable Radio without Keypad
- ATEX Lilon Battery NNTN7174
- Antenna \*
- Belt Clip 2.5" (5cm)
- Dust Cover Kit
- User Guide CD / Safety Leaflet

\* VHF includes PMAD4049 (146-174 MHz); UHF includes PMAE4016 (403-520 MHz), no further options available



BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	16	MDH25KCC4AN3BEA	GP340 VHF 5T ATEX (12.5K)	\$1,500.00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16	MDH25KCC6AN3BEA	GP340 VHF 5T ATEX (20/25K)	\$1,500.00
UHF: 403 - 470 MHz; 12,5kHz	1 W	16	MDH25RCC4AN3BEA	GP340 UHF1 5T ATEX (12.5K)	\$1,500.00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16	MDH25RCC6AN3BEA	GP340 UHF1 5T ATEX (20/25K)	\$1,500.00

**Future Models:**

VHF: 136 - 174 MHz; 12,5 kHz	1 W	16	MDH25KCC4AN3BEASP1	GP340 VHF ATEX OPTBD (12.5K)	TBA
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16	MDH25KCC6AN3BEASP1	GP340 VHF ATEX OPTBD (20/25K)	TBA
UHF: 403 - 470 MHz; 12,5kHz	1 W	16	MDH25RCC4AN3BEASP1	GP340 U1 ATEX OPTBD (12.5K)	TBA
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16	MDH25RCC6AN3BEASP1	GP340 U1ATEX OPTBD (20/25K)	TBA

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.00 MHz

UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
QA00727AA	Add VHF Antenna 15cm (146-174 MHz) - <b>PMAD4049</b>	\$0,00
QA00728AA	Add VHF Antenna 14cm (136-155 MHz) - <b>PMAD4042 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
	None.	
<b>Extended Warranty Options:</b>		
QA00511AA	ADD: ECO 24 MONTHS WARRANTY	\$42,14
QA00512AA	ADD: ECO 36 MONTHS WARRANTY	\$84,25
QA00513AA	ADD: ECO 48 MONTHS WARRANTY	\$126,42
QA00514AA	ADD: ECO 60 MONTHS WARRANTY	\$168,56

For accessories, please refer to pages 5

**Professional Radio Business**
**GP380 ATEX 5 Tone Portables  
VHF & UHF Models**

Middle East, Africa Reseller Price List

Revision Date Of Text: Feb. 06th, 2008


Pricing Information Valid As Of: Feb. 06th, 2008

Section 1 D - Page 2


*GP380 ATEX - The Versatile Radio (5 Tone, full keypad)*

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

 Higher Gas Protection Class  II 2G Ex ib IIC T4

 Unique Dust Protection Class  II 2D Ex tD A21 IP6x ib D21 T110°C

 Unique Mining Protection Class  I M2 Ex ib I

Certification Number: BVS 07 ATEX E 095 X

Blue Radios can be operated in potentially explosive atmospheres without mandatory need of a carry case !

**Hardware features:**

- 1 x 14 Display
- 6-key Menu Keypad
- Numeric Keypad
- Emergency button, top
- Rotary Switch continuous
- 3 Side Buttons
- Fixed Channel Spacing

**Operator friendly controls and features include:**

- Select 5 (5 Tone) Signaling
- Voice Operated Transmit (VOX)
- Optional factory fitted ATEX Option Man Down Board
- X-Pand™ Voice Compression and Low Level Expansion
- Channel Scan
- Whisper
- Lone Worker
- Emergency Signalling
- Talkaround

**All GP380 ATEX Portables include:**

- Portable Radio with Full Keypad
- ATEX Lilon Battery NNTN7174
- Antenna \*
- Belt Clip 2.5" (5cm)
- Dust Cover Kit
- User Guide CD / Safety Leaflet

\* VHF includes PMAD4049 (146-174 MHz); UHF includes PMAE4016 (403-520 MHz), no further options available



BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	255	MDH25KCH4AN6BEA	GP380 VHF 5T ATEX (12.5K)	\$1,800,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	255	MDH25KCH6AN6BEA	GP380 VHF 5T ATEX (20/25K)	\$1,800,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	255	MDH25RCH4AN6BEA	GP380 UHF1 5T ATEX (12.5K)	\$1,800,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	255	MDH25RCH6AN6BEA	GP380 UHF1 5T ATEX (20/25K)	\$1,800,00

**Future Models:**

VHF: 136 - 174 MHz; 12,5 kHz	1 W	255	MDH25KCH4AN6BEASP1	GP380 VHF ATEX OPTBD (12.5K)	TBA
VHF: 136 - 174 MHz; 20/25 kHz	1 W	255	MDH25KCH6AN6BEASP1	GP380 VHF ATEX OPTBD (20/25K)	TBA
UHF: 403 - 470 MHz; 12,5kHz	1 W	255	MDH25RCH4AN6BEASP1	GP380 U1 ATEX MD OPTBD (12.5K)	TBA
UHF: 403 - 470 MHz; 20/25 kHz	1 W	255	MDH25RCH6AN6BEASP1	GP380 U1 ATEX MD OPTBD (20/25K)	TBA

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.00 MHz

UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
QA00727AA	Add VHF Antenna 15cm (146-174 MHz) - <b>PMAD4049</b>	\$0,00
QA00728AA	Add VHF Antenna 14cm (136-155 MHz) - <b>PMAD4042 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
None		
<b>Extended Warranty Options:</b>		
QA00511AA	ADD: ECO 24 MONTHS WARRANTY	\$42,14
QA00512AA	ADD: ECO 36 MONTHS WARRANTY	\$84,25
QA00513AA	ADD: ECO 48 MONTHS WARRANTY	\$126,42
QA00514AA	ADD: ECO 60 MONTHS WARRANTY	\$168,56

For accessories, please refer to pages 5

**Professional Radio Business**
**GP680 MPT1327 Portables  
VHF & UHF Models**

Middle East, Africa Reseller Price List

Revision Date Of Text:

Feb. 06th, 2008

Pricing Information Valid As Of:

Feb. 06th, 2008

Section 1 D - Page 3


*GP680 ATEX - The Versatile Radio (MPT, full keypad)*

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios. Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

 Higher gas protection class  II 2G Ex ib IIC T4

 Unique dust protection class  II 2D Ex tD A21 IP6x ib D21 T110°C

 Unique Mining Protection Class  I M2 Ex ib I

Certification Number: BVS 07 ATEX E 095 X

Blue Radios can be operated in potentially explosive atmospheres without mandatory need of a carry case !

**Hardware features:**

- 1 x 14 Display
- 6 Menu Keys
- Keypad
- Rotary Switch continuous
- 3 Side Buttons
- Emergency button, top
- fixed channel spacing

**Operator friendly controls and features include:**

- MPT1327 Signalling
- Wideband
- ATEX Option Board Expandability
- X-Pand™ Voice Compression and Low Level Expansion
- Dynamic Regrouping
- Missed Call Alerts
- Ease of Use - Menus
- Caller Identification
- Talkgroup Select etc.


**All GP680 ATEX Portables include:**

Portable Radio with full keypad

ATEX Lilon battery NNTN7174

Antenna \*

Belt Clip 2.5" (5cm)

Dust Cover Kit

User Guide CD / Safety Leaflet

\* VHF includes PMAD4049 (146-174 MHz); UHF includes PMAE4016 (403-520 MHz), no further options available

BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	16ch per conv. personality	MDH25KCH4CK6BEA	GP680 VHF MPT ATEX (12.5K)	\$2.450,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16ch per conv. personality	MDH25KCH6CK6BEA	GP680 VHF MPT ATEX (20/25K)	\$2.450,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	16ch per conv. personality	MDH25RCH4CK6BEA	GP680 UHF1 MPT ATEX (12.5K)	\$2.450,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16ch per conv. personality	MDH25RCH6CK6BEA	GP680 UHF1 MPT ATEX (20/25K)	\$2.450,00

**Future Models:**

VHF: 136 - 174 MHz; 12,5 kHz	1 W	16 per conv. personality	MDH25KCH4CK6BEASP1	GP680 VHF ATEX OPTBD (12.5K)	TBA
VHF: 136 - 174 MHz; 20/25 kHz	1 W	16 per conv. personality	MDH25KCH6CK6BEASP1	GP680 VHF ATEX OPTBD (20/25K)	TBA
UHF: 403 - 470 MHz; 12,5kHz	1 W	16 per conv. personality	MDH25RCH4CK6BEASP1	GP680 U1 ATEX MD OPTBD (12.5K)	TBA
UHF: 403 - 470 MHz; 20/25 kHz	1 W	16 per conv. personality	MDH25RCH6CK6BEASP1	GP680 U1 ATEX MD OPTBD (20/25K)	TBA

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.00 MHz

UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
QA00727AA	Add VHF Antenna 15cm (146-174 MHz) - <b>PMAD4049</b>	\$0,00
QA00728AA	Add VHF Antenna 14cm (136-155 MHz) - <b>PMAD4042 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
None		
<b>Extended Warranty Options:</b>		
QA00511AA	ADD: ECO 24 MONTHS WARRANTY	\$42,14
QA00512AA	ADD: ECO 36 MONTHS WARRANTY	\$84,25
QA00513AA	ADD: ECO 48 MONTHS WARRANTY	\$126,42
QA00514AA	ADD: ECO 60 MONTHS WARRANTY	\$168,56

For accessories, please refer to pages 5

Professional Radio Business

GP580 ATEX SmartZone Portables  
VHF & UHF Models

Middle East, Africa Reseller Price List

Revision Date Of Text: Feb. 06th, 2008  
Pricing Information Valid As Of: Feb. 06th, 2008

Section 1 D - Page 4

*GP580 ATEX SmartZone - The Versatile Radio with full keypad*

*Designed to operate in Stat-Alert, StartSite, SMARTNET, SmartZone and Conventional Systems*

This model is a system radio and can only be ordered by authorized MOTOROLA Distribution Partners with Systems Sales Contract

Working in a potentially explosive environment? Require a proven communications solution?

Be prepared and safe with Motorola's GP Professional Series ATEX approved radios.

Benefit from the uncompromising availability and security of this latest addition to Motorola's Professional Series portfolio.

Higher gas protection class	II 2G Ex ib IIC T4	}	Certification Number: BVS 07 ATEX E 095 X
Unique dust protection class	II 2D Ex tD A21 IP6x ib D21 T110°C		
Unique Mining Protection Class	I M2 Ex ib I		

Blue Radios can be operated in potentially explosive atmospheres without mandatory need of a carry case !

**Hardware features:**

- 1 x 14 Display
- 6-key Menu Keypad
- Numeric Keypad
- Emergency button, top
- Rotary Switch continuous
- 3 Side Buttons
- Fixed channel spacing

**Features**

- Signaling:
  - SmartZone (Typ II/ III/ Trunking)
  - Stat-Alert (MDC-1200)
  - Conventional
- 20 Systems / 250 Modes
- 20 Call Lists ea. 19 Members
- SmartZone
- Emergency Alarm/ Call
- Priority Scan (2 Level)
- Dynamic Regrouping
- Remote Monitor
- One-Touch Button
- Status/ Message Decoder
- Stat-Alert (MDC-1200)
- 10 Systems/ 90 Modes
- 20 Call Lists ea. 19 Members
- Privat/ Group Call
- Call Alert
- Telephone Interconnect
- Dual Mode / Scanning
- AMSS (Auto. Multiple Site Select)
- Selective Radio Inhibit
- Failsoft Operation



**All GP580 ATEX Portables include:**

- Portable Radio with full keypad
  - ATEX Lilon battery NNTN7174
  - Antenna \*
  - Belt Clip 2.5" (5cm)
  - Dust Cover Kit
  - User Guide CD / Safety Leaflet
- \* VHF includes PMAD4049 (146-174 MHz); UHF includes PMAE4016 (403-520 MHz), no further options available

BAND	POWER	CHANNELS	MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE; US\$
VHF: 136 - 174 MHz; 12,5 kHz	1 W	N/A	MDH25KCH4GC6BEA	GP580 VHF S/Zone ATEX (12.5K)	\$2.550,00
VHF: 136 - 174 MHz; 20/25 kHz	1 W	N/A	MDH25KCH6GC6BEA	GP580 VHF S/Zone ATEX (20/25K) PW3	\$2.550,00
UHF: 403 - 470 MHz; 12,5kHz	1 W	N/A	MDH25RCH4GC6BEA	GP580 UHF1 S/Zone ATEX (12.5K)	\$2.550,00
UHF: 403 - 470 MHz; 20/25 kHz	1 W	N/A	MDH25RCH6GC6BEA	GP580 UHF1 S/Zone ATEX (20/25K)	\$2.550,00

The following frequencies are potentially self-quieting and should be avoided:  
VHF: 151.200, 168.00 MHz      UHF: 419.995, 420.000 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGGESTED LIST PRICE; US\$
<b>Antenna Options:</b>		
<b>VHF</b>		
QA00727AA	Add VHF Antenna 15cm (146-174 MHz) - <b>PMAD4049</b>	\$0,00
QA00728AA	Add VHF Antenna 14cm (136-155 MHz) - <b>PMAD4042 (omits std. ant.)</b>	\$0,00
<b>UHF</b>		
None		
<b>Extended Warranty Options:</b>		
QA00511AA	ADD: ECO 24 MONTHS WARRANTY	\$42,14
QA00512AA	ADD: ECO 36 MONTHS WARRANTY	\$84,25
QA00513AA	ADD: ECO 48 MONTHS WARRANTY	\$126,42
QA00514AA	ADD: ECO 60 MONTHS WARRANTY	\$168,56

For accessories, please refer to pages 5



# Professional Radio Business

Middle East, Africa Reseller Price List

# ATEX Professional Portable Radio

# Accessories for GP ATEX Series

Revision Date Of Text:

Feb. 06th, 2008

Pricing Information Valid As Of:

Feb. 06th, 2008

Section 1D - Page 5

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE; US\$
<b>ANTENNAS</b>		
<b>NOTE: Only the following antennae in italic letters are certified for ATEX category (Gas) 2G; (Dust) 2D and (Mining) M2 IECEx Group II (Gas and Dust) and Group I</b>		
<i>PMAD4042</i>	<i>VHF Antenna 14cm (136-155 MHz)</i>	\$5,00
<i>PMAD4049</i>	<i>VHF Antenna 15cm (146-174 MHz)</i>	\$5,00
<i>PMAE4016</i>	<i>UHF Antenna Whip 17cm (403 - 520 MHz)</i>	\$5,00
<b>BATTERY</b>		
<b>NOTE: This battery must NOT be operated with black radios! It is not a replacement for NNTN5510AR and NNTN5510BR</b>		
NNTN7174	GP PROF SER ATEX LI-ION BATTERY 1480 mAh	\$231,00
<b>BATTERY CHARGERS</b>		
MDHTN3000	120 V Single Unit Charger (US Plug) <b>NOT CE COMPLIANT</b>	\$57,00
MDHTN3001	230 V Single Unit Charger (Euro Plug)	\$59,00
MDHTN3002	230 V Single Unit Charger (UK Plug)	\$59,00
HTN9000	Single Unit Rapid Charger Pocket	\$48,50
WPLN4183	IMPRES™ Single Unit Charger (UK Plug)	\$75,00
WPLN4184	IMPRES™ Single Unit Charger (Euro Plug)	\$75,00
WPLN4187	IMPRES™ Multi Unit Charger non-display (US Plug) <b>NOT CE COMPLIANT</b>	\$598,00
WPLN4188	IMPRES™ MUC (Non-display) UK	\$598,00
WPLN4189	IMPRES™ MUC (Non-display) EURO	\$598,00
WPLN4193	IMPRES™ MUC (Display) UK	\$1.250,00
WPLN4194	IMPRES™ MUC (Display) EURO	\$1.250,00
WPLN4199	IMPRES™ Single Unit Charger Pocket only	\$70,00
<b>CARRY ACCESSORIES</b>		
GMLN1113	SOFT LEATHER CARRY CASE NKP	\$13,00
GMLN1111	HARD LEATHER CARRY CASE NKP with D-Rings	\$31,00
GMLN1112	SOFT LEATHER CARRY CASE KP	\$13,00
GMLN1110	HARD LEATHER CARRY CASE KP with D-Rings	\$34,00
PMLN5134	ATEX Belt Clip 2.5" (5 cm)	\$5,00
MDRLN4815	RADIO PACK GP PROF ATEX (available in May 06)	\$52,00
MDHLN6602	CHEST PACK GP PROF ATEX (available in May 06)	\$42,00
NTN5243	CARRYING STRAP FOR GMLN1110 and GMLN1111 WITH D-RINGS 9Available in May 06)	\$23,00
<b>AUDIO ACCESSORIES</b>		
GMMN1111	Remote Speaker Microphone - incl. lapel clip RLN6258	\$210,00
<b>NOTE: All audio Accessories with the 12-pin connector are only gas approved 2G IIC T4, NOT for dust 3D</b>		
GMLN1108	Adapter 12-Pin Hirose Connector	\$259,00
<b>Future Items:</b>		
PMLN5151	ATEX OVER THE HEAD H/DUTY H/SET	\$540,00
PMLN5152	ATEX BEHIND THE HEAD H/DUTY H/SET	\$570,00
PMLN5153	ATEX LIGHTWEIGHT HEADSET	\$249,00
PMLN5154	ATEX HURRICANE HEADSET	\$479,00
PMMN4055	ATEX THROAT MICROPHONE W/ 80MM PTT	\$851,00
PMMN4056	ATEX SKULL MICROPHONE W/ 80MM PTT	\$1.024,00
<b>MISCELLANEOUS</b>		
GMLN4226	Dust Cover Kit ATEX	\$18,00
<b>MANUALS</b>		
GMLN4239A	WARIS ATEX USER GUIDE CD (for GP340/380/680/580, standard languages)	\$4,00
<b>PROGRAMMING ACCESSORIES</b>		
RKN4075	RIBless Programming Cable	\$140,00
RKN4074	Programming / Test Cable (requires RIB box RLN4008 & RIB PSU EPN4041)	\$54,00
EPN4042	Radio Interface Box Power Supply (EPN4042 replaces EPN4040 / 4041)	\$15,50
RLN4008	Radio Interface Box (RIB)	\$272,00
HLN9756	RF Adapter (Ferrule - BNC)	\$14,70
GMVN5094	CD ROM PROG SW ATEX MAN DOWN BOARD	\$180,00