

**GM Databox - The Data Radio (5 Tone Signalling, no control head)**

The GM Databox is the ideal two-way radio solution for professionals who need data communications, where audio is not required.

**Hardware features:**

- Up to 6 Channels via channel steering
- Antenna connector : BNC

**Features include:**

- Select 5 (5 Tone) Signalling
- Programmable Channel Spacing (12.5 / 20 / 25 kHz)
- Adjustable Power Levels (1-25W)
- Emergency Signalling
- Option Board Expandability
- Channel Scan



All GM Databox models include:

Mobile Radio, Trunnion, Battery Power Cable; Safety Instructions and R&TTE leaflet.

The following frequencies are potentially self-quieting and should be avoided:

**VHF: 151.200, 168.000 MHz**

**UHF: 403.200, 420.000, 436.800 and 453.600 MHz**

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b><u>VHF ( 136 - 174 MHz)</u></b>		
MDM25KHA9AN0_E	GM Databox Mobile, Select 5, VHF (136-174MHz), 1-25W, 6 Channel	\$393,75
<b><u>UHF ( 403 - 470 MHz)</u></b>		
MDM25RHA9AN0_E	GM Databox Mobile, Select 5, UHF (403-470MHz), 1-25W, 6 Channel	\$393,75
<b>Accessory options : One option must be chosen</b>		
<b>STDACC</b>	Adds mobile accessories (included in model price) Battery power cable HKN4137 and low profile trunnion kit GLN7324)	0,00
<b>MDB90AR</b>	Deliver without accessories (delivered with battery power cable HKN4137, but without trunnion kit)	-\$10,00

**GM140 - The Popular Radio (PL/MDC1200 Signalling, No Keypad)**

The GM140 is the ideal two-way radio solution for professionals who need to stay in contact. It is simple to operate, allowing users to keep in contact while still concentrating on the job in hand.

**Hardware features:**

- 4 Channels
- 6 Programmable Buttons (including Channel Buttons)
- 3 Status LEDs
- Internal Loudspeaker
- Antenna connector : Mini UHF


**Operator friendly controls and features include:**

- PL, MDC1200 and DTMF Signalling
- Programmable Channel Spacing (12.5 / 20 / 25 kHz)
- Adjustable Power Levels
- Option Board Expandability
- X-Pand™ Voice Compression/Low Level Expansion
- DTMF Capability (with Keypad Mic option)
- Channel Scan
- Busy Channel Lockout
- PTT ID
- Voice Operated Transmit (VOX)
- Talkaround

All GM140 models include (plus accessory options):  
Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.



The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.000 MHz

UHF: 403.200, 420.000, 436.800 and 453.600 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b><u>VHF ( 136 - 174 MHz)</u></b>		
MDM25KHC9AA1_E	GM140 Mobile, MDC, VHF (136-174MHz), 1 - 25W, 4 Channel	\$450,00
MDM25KKC9AA1_E	GM140 Mobile, MDC, VHF (136-174MHz), 25-45W, 4 Channel	\$499,00
<b><u>UHF ( 403 - 470 MHz)</u></b>		
MDM25RHC9AA1_E	GM140 Mobile, MDC, UHF (403-470MHz), 1 - 25W, 4 Channel	\$450,00
MDM25RKC9AA1_E	GM140 Mobile, MDC, UHF (403-470MHz), 25-40W, 4 Channel	\$499,00

**Accessory Options: One option must be chosen for low power radios (1-25W)**

STDACC0577AA	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4137, enhanced compact microphone MDRMN4025 and low profile trunnion kit GLN7324)	0
MDB142AA	<b>Adds Heavy Duty Microphone with accessories</b> (Power cable HKN4137, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
MDB343AC	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, power cable HKN4137 and low profile trunnion kit GLN7324)	\$63,00
MDB882AE	<b>Adds EURO Base Station accessories (EMC Approved) - - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDG531AG	<b>Adds UK Base Station accessories (EMC Approved) - - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDB665AC	<b>Adds EU Base Station accessories (NOT EMC Approved) - - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, and power supply HPN4008A)	\$275,00
MDB665AD	<b>Adds UK Base Station accessories (NOT EMC Approved) - - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, and power supply HPN4008A)	\$275,00
MDB90AH	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**Accessory Options: One option must be chosen for high power radios (25-45W)**

STDACC0577AC	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4191, enhanced compact microphone MDRMN4025 and low profile trunnion kit GLN7324)	0
MDB142AC	<b>Adds Heavy Duty Microphone with accessories</b> (Battery power cable HKN4191, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
MDB343AE	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, Battery power cable HKN4191 and low profile trunnion kit GLN7324)	\$63,00
MDB90AK	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**GM160 - The Versatile Radio (PL/MDC1200 Signalling, Menu Navigation Keys)**

The GM160 can be easily programmed in the field to add or delete features, making it a useful tool for growing organisations with rapidly changing business needs.

**Hardware features:**

- 128 Channels
- 1 Line 14-character Display
- Menu Navigation Keypad
- 4 Programmable Buttons
- 3 Status LEDs
- Internal Loudspeaker
- Antenna connector : Mini UHF


**Operator friendly controls and features include:**

- PL, MDC1200, DTMF and Quick Call II Signalling
- Programmable Channel Spacing (12.5 / 25 kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- Option Board Expandability
- Talkaround
- Address Book
- X-Pand™ Voice Compression/Low Level Expansion
- DTMF Capability (with Keypad Mic option)
- Sophisticated Channel Scan
- Busy Channel Lockout
- Emergency Signalling
- PTT ID
- Selective Calling
- Escalart
- Status Messaging
- Phone Mode

All GM160 models include (plus accessory options):

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.000 MHz

UHF: 403.200, 420.000, 436.800 and 453.600 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b><u>VHF ( 136 - 174 MHz)</u></b>		
MDM25KHF9AA5_E	GM160 Mobile, MDC, VHF (136-174MHz), 1 - 25W, 128 Channel	\$555,00
MDM25KKF9AA5_E	GM160 Mobile, MDC, VHF (136-174MHz), 25-45W, 128 Channel	\$604,00
<b><u>UHF ( 403 - 470 MHz)</u></b>		
MDM25RHF9AA5_E	GM160 Mobile, MDC, UHF (403-470MHz), 1 - 25W, 128 Channel	\$555,00
MDM25RKF9AA5_E	GM160 Mobile, MDC, UHF (403-470MHz), 25-40W, 128 Channel	\$604,00

**Accessory Options: One option must be chosen for low power radios (1-25W)**

STDACC0577AA	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4137, enhanced compact microphone MDRMN4025 and low profile trunnion kit GLN7324)	\$0,00
MDB142AA	<b>Adds Heavy Duty Microphone with accessories</b> (Power cable HKN4137, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
MDB343AC	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, power cable HKN4137 and low profile trunnion kit GLN7324)	\$63,00
MDB382AB	<b>Adds Keypad Microphone with accessories</b> (Keypad Mic MDRMN4026; power cable HKN4137 and low profile trunnion kit GLN7324)	\$52,50
MDB882AE	<b>Adds Base Station accessories (EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDG531AG	<b>Adds UK Base Station accessories (EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDB665AC	<b>Adds EU Base Station accessories (NOT EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, and power supply HPN4008A)	\$275,00
MDB665AD	<b>Adds UK Base Station accessories (NOT EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, and power supply HPN4008A)	\$275,00
MDB90AH	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**Accessory Options: One option must be chosen for high power radios (25-45W)**

STDACC0577AC	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4191, enhanced compact microphone MDRMN4025 and low profile trunnion kit GLN7324)	\$0,00
MDB142AC	<b>Adds Heavy Duty Microphone with accessories</b> (Battery power cable HKN4191, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
MDB343AE	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, Battery power cable HKN4191 and low profile trunnion kit GLN7324)	\$63,00
MDB382AD	<b>Adds Keypad Microphone with accessories</b> (Keypad Mic MDRMN4026; power cable HKN4191; low profile trunnion kit GLN7324)	\$52,50
MDB90AK	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**GM340 - The Popular Radio (5 Tone Signalling, No Keypad)**

The GM340 is the ideal two-way radio solution for professionals who need to stay in contact. It is simple to operate, allowing users to keep in contact while still concentrating on the job in hand.

**Hardware features:**

- Up to 6 Channels
- 6 Programmable Buttons (including Channel Buttons)
- 3 Status LEDs
- Internal Loudspeaker
- Antenna connector : BNC


**Operator friendly controls and features include:**

- Select 5 (5 Tone) Signalling
- Programmable Channel Spacing (12.5 / 25 kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- Option Board Expandability
- Talkaround
- X-Pand™ Voice Compression/Low Level Expansion
- Channel Scan
- Lone Worker
- Emergency Signalling
- Call Forward
- Car Radio Mute
- Public Address Mode
- External Alarm

All GM340 models include (plus accessory options):

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.000 MHz

UHF: 403.200, 420.000, 436.800 and 453.600 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b><u>VHF ( 136 - 174 MHz)</u></b>		
MDM25KHC9AN1_E	GM340 Mobile, Select 5, VHF (136-174MHz), 1-25W, 6 Channel	\$420,00
<b><u>UHF ( 403 - 470 MHz)</u></b>		
MDM25RHC9AN1_E	GM340 Mobile, Select 5, UHF (403-470MHz), 1-25W, 6 Channel	\$420,00
<b>Accessory Options: One option must be chosen</b>		
STDACC	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4137, enhanced compact microphone MDRMN4025 and low profile trunnion kit GLN7324)	\$0,00
MDB142AA	<b>Adds Heavy Duty Microphone with accessories</b> (Power cable HKN4137, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
MDB343AC	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, power cable HKN4137 and low profile trunnion kit GLN7324)	\$63,00
MDB882AE	<b>Adds EURO Base Station accessories (EMC Approved) -</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDG531AG	<b>Adds UK Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDB665AC	<b>Adds EU Base Station accessories (NOT EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, and power supply HPN4008A)	\$275,00
MDB665AD	<b>Adds UK Base Station accessories (NOT EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, and power supply HPN4008A)	\$275,00
MDB90AH	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**GM360 - The Versatile Radio (5 Tone Signalling, Menu Navigation Keys)**

The GM360 can be easily programmed in the field to add or delete features, making it a useful tool for growing organisations with rapidly changing business needs.

**Hardware features:**

- Up to 255 Channels
- 1 Line 14-character Display
- Menu Navigation Keypad
- 4 Programmable Buttons
- 3 Status LEDs
- Internal Loudspeaker
- Antenna connector : BNC (VHF & UHF), Mini UHF (Lowband)


**Operator friendly controls and features include:**

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>▪ Select 5 (5 Tone) Signalling</li> <li>▪ Programmable Channel Spacing (12.5 / 25 kHz)</li> <li>▪ Voice Operated Transmit (VOX)</li> <li>▪ Adjustable Power Levels</li> <li>▪ Option Board Expandability</li> <li>▪ Talkaround</li> <li>▪ Memory Channel</li> <li>▪ X-Pand™ Voice Compression/Low Level Expansion</li> <li>▪ DTMF Capability (with Keypad Microphone)</li> </ul> | <ul style="list-style-type: none"> <li>▪ Channel Scan</li> <li>▪ Lone Worker</li> <li>▪ Emergency Signalling</li> <li>▪ Call Forward</li> <li>▪ Car Radio Mute</li> <li>▪ Public Address Mode</li> <li>▪ Status &amp; Contact Lists</li> <li>▪ Missed Calls</li> <li>▪ External Alarm</li> </ul> |
|---|--|

All GM360 models include (plus accessory options):

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

The following frequencies are potentially self-quieting and should be avoided:

**Low Band: 33.600 MHz**

**VHF: 151.200, 168.000 MHz**

**UHF: 403.200, 420.000, 436.800 and 453.600 MHz**

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b><u>Low Band (29-36 MHz) *</u></b>		
MDM25BKF9AN5_E	GM360 Mobile, Select 5, Low Band (29-36MHz), 25-60W, 255 Channel	\$555,00
<b><u>Low Band (36-42 MHz) *</u></b>		
MDM25CKF9AN5_E	GM360 Mobile, Select 5, Low Band (36-42MHz), 25-60W, 255 Channel	\$555,00
<b><u>Low Band (42-50 MHz) *</u></b>		
MDM25DKF9AN5_E	GM360 Mobile, Select 5, Low Band (42-50MHz), 25-60W, 255 Channel	\$555,00
<b><u>VHF ( 136 - 174 MHz)</u></b>		
MDM25KHF9AN5_E	GM360 Mobile, Select 5, VHF (136-174MHz), 1-25W, 255 Channel	\$525,00
<b><u>UHF ( 403 - 470 MHz)</u></b>		
MDM25RHF9AN5_E	GM360 Mobile, Select 5, UHF (403-470MHz), 1-25W, 255 Channel	\$525,00



**\*) LB Models are not approved for use within the European Union !**

**Accessory Options: One option must be chosen for high power radios (LOW-Band, 25-60W)**

STDACC0577AB	<b>Adds mobile accessories (included in model price)</b> (Enhanced compact microphone MDRMN4025; Battery power cable HKN4191 and 3point mounting tray RLN477A)	\$0,00
MDB142AB	<b>Adds Heavy Duty Microphone with accessories</b> (Heavy Duty microphone MDRMN4038; Battery power cable HKN4191 and 3point mounting tray RLN477A)	\$19,90
MDB343AD	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, Battery power cable HKN4191 and 3point mounting tray RLN477A)	\$63,00
MDB382AC	<b>Adds Keypad Microphone (Smart Mic) with accessories</b> (Keypad Mic MDRMN4026; power cable HKN4191 and 3point mounting tray RLN477A)	\$52,50
MDB90AJ	<b>Delivery without accessories ( LB 60w Radios)</b> (without power cable, trunnion kit and microphone)	-\$39,90

**Accessory Options: One option must be chosen for low power radios (VHF/UHF 1-25W)**

STDACC0577AA	<b>Adds mobile accessories (included in model price)</b> (Enhanced compact microphone MDRMN4025; Battery power cable HKN4137 and low profile trunnion kit GLN7324)	\$0,00
MDB142AA	<b>Adds Heavy Duty Microphone with accessories</b> (Heavy Duty microphone MDRMN4038; Battery Power cable HKN4137 and low profile trunnion kit GLN7324)	\$19,90
MDB343AC	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, power cable HKN4137 and low profile trunnion kit GLN7324)	\$63,00
MDB382AB	<b>Adds Keypad Microphone with accessories</b> (Keypad Mic MDRMN4026; power cable HKN4137 and low profile trunnion kit GLN7324)	\$52,50
MDB90AH	<b>Delivery without accessories (VHF + UHF 25w Radios)</b> (without power cable, trunnion kit and microphone)	-\$35,70

**Base Station Accessory Options for VHF/UHF Radios (1-25W): - Not for LOW-Band models!**

MDB882AE	<b>Adds EU Base Station accessories (EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, switched mode battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDG531AG	<b>Adds UK Base Station accessories (EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDB665AC	<b>Adds EU Base Station accessories (Not EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, and power supply HPN4008A)	\$275,00
MDB665AD	<b>Adds UK Base Station accessories (NOT EMC Approved) - for 1 - 25W models only</b> (Desktop mounting tray GLN7318, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, and power supply HPN4008A)	\$275,00

**GM380 - The Sophisticated Radio (5 Tone Signalling, Menu Navigation & Numeric Keypad)**

The GM380 is for professionals who need to communicate using the highest levels of radio sophistication. Its user interface is via a full-feature keypad and graphic display, allowing maximum flexibility of use.

**Hardware features:**

- Up to 255 Channels
- 4 Line 14-character Display
- Menu Navigation Keypad
- Full-feature Telephone-style Keypad
- 7 Programmable Buttons
- 3 Status LEDs
- Voice Storage (standard on this model - option board not required)
- Antenna connector: BNC


**Operator friendly controls and features include:**

- Select 5 (5 Tone) Signalling
- Programmable Channel Spacing (12.5 / 25 kHz)
- Voice Operated Transmit (VOX)
- Adjustable Power Levels
- Option Board Expandability
- Talkaround
- Memory Channel
- X-Pand™ Voice Compression/Low Level Expansion
- DTMF Capability
- Channel Scan
- Lone Worker
- Emergency Signalling
- Call Forward
- Car Radio Mute
- Public Address Mode
- Status & Contact Lists
- Missed Calls
- External Alarm

All GM380 models include: (plus accessory options)

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

The following frequencies are potentially self-quieting and should be avoided:

VHF: 151.200, 168.000 MHz

UHF: 403.200, 420.000, 436.800 and 453.600 MHz

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b><u>VHF ( 136 - 174 MHz)</u></b>		
MDM25KHN9AN8_E	GM380 Mobile, Select 5, VHF (136-174MHz), 1-25W, 255 Channel	\$814,00
<b><u>UHF ( 403 - 470 MHz)</u></b>		
MDM25RHN9AN8_E	GM380 Mobile, Select 5, UHF (403-470MHz), 1-25W, 255 Channel	\$814,00

**Accessory Options: One option must be chosen!**

Note: The remote mount kit (RLN4780) includes a small speaker in the plastic back housing.

STDACC0577_D	<b>Adds mobile accessories and 7.5W External Speaker (included in model price)</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$0,00
PRMACC0577_A	<b>Adds mobile accessories and 13W External Speaker (included in model price)</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$0,00
PRMACC0577_B	<b>Adds mobile accessories, remote mount kit and 3m mounting cable</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$72,50
PRMACC0577_C	<b>Adds mobile accessories, remote mount kit and 5m mounting cable</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$72,50
PRMACC0577_D	<b>Adds mobile accessories, remote mount kit and 7m mounting cable</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$72,50
MDB142AD	<b>Adds Heavy Duty Microphone with accessories and 7.5W External Speaker</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$19,90
MDB142AE	<b>Adds Heavy Duty Microphone with accessories and 13W External Speaker</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$19,90
MDB142AF	<b>Adds Heavy Duty Microphone with accessories, remote mount kit and 3m mounting cable</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$88,90
MDB142AG	<b>Adds Heavy Duty Microphone with accessories, remote mount kit and 5m mounting cable</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$88,90
MDB142AH	<b>Adds Heavy Duty Microphone with accessories, remote mount kit and 7m mounting cable</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$88,90



**Accessory Options: continued**

<b>MDB343AF</b>	<b>Adds Telephone Handset with accessories and 7.5W External Speaker</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$63,00
<b>MDB343AG</b>	<b>Adds Telephone Handset with accessories and 13W External Speaker</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$63,00
<b>MDB343AH</b>	<b>Adds Telephone Handset with accessories, remote mount kit and 3m mounting cable</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$135,50
<b>MDB343AJ</b>	<b>Adds Telephone Handset with accessories, remote mount kit and 5m mounting cable</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$135,50
<b>MDB343AK</b>	<b>Adds Telephone Handset with accessories, remote mount kit and 7m mounting cable</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$135,50
<b>MDB382AE</b>	<b>Adds Keypad Microphone with accessories and 7.5W External Speaker</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$52,50
<b>MDB382AF</b>	<b>Adds Keypad Microphone with accessories and 13W External Speaker</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$52,50
<b>MDB382AG</b>	<b>Adds Keypad Microphone with accessories, remote mount kit and 3m mounting cable</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$125,00
<b>MDB382AH</b>	<b>Adds Keypad Microphone with accessories, remote mount kit and 5m mounting cable</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$125,00
<b>MDB382AJ</b>	<b>Adds Keypad Microphone with accessories, remote mount kit and 7m mounting cable</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$125,00
<b>MDB90AL</b>	<b>Delivery without accessories, but WITH 7.5W External Speaker</b> (without power cable, trunnion kit and microphone, but WITH 7.5W external speaker HSN8145)	-\$35,70
<b>MDB90AM</b>	<b>Delivery without accessories, but WITH 13W External Speaker</b> (without power cable, trunnion kit and microphone, but WITH 13W external speaker RSN4001)	-\$35,70
<b>MDB90AN</b>	<b>Delivery without accessories, but WITH remote mount kit and 3m mounting cable</b> (without power cable, trunnion kit and microphone, but WITH remote mount kit RLN4780 and 3m mounting cable RKN4077)	-\$36,75
<b>MDB90AP</b>	<b>Delivery without accessories, but WITH remote mount kit and 5m mounting cable</b> (without power cable, trunnion kit and microphone, but WITH remote mount kit RLN4780 and 5m mounting cable RKN4078)	-\$36,75
<b>MDB90AQ</b>	<b>Delivery without accessories, but WITH remote mount kit and 7m mounting cable</b> (without power cable, trunnion kit and microphone, but WITH remote mount kit RLN4780 and 7m mounting cable RKN4079)	-\$36,75
<b>MDB882AF</b>	<b>Adds EU Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone RMN5068, 230V EU mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$315,00
<b>MDG531AH</b>	<b>Adds UK Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$315,00
<b>MDB665AE</b>	<b>Adds EU Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone RMN5068, 230V mains cable EU NTN7374AR, and power supply HPN4008A)	\$285,00
<b>MDB665AF</b>	<b>Adds UK Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone RMN5068, 230V UK mains cable NTN7375AR, and power supply HPN4008A)	\$285,00

**GM Databox - The Data Radio (MPT1327 Trunked, no control head)**


The GM Databox is the ideal two-way radio solution for professionals who need data communications, where audio is not required

**Hardware Features:**

- Antenna connector : BNC

**Operator friendly controls and features include:**

- MPT1327 Signalling
- Conventional Mode (Carrier Squelch + PL)
- Up to 60 configurable personalities
- Wideband and Programmable Channel Spacing
- Option Board Expandability
- Data Messaging
- Dynamic Regrouping



All GM Databox models include:

Mobile Radio, Trunnion, Battery Power Cable; Safety Instructions and R&TTE leaflet.

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>VHF ( 136 - 174 MHz)</b>		
MDM25KHA9CK7_E	GM Databox Mobile, MPT, VHF (136-174 MHz)	\$509,25
<b>UHF ( 403 - 470 MHz)</b>		
MDM25RHA9CK7_E	GM Databox Mobile, MPT, UHF (403-470 MHz)	\$509,25
<b>Accessory options : One option must be chosen</b>		
<b>STDACC</b>	Adds mobile accessories (included in model price) Battery power cable HKN4137 and low profile trunnion kit GLN7324)	\$0,00
<b>MDB90AR</b>	Deliver without accessories (delivered with battery power cable HKN4137, but without trunnion kit)	-\$10,00

**GM640 - The Popular Radio (MPT1327 Trunked, No Keypad)**

The GM640 is the ideal two-way radio solution for professionals who need to stay in contact. It is simple to operate, allowing users to keep in contact while still concentrating on the job in hand.

**Hardware features:**

- 3 Status LEDs
- 2 Programmable Buttons
- Internal Loudspeaker
- Antenna connector : BNC
- Voice Storage (standard on this model - option board not required)


**Operator friendly controls and features include:**

- MPT1327 Signalling
- Conventional Mode (Carrier Squelch + PL)
- Up to 2 configurable personalities
- Wideband and Programmable Channel Spacing
- Option Board Expandability
- X-Pand™ Voice Compression/Low Level Expansion
- Dynamic Regrouping
- Missed Call Alerts
- Car Radio Mute
- External Alarm
- Time-Out-Timer

All GM640 models include (plus accessory options):

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>VHF ( 136 - 174 MHz)</b>		
MDM25KHC9CK1_E	GM640 Mobile, VHF (136-174MHz), 1-25W, 5 conventional channels per personality	\$604,00
<b>UHF ( 403 - 470 MHz)</b>		
MDM25RHC9CK1_E	GM640 Mobile, UHF (403-470MHz), 1-25W, 5 conventional channels per personality	\$604,00
<b>Accessory Options: One option must be chosen</b>		
STDACC	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4137, enhanced compact microphone MDRMN4025A and low profile trunnion kit GLN7324)	\$0,00
MDB142AA	<b>Adds Heavy Duty Microphone with accessories</b> (Power cable HKN4137, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
MDB343AC	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, power cable HKN4137 and low profile trunnion kit GLN7324)	\$63,00
MDB882AG	<b>Adds EU Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDG531AJ	<b>Adds UK Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
MDB665AG	<b>Adds EU Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7374AR, and power supply HPN4008A)	\$275,00
MDB665AH	<b>Adds UK Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7375AR, and power supply HPN4008A)	\$275,00
MDB90AH	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**GM660 - The Versatile Radio (MPT1327 Trunked, Menu Navigation Keys)**

The GM660 can be easily programmed in the field to add or delete features, making it a useful tool for growing organisations with rapidly changing business needs.

**Hardware features:**

- 1 Line 14-character Display
- Menu Navigation Keypad
- 4 Programmable Buttons
- 3 Status LEDs
- Internal Loudspeaker
- Voice Storage (standard on this model - option board not required)
- Antenna connector : BNC


**Operator friendly controls and features include:**

- MPT1327 Signalling
- Conventional Mode (Carrier Squelch + PL)
- Up to 4 configurable personalities
- Wideband and Programmable Channel Spacing
- Option Board Expandability
- X-Pand™ Voice Compression/Low Level Expansion
- DTMF Capability (with Keypad Microphone)
- Dynamic Regrouping
- Data Display
- Missed Call Alerts
- Car Radio Mute
- External Alarm
- Short Data Messages by Keypad (with Keypad Microphone )
- Contact List up to 100 entries
- User Editable Contact List (with Keypad Microphone)

All GM660 models include (plus accessory options):

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>VHF ( 136 - 174 MHz)</b>		
MDM25KHF9CK5_E	GM660 Mobile, VHF (136-174MHz), 1-25W, 16 conventional channels per personality	\$683,00
<b>UHF ( 403 - 470 MHz)</b>		
MDM25RHF9CK5_E	GM660 Mobile, UHF (403-470MHz), 1-25W, 16 conventional channels per personality	\$683,00
<b>Accessory Options: One option must be chosen</b>		
<b>STDACC</b>	<b>Adds mobile accessories (included in model price)</b> (Battery power cable HKN4137, enhanced compact microphone MDRMN4025 and low profile trunnion kit GLN7324)	\$0,00
<b>MDB142AA</b>	<b>Adds Heavy Duty Microphone with accessories</b> (Power cable HKN4137, Heavy Duty microphone MDRMN4038 and low profile trunnion kit GLN7324)	\$19,90
<b>MDB343AC</b>	<b>Adds Telephone Handset with accessories</b> (Handset GMUN1006, power cable HKN4137 and low profile trunnion kit GLN7324)	\$63,00
<b>MDB382AB</b>	<b>Adds Keypad Microphone with accessories</b> (Keypad Microphone MDRMN4026, power cable HKN4137 and low profile trunnion kit GLN7324)	\$52,50
<b>MDB882AG</b>	<b>Adds Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
<b>MDG531AJ</b>	<b>Adds UK Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$305,00
<b>MDB665AG</b>	<b>Adds EU Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7374AR, and power supply HPN4008A)	\$275,00
<b>MDB665AH</b>	<b>Adds UK Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7318, desktop microphone EMN3001B, 230V mains cable NTN7375AR, and power supply HPN4008A)	\$275,00
<b>MDB90AH</b>	<b>Delivery without accessories</b> (without power cable, trunnion kit and microphone)	-\$35,70

**GM1280 - The Sophisticated Radio (MPT1327 Trunked, Menu Navigation & Numeric Keypad)**

The GM1280 is for professionals who need to communicate using the highest levels of radio sophistication. Its user interface is via a full-feature keypad and graphic display, allowing maximum flexibility of use.

**Hardware features:**

- 4 Line 14-character Display
- Menu Navigation Keypad
- Full-feature Telephone-style Keypad
- 7 Programmable Buttons
- 3 Status LEDs
- Antenna connector : BNC
- Voice Storage (standard on this model - option board not required)


**Operator friendly controls and features include:**

- MPT1327 Signalling
- Conventional Mode (Carrier Squelch + PL)
- Up to 60 configurable personalities
- Wideband and Programmable Channel Spacing
- Option Board Expandability
- X-Pand™ Voice Compression/Low Level Expansion
- DTMF Capability
- Data Messaging
- Dynamic Regrouping
- Data Display
- Missed Call Alerts
- Car Radio Mute
- External Alarm
- Short Data Messages by Keypad
- Contact List up to 100 entries
- User Editable Contact List

All GM1280 models include (plus accessory options):

Mobile Radio, User Guide, Safety Instructions and R&TTE leaflet.

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>VHF ( 136 - 174 MHz)</b>		
MDM25KHN9CK8_E	GM1280 Mobile, VHF (136-174MHz) , 1-25W, 16 conventional channels per personality	\$814,00
<b>UHF ( 403 - 470 MHz)</b>		
MDM25RHN9CK8_E	GM1280 Mobile, VHF (403-470MHz), 1-25W, 16 conventional channels per personality	\$814,00

**Accessory Options: One option must be chosen**

Note: The remote mount kit (RLN4780) includes a small speaker in the plastic back housing.

STDACC0577_D	<b>Adds mobile accessories and 7.5W External Speaker (included in model price)</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$0,00
PRMACC0577_A	<b>Adds mobile accessories and 13W External Speaker (included in model price)</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$0,00
PRMACC0577_B	<b>Adds mobile accessories, remote mount kit and 3m mounting cable</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$72,50
PRMACC0577_C	<b>Adds mobile accessories, remote mount kit and 5m mounting cable</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$72,50
PRMACC0577_D	<b>Adds mobile accessories, remote mount kit and 7m mounting cable</b> (Enhanced compact microphone MDRMN4025, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$72,50
MDB142AD	<b>Adds Heavy Duty Microphone with accessories and 7.5W External Speaker</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$19,90
MDB142AE	<b>Adds Heavy Duty Microphone with accessories and 13W External Speaker</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$19,90
MDB142AF	<b>Adds Heavy Duty Microphone with accessories, remote mount kit and 3m mounting cable</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$88,90
MDB142AG	<b>Adds Heavy Duty Microphone with accessories, remote mount kit and 5m mounting cable</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$88,90
MDB142AH	<b>Adds Heavy Duty Microphone with accessories, remote mount kit and 7m mounting cable</b> (Heavy Duty microphone MDRMN4038, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$88,90



**G & PS Professional Radio Business**

Middle East, Africa Reseller Price List

Date: 05 June 2008

Professional Mobile Radio

MPT1327 Trunked Mobile

GM1280

Section 5 - Page L

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<i>Accessory Options (continued)</i>		
MDB343AF	<b>Adds Telephone Handset with accessories and 7.5W External Speaker</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$63,00
MDB343AG	<b>Adds Telephone Handset with accessories and 13W External Speaker</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$63,00
MDB343AH	<b>Adds Telephone Handset with accessories, remote mount kit and 3m mounting cable</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$135,50
MDB343AJ	<b>Adds Telephone Handset with accessories, remote mount kit and 5m mounting cable</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$135,50
MDB343AK	<b>Adds Telephone Handset with accessories, remote mount kit and 7m mounting cable</b> (Handset GMUN1006, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$135,50
MDB382AE	<b>Adds Keypad Microphone with accessories and 7.5W External Speaker</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 7.5W external speaker HSN8145)	\$52,50
MDB382AF	<b>Adds Keypad Microphone with accessories and 13W External Speaker</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324 and 13W external speaker RSN4001)	\$52,50
MDB382AG	<b>Adds Keypad Microphone with accessories, remote mount kit and 3m mounting cable</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 3m mounting cable RKN4077)	\$125,00
MDB382AH	<b>Adds Keypad Microphone with accessories, remote mount kit and 5m mounting cable</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 5m mounting cable RKN4078)	\$125,00
MDB382AJ	<b>Adds Keypad Microphone with accessories, remote mount kit and 7m mounting cable</b> (Keypad microphone MDRMN4026, Battery power cable HKN4137, low profile trunnion kit GLN7324, remote mount kit RLN4780 and 7m mounting cable RKN4079)	\$125,00
MDB90AL	<b>Delivery without accessories, but WITH 7.5W External Speaker</b> (without power cable, trunnion kit and microphone, but WITH 7.5W external speaker HSN8145)	-\$35,70
MDB90AM	<b>Delivery without accessories, but WITH 13W External Speaker</b> (without power cable, trunnion kit and microphone, but WITH 13W external speaker RSN4001)	-\$35,70
MDB90AN	<b>Delivery without accessories, but WITH remote mount kit and 3m mounting cable</b> (without power cable, trunnion kit and microphone, but WITH remote mount kit RLN4780 and 3m mounting cable RKN4077)	-\$36,75
MDB90AP	<b>Delivery without accessories, but WITH remote mount kit and 5m mounting cable</b> (without power cable, trunnion kit and microphone, but WITH remote mount kit RLN4780 and 5m mounting cable RKN4078)	-\$36,75
MDB90AQ	<b>Delivery without accessories, but WITH remote mount kit and 7m mounting cable</b> (without power cable, trunnion kit and microphone, but WITH remote mount kit RLN4780 and 7m mounting cable RKN4079)	-\$36,75
MDB882AH	<b>Adds EU Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone EMN3001B, 230V EU mains cable NTN7374AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$315,00
MDG531AK	<b>Adds UK Base Station accessories (EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone EMN3001B, 230V UK mains cable NTN7375AR, switched mode, battery revert power supply GPN6145A and 12V cable GKN6266A)	\$315,00
MDB665AJ	<b>Adds EU Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone EMN3001B, 230V EU mains cable NTN7374AR, and power supply HPN4008A)	\$285,00
MDB665AK	<b>Adds UK Base Station accessories (Not EMC Approved)</b> (Desktop mounting tray GLN7326, desktop microphone EMN3001B, 230V mains cable NTN7375AR, and power supply HPN4008A)	\$285,00



## Middle East, Africa Reseller Price List

Date: 05 June 2008

Section 5 - Page M

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>Mobile Antennas with BNC connector</b>		
RAD4198	Antenna BNC 136-144 MHz, 1/4 Wave Roof Mount	\$30,00
RAD4199	Antenna BNC 146-150.8 MHz, 1/4 Wave Roof Mount	\$30,00
RAD4200	Antenna BNC 150.8-162 MHz, 1/4 Wave Roof Mount	\$30,00
RAD4201	Antenna BNC 162-172 MHz, 1/4 Wave Roof Mount	\$30,00
RAE4151	Antenna BNC 403 - 430 MHz	\$32,00
RAE4152	Antenna BNC 450 - 470 MHz	\$32,00
<b>Other Mobile Antennas - please order in conjunction with separate BNC connector</b>		
HAD4006	VHF 136-144 MHz, 1/4 Wave Roof Mount	\$17,85
HAD4007	VHF 146-150,8 MHz, 1/4 Wave Roof Mount	\$17,85
HAD4008	VHF 150,8-162 MHz, 1/4 Wave Roof Mount	\$17,85
HAD4009	VHF 162-174 MHz, 1/4 Wave Roof Mount	\$17,85
HAD4014	VHF 146-172 MHz, 3 dB Gain Roof Mount	\$60,00
HAE4002	UHF 403-430 MHz, 1/4 Wave Roof Mount	\$16,80
HAE4003	UHF 450-470 MHz, 1/4 Wave Roof Mount	\$21,00
HAE4010	UHF 406-420 MHz, 3,5 dB Gain Roof Mount	\$68,25
HAE4011	UHF 450-470 MHz, 3,5 dB Gain Roof Mount	\$68,25
0902105F01	BNC Connector - must be ordered with the above-mentioned antennas when used with 5 Tone and MPT Mob	\$7,40
<b>Microphones + PTTs</b>		
MDRMN4025	Enhanced Compact Microphone with clip	\$53,00
MDRMN4026	Enhanced Keypad Microphone	\$105,00
MDRMN4038	Heavy Duty Microphone	\$69,90
GMUN1006	Telephone Style Handset with hang-up cup	\$116,00
ENMN4019	Visor Mounted Microphone	\$22,00
RLN4836_R	Emergency Footswitch	\$33,00
RLN4856	Footswitch PTT	\$33,00
RLN4857	Push Button PTT	\$29,50
RLN4858	Gooseneck PTT	\$52,00
<b>Base Station Accessories</b>		
RMN5068	Desktop microphone (for Select 5 and MDC radios)	\$90,00
RMN5082	Desktop microphone	\$90,00
EMN3001B	Desktop microphone (for MPT radios) <b>Cancelled - replaced by RMN5082</b>	
GLN7318	Desktop Tray without speaker	\$49,00
GLN7326	Desktop Tray with loudspeaker	\$89,00
GPN6145	25W Switched Mode Power Supply with Battery Revert/Trickle Charge (EMC Approved)	\$237,00
HPN4008	25W Power Supply (Not EMC Approved)	\$218,40
NTN7373_R	110V US Mains Cable	\$10,00
NTN7374_R	230V Euro Mains Cable	\$10,00
NTN7375_R	230V UK Mains Cable	\$10,00
<b>External Loudspeakers</b>		
HSN8145	External speaker 7.5W	\$37,00
RSN4001	External Speaker 13W	\$35,00
<b>Cables</b>		
HKN4137	12V power cable battery (1-25W)	\$15,02
HKN4191	12V power cable battery (25-60W)	\$13,00
HKN9557	Mini-UHF (m) to PL259 (f) cable	\$11,55
GKN6272	External Alarm Relay and Cable	\$16,80
<b>Installation Accessories</b>		
GLN7324	Low Profile Mounting Trunnion (Standard)	\$12,60
GLN7317	High Profile Mounting Trunnion	\$12,60
RLN4774	3 point mount for LB mobiles or extra stability	\$21,00
RLN4779	Key Lock Mount	\$50,00
RLN4781	Dashboard Mount Kit (GM140/GM160/GM340/GM360/GM640/GM660)	\$26,50

MODEL NUMBER	DESCRIPTION	MANUF. SUGG. LIST PRICE
<b>Remote Mount</b>		
RLN4801	Remote Mount Kit for GM140/GM340/GM640	\$63,00
RLN4802	Remote Mount Kit for GM160/GM360/GM660	\$63,00
RLN4780	Remote Mount Kit for GM380/GM1280	\$76,00
RKN4077	Remote Mounting Cable, 3m	\$31,50
RKN4078	Remote Mounting Cable, 5m	\$31,50
RKN4079	Remote Mounting Cable, 7m	\$31,50
Note: no cable is included with the Remote Mounting kits: one must be ordered separately		
<b>Option Boards</b>		
MDHLN9725	Voice Storage (Note: only version C onwards is compatible with mobiles)	\$63,00
RLN4823	Option Board Installation Kit	\$15,80
GCN6118	MAP27 Expansion Head (see picture below)	\$105,00
<b>Miscellaneous</b>		
HLN9457	Accessory Connecting Kit	\$5,25
GLN7325	Accessory Connector Cover (IP54)	\$3,15
RLN4827	Button kit: MPT GM660/GM1280 (C,P,S,D)	\$5,30
RLN4828	Button kit: 5 Tone GM360/GM380 (monitor, scan, emergency, C)	\$5,30
RLN4830	Button kit: MDC GM160 (Zone, Hi/Lo, VStr, X-Pand, emergency icon)	\$5,30
RLN4853	10 pin (mic) to 20 pin (rear) adapter	\$17,90
WAPN4004	DC / DC Converter; 24->12VDC; 6-10AMP, SWITCHMODE isolated input to output	\$113,00
WAPN4005	DC / DC Converter; 24->12VDC; 12-18AMP, SWITCHMODE isolated input to output	\$190,00
<b>Programming Cables and Accessories</b>		
GTF374	Programming Cable (use with standard Radio Interface Box)	\$49,00
RKN4081	Mobile Programming Cable (RIBless)	\$147,00
RKN4083	Mobile Programming/Test Cable	\$57,00
HLN9742	Flashing Adaptor	\$107,00
<b>Manuals</b>		
6864110B80	GM340 Basic User Guide 5 Tone - Multilingual	\$8,40
6864110B81	GM360 Basic User Guide 5 Tone - Multilingual	\$8,40
6864110B82	GM380 Basic User Guide 5 Tone - Multilingual	\$8,40
6864110B83	GM640 Basic User Guide MPT - Multilingual	\$8,40
6864110B84	GM660 Basic User Guide MPT - Multilingual	\$8,40
6864110B85	GM1280 Basic User Guide MPT - Multilingual	\$8,40
6864110B86	GM140 User Guide MDC - English	\$8,40
ENLN4137	Product Manual for Select 5 radios - English	\$209,00
ENLN4138	Product Manual for Select 5 radios - German	\$209,00
ENLN4139	Product Manual for Select 5 radios - French	\$209,00
ENLN4142	Product Manual for Select 5 radios - Russian	\$209,00
ENLN4145	Product Manual for MPT radios - French	\$209,00
ENLN4146	Product Manual for MPT radios - Russian	\$209,00
ENLN4147	Product Manual for MDC radios - English	\$209,00

Note: All Product Manuals include Full Feature User Guide, Selling Guide, CPS, Installation Manual and Basic Service Manual

**GCN6118**  
**MAP27 Expansion Head**

