




P160/P180 Series

Portable Radio and Accessories



Price Catalogue
Eastern Europe, Middle East / Africa

Contents

P160 Portable Radio Models ➡

P180 Portable Radio Models ➡

P Series Portable Radio Accessories ➡

Price catalogue is subject to change without notice.

MOTOROLA and the Stylized M Logo are registered in the U.S. Patent and Trademark Office.
All other product or service names are the property of their registered owners. © Motorola, Inc. 2009

Delivers Two-Way Radio Functionality with an Ergonomic Compact Design

Features

- 99 channels
- Large on/off/volume control knob
- 8 character alphanumeric LCD with user-friendly icons
- Large, textured PTT for easy access
- 5 programmable buttons enabling one touch access for up to 10 user-selected features
- DTMF signalling that provides caller identification and private communication
- VOX ready for hands-free communication
- X-Pand Technology and tight specifications to enhance the rejection of interference resulting in crisp, clear audio
- Long lasting battery life - Lilon battery solution offering up to 11 hours of battery life at high power operation
- Easy-to-use, durable, compact and lightweight design (350 grams or 12.3 ounces with the standard Lilon battery)
- Motorola's ALT (Accelerated Life Testing) certified
- MIL-STD 810C, D, E and F compliant
- IP54 rating against dust and water intrusion

Standard Package

Basic model includes:

- Portable Radio with limited keypad
- Antenna (select from Options)
- Battery (select from Options)
- 2nd Battery (optional)
- Belt Clip
- Dust Cover
- Single Unit Charger
- Switch Mode Power Supply (select from Options)
- Quick Reference Guide (optional)
- Safety Leaflet and Accessory Leaflet

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

VHF (136-174MHz): 140.000, 155.010, 155.020, 155.030, 155.015, 155.170, 155.180, 155.175, 155.505, 159.995, 160.000, 160.005, 161.450, 167.025, 167.030, 169.995, 170.000, 170.005, 173.985, 173.990MHz
 UHF1 (403-447MHz): 424.355, 424.810, 442.360, 442.365, 442.370, 444.010, 444.015, 443.900, 444.125, 446.030, 446.035, 446.445, 446.450, 446.675MHz
 UHF2 (435-480MHz): 446.440, 446.445, 455.895, 456.010, 456.015, 456.125, 458.195, 460.000, 467.785, 467.900, 468.010, 468.125, 468.240, 470.000, 479.900MHz

P160 136-174 5W 12.5/25K SCR PB302F

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03KEH8AA7AE	P160 136-174 5W 12.5/25K SCR PB302F CE: No RTTE: No	\$270.00

Mandatory Options: One option from each group must be chosen

Antenna	QA01289AA	ADD: VHF HELIFLEX 146-174MHZ	\$0.00
	QA01290AA	ADD: VHF HELIFLEX 136-162 MHZ	\$0.00
	QA01291AA	ADD: VHF STUBBY 146-162 MHZ 9CM	\$0.00
	QA01293AA	ADD: VHF STUBBY 155-174 MHZ 9 CM	\$0.00
	QA01294AA	ADD: VHF ANT 155-174MHZ 14CM	\$0.00
	QA01295AA	ADD: VHF STUBBY 162-174 MHZ 9CM	\$0.00
	QA01296AA	ADD: VHF STUBBY 136-155 MHZ 9 CM	\$0.00
	QA01297AA	ADD: VHF ANT 136-155MHZ 14CM	\$0.00
CLS STAN-DARD BATTERY P100 SERIES	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
CLS CHARGER P100 SERIES	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00

P160 Portable

P160 136-174 5W 12.5/25K SCR PB302F (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
CLS QUICK REF GUIDE P100 SERIES	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
Warranty	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

Additional Options: May be ordered as required

CLS SECOND BATTERY P100 SERIES	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
Trade In	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

P160 403-447 4W 12.5/25K PB502FA

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH03QDH8AA7AE	P160 403-447 4W 12.5/25K PB502FA CE: No RTTE: No	\$270.00

Mandatory Options: One option from each group must be chosen

Antenna	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
	QA01284AA	ADD: UHF STUBBY 403-433MHZ 9CM	\$0.00
CLS STANDARD BATTERY P100 SERIES	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
CLS CHARGER P100 SERIES	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
CLS QUICK REF GUIDE P100 SERIES	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
Warranty	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

Additional Options: May be ordered as required

CLS SECOND BATTERY P100 SERIES	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
Trade In	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

P160 Portable

P160 435-480 4W LKP SCR PB502FB

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03RDH8AA7AE	P160 435-480 4W LKP SCR PB502FB CE: No RTTE: No	\$270.00

Mandatory Options: One option from each group must be chosen

Antenna	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
CLS STANDARD BATTERY P100 SERIES	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
CLS CHARGER P100 SERIES	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
CLS QUICK REF GUIDE P100 SERIES	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
Warranty	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

Additional Options: May be ordered as required

CLS SECOND BATTERY P100 SERIES	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
Trade In	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

Delivers Two-Way Radio Functionality with an Ergonomic Compact Design

Features

- 99 channels
- Large on/off/volume control knob
- 8 character alphanumeric LCD with user-friendly icons
- Large, textured PTT for easy access
- 5 programmable buttons enabling one touch access for up to 10 user-selected features
- Keypad enables flexible radio operation
- DTMF signalling that provides caller identification and private communication
- VOX ready for hands-free communication;
- X-Pand Technology and tight specifications to enhance the rejection of interference resulting in crisp, clear audio;
- Long lasting battery life - Lilon battery solution offering up to 11 hours of battery life at high power operation
- Easy-to-use, durable, compact and lightweight design (350 grams or 12.3 ounces with the standard Lilon battery)
- Motorola's ALT (Accelerated Life Testing) certified
- MIL-STD 810C, D, E and F compliant
- IP54 rating against dust and water intrusion

Standard Package

Basic model includes:

- Portable Radio with full keypad
- Antenna (select from Options)
- Battery (select from Options)
- 2nd Battery (optional)
- Belt Clip
- Dust Cover
- Single Unit Charger
- Switch Mode Power Supply (select from Options)
- Quick Reference Guide (optional)
- Safety Leaflet and Accessory Leaflet

Technical Data

The following frequencies are potentially self-quieting and should be avoided:

VHF (136-174MHz): 140.000, 155.010, 155.020, 155.030, 155.015, 155.170, 155.180, 155.175, 155.505, 159.995, 160.000, 160.005, 161.450, 167.025, 167.030, 169.995, 170.000, 170.005, 173.985, 173.990MHz
 UHF1 (403-447MHz): 424.355, 424.810, 442.360, 442.365, 442.370, 444.010, 444.015, 443.900, 444.125, 446.030, 446.035, 446.445, 446.450, 446.675MHz
 UHF2 (435-480MHz): 446.440, 446.445, 455.895, 456.010, 456.015, 456.125, 458.195, 460.000, 467.785, 467.900, 468.010, 468.125, 468.240, 470.000, 479.900MHz

P180 136-174 5W 12.5/25K SCR PB302H

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03KEK8AA7AE	P180 136-174 5W 12.5/25K SCR PB302H CE: No RTTE: No	\$280.00

Mandatory Options: One option from each group must be chosen

Antenna	QA01289AA	ADD: VHF HELIFLEX 146-174MHZ	\$0.00
	QA01290AA	ADD: VHF HELIFLEX 136-162 MHZ	\$0.00
	QA01291AA	ADD: VHF STUBBY 146-162 MHZ 9CM	\$0.00
	QA01293AA	ADD: VHF STUBBY 155-174 MHZ 9 CM	\$0.00
	QA01294AA	ADD: VHF ANT 155-174MHZ 14CM	\$0.00
	QA01295AA	ADD: VHF STUBBY 162-174 MHZ 9CM	\$0.00
	QA01296AA QA01297AA	ADD: VHF STUBBY 136-155 MHZ 9 CM ADD: VHF ANT 136-155MHZ 14CM	\$0.00 \$0.00
CLS STANDARD BATTERY P100 SERIES	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
CLS CHARGER P100 SERIES	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00

P180 Portable

P180 136-174 5W 12.5/25K SCR PB302H (Continued)

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
CLS QUICK REF GUIDE P100 SERIES	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
Warranty	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

Additional Options: May be ordered as required

CLS SECOND BATTERY P100 SERIES	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
Trade In	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

P180 403-447 4W 12.5/25K PB502HA

	MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
	MDH03QDK8AA7AE	P180 403-447 4W 12.5/25K PB502HA CE: No RTTE: No	\$280.00

Mandatory Options: One option from each group must be chosen

Antenna	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
	QA01284AA	ADD: UHF STUBBY 403-433MHZ 9CM	\$0.00
CLS STANDARD BATTERY P100 SERIES	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
CLS CHARGER P100 SERIES	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
CLS QUICK REF GUIDE P100 SERIES	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
Warranty	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

Additional Options: May be ordered as required

CLS SECOND BATTERY P100 SERIES	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
Trade In	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

P180 Portable

P180 435-480 4W FKP SCR PB502HB

MODEL NO.	DESCRIPTION	MANUF. SUGG. LIST PRICE
MDH03RDK8AA7AE	P180 435-480 4W FKP SCR PB502HB CE: No RTTE: No	\$280.00

Mandatory Options: One option from each group must be chosen

Antenna	QA01281AA	ADD: UHF WHIP 403-520MHZ 16.5CM	\$0.00
	QA01282AA	ADD: UHF WHIP 403-520MHZ	\$0.00
	QA01283AA	ADD: UHF STUBBY 430-470MHZ 9CM	\$0.00
CLS STAN-DARD BATTERY P100 SERIES	QA01298AA	ADD: NIMH BATTERY 1300MAH	\$0.00
	QA01299AA	ADD: LIION BATTERY 1500MAH	\$35.00
	QA01300AA	ADD: LIION HIGH CAPACITY 2150MAH	\$65.00
	QA01488AA	ADD: NIMH BATT 1300MAH FOR LOW TEMP	\$5.00
CLS CHARGER P100 SERIES	QA01304AA	ADD: SUC BASE WITH US 2P SMPS	\$0.00
	QA01305AA	ADD: SUC BASE WITH UK 3P SMPS	\$0.00
	QA01306AA	ADD: SUC BASE WITH EU 2P SMPS	\$0.00
CLS QUICK REF GUIDE P100 SERIES	QA01357AA	ADD: QUICK REF GUIDE P100 SERIES	\$0.00
	QA01358AA	DEL: QUICK REF GUIDE P100 SERIES	\$0.00
Warranty	QA01307AA	ADD: 12 MONTHS WARRANTY EMEA	\$0.00
	QA01308AA	ADD: ECO 24 MONTHS WARRANTY EMEA	-
	QA01309AA	ADD: ECO 36 MONTHS WARRANTY EMEA	-
	QA01310AA	ADD: ECO 48 MONTHS WARRANTY EMEA	-
	QA01311AA	ADD: ECO 60 MONTHS WARRANTY EMEA	-
	QA01312AA	DEL: WARRANTY EMEA	-

Additional Options: May be ordered as required

CLS SECOND BATTERY P100 SERIES	QA01301AA	ADD: SECOND NIMH BATTERY 1300MAH	\$36.00
	QA01302AA	ADD: SECOND LIION BATTERY 1500MAH	\$68.00
	QA01303AA	ADD: SECOND LIION HIGH CAP 2150MAH	\$95.00
	QA01489AA	ADD: SEC NIMH BAT 1300MAH F/LOW TMP	\$41.00
Trade In	QA01313AA	ADD: TRADE IN A (P100)	-
	QA01314AA	ADD: TRADE IN B (P100)	-

Carrying Solutions


	Spring Action Belt Clip <ul style="list-style-type: none"> Material: Plastic Attachment Type: Belt Clip Belt Swivel: No Belt Width: 1.5 inch Display/Non-Display: N/A 	
	<table border="1"> <tr> <td> Part Number: HLN9844A SPRING ACTION BELT CLIP 1.5 Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$2.35 </td> </tr> </table>	Part Number: HLN9844A SPRING ACTION BELT CLIP 1.5 Unit of Measure: EA CE: No RTTE: No
Part Number: HLN9844A SPRING ACTION BELT CLIP 1.5 Unit of Measure: EA CE: No RTTE: No	List Price \$2.35	


Antennas


	Antenna VHF 136-162MHz <ul style="list-style-type: none"> Type: Heliflex Frequency Band: VHF Frequency Range: 136-162MHz GPS: N Colour Code: Yellow Length (cm): 15.5 	
	<table border="1"> <tr> <td> Part Number: HAD9338BR ANTENNA VHF 136-150.8 MHZ Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$9.00 </td> </tr> </table>	Part Number: HAD9338BR ANTENNA VHF 136-150.8 MHZ Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9338BR ANTENNA VHF 136-150.8 MHZ Unit of Measure: EA CE: No RTTE: No	List Price \$9.00	

	Antenna VHF 146-162MHz Stubby <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 146-162MHz GPS: N Colour Code: Black Length (cm): 9 	
	<table border="1"> <tr> <td> Part Number: HAD9742A VHF STUB ANT 151-159 Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$9.00 </td> </tr> </table>	Part Number: HAD9742A VHF STUB ANT 151-159 Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9742A VHF STUB ANT 151-159 Unit of Measure: EA CE: No RTTE: No	List Price \$9.00	


	Antenna VHF 162-174MHz Stubby <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 162-174MHz GPS: N Colour Code: Blue Length (cm): 9 	
	<table border="1"> <tr> <td> Part Number: HAD9743A 162-174 MHZ STUB ANT Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$9.00 </td> </tr> </table>	Part Number: HAD9743A 162-174 MHZ STUB ANT Unit of Measure: EA CE: No RTTE: No
Part Number: HAD9743A 162-174 MHZ STUB ANT Unit of Measure: EA CE: No RTTE: No	List Price \$9.00	


	Antenna VHF 146-174MHz <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 146-174MHz GPS: N Colour Code: Black Length (cm): 15 	
	<table border="1"> <tr> <td> Part Number: NAD6502AR WIDEBAND VHF ANTENNA Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$10.00 </td> </tr> </table>	Part Number: NAD6502AR WIDEBAND VHF ANTENNA Unit of Measure: EA CE: No RTTE: No
Part Number: NAD6502AR WIDEBAND VHF ANTENNA Unit of Measure: EA CE: No RTTE: No	List Price \$10.00	


	Antenna VHF 136-155MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 9 	
	<table border="1"> <tr> <td> Part Number: PMAD4012A VHF 9CM ANT (136-155MHZ) Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$7.00 </td> </tr> </table>	Part Number: PMAD4012A VHF 9CM ANT (136-155MHZ) Unit of Measure: EA CE: No RTTE: No
Part Number: PMAD4012A VHF 9CM ANT (136-155MHZ) Unit of Measure: EA CE: No RTTE: No	List Price \$7.00	

	Antenna VHF 155-174MHz <ul style="list-style-type: none"> Type: Stubby Frequency Band: VHF Frequency Range: 155-174MHz GPS: N Colour Code: Black Length (cm): 9 	
	<table border="1"> <tr> <td> Part Number: PMAD4013A VHF 9CM ANT (155-174MHZ) Unit of Measure: EA CE: No RTTE: No </td> <td> List Price \$7.00 </td> </tr> </table>	Part Number: PMAD4013A VHF 9CM ANT (155-174MHZ) Unit of Measure: EA CE: No RTTE: No
Part Number: PMAD4013A VHF 9CM ANT (155-174MHZ) Unit of Measure: EA CE: No RTTE: No	List Price \$7.00	

Antennas (Continued)

	<p>Antenna VHF 136-155MHz</p> <ul style="list-style-type: none"> Type: Helical Frequency Band: VHF Frequency Range: 136-155MHz GPS: N Colour Code: Red Length (cm): 14 	
	<table border="1"> <tr> <td> <p>Part Number: PMAD4014A VHF 14CM ANT (136-155MHZ) Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$8.40</p> </td> </tr> </table>	<p>Part Number: PMAD4014A VHF 14CM ANT (136-155MHZ) Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAD4014A VHF 14CM ANT (136-155MHZ) Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$8.40</p>	


	<p>Antenna VHF 155-174MHz Whip</p> <ul style="list-style-type: none"> Type: Whip Frequency Band: VHF Frequency Range: 155-174MHz GPS: N Colour Code: Black Length (cm): 14 	
	<table border="1"> <tr> <td> <p>Part Number: PMAD4015A VHF 14CM ANT (155-174MHZ) Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$7.50</p> </td> </tr> </table>	<p>Part Number: PMAD4015A VHF 14CM ANT (155-174MHZ) Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAD4015A VHF 14CM ANT (155-174MHZ) Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$7.50</p>	

	<p>Antenna VHF 146-174MHz</p> <ul style="list-style-type: none"> Type: Heliflex Frequency Band: UHF Frequency Range: 146-174MHz GPS: No Colour Code: - Length (cm): 15 ATEX Dust Rating: 2D 	
	<table border="1"> <tr> <td> <p>Part Number: PMAD4049A ANTENNA HELICAL 146-174 MHZ E Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$5.00</p> </td> </tr> </table>	<p>Part Number: PMAD4049A ANTENNA HELICAL 146-174 MHZ E Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAD4049A ANTENNA HELICAL 146-174 MHZ E Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$5.00</p>	

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>Antenna UHF 403-433MHz</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 403-433MHz GPS: N Colour Code: Green Length (cm): 9 	
	<table border="1"> <tr> <td> <p>Part Number: PMAE4002A UHF 9CM ANTENNA(STUBBY) Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$11.30</p> </td> </tr> </table>	<p>Part Number: PMAE4002A UHF 9CM ANTENNA(STUBBY) Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAE4002A UHF 9CM ANTENNA(STUBBY) Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$11.30</p>	

<p style="text-align: center;">IMAGE COMING SOON</p>	<p>Antenna UHF 430-470MHz</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 430-470MHz GPS: N Colour Code: Beige Length (cm): 9 	
	<table border="1"> <tr> <td> <p>Part Number: PMAE4003A UHF 9CM ANT (430-470MHZ) Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$9.00</p> </td> </tr> </table>	<p>Part Number: PMAE4003A UHF 9CM ANT (430-470MHZ) Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAE4003A UHF 9CM ANT (430-470MHZ) Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$9.00</p>	


<p style="text-align: center;">IMAGE COMING SOON</p>	<p>Antenna UHF 465-495MHz</p> <ul style="list-style-type: none"> Type: Stubby Frequency Band: UHF Frequency Range: 465-495MHz GPS: N Colour Code: Orange Length (cm): 9 	
	<table border="1"> <tr> <td> <p>Part Number: PMAE4006A UHF 9CM ANTENNA (465-495MHZ) Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$9.80</p> </td> </tr> </table>	<p>Part Number: PMAE4006A UHF 9CM ANTENNA (465-495MHZ) Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAE4006A UHF 9CM ANTENNA (465-495MHZ) Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$9.80</p>	

	<p>Antenna UHF 403-520MHz Whip</p> <ul style="list-style-type: none"> Type: Whip Frequency Band: UHF Frequency Range: 403-520MHz GPS: No Colour Code: N/A Length (cm): 17 ATEX Dust Rating: 2D 	
	<table border="1"> <tr> <td> <p>Part Number: PMAE4016A ANTENNA WHIP 403-520 MHZ E Unit of Measure: EA CE: No RTTE: No</p> </td> <td> <p>List Price \$5.00</p> </td> </tr> </table>	<p>Part Number: PMAE4016A ANTENNA WHIP 403-520 MHZ E Unit of Measure: EA CE: No RTTE: No</p>
<p>Part Number: PMAE4016A ANTENNA WHIP 403-520 MHZ E Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price \$5.00</p>	

Batteries

	<p>Li-Ion 2150 mAH battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD(mm): 119.46x55.42x23.20 • Weight(g): 150g • Chemistry: Li-Ion • Operational Time(Hrs): Analogue (5-5-90) - 12 hours min. • Capacity[mAH]: 2150mAh(min) • Intelligent: No • No. of Charge cycle: 300 • Energy Density (mAh/cm3): 14.26 • Operating Tem Range (xc): -10 to +60 • Memory Effect: Low • Requires Maintenance: No 				
	<table border="1"> <tr> <td>Part Number: PMNN4080AR</td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 LIION2150M2250T</td> <td rowspan="2">\$105.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	Part Number: PMNN4080AR	List Price	BATT STD IP54 LIION2150M2250T	\$105.00
Part Number: PMNN4080AR	List Price				
BATT STD IP54 LIION2150M2250T	\$105.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p>Li-Ion 1500 mAH battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD(mm): 119.33x54.42x18.00 • Weight(g): 145g • Chemistry: Li-Ion • Operational Time(Hrs): Analogue (5-5-90) - 8 hours min. • Capacity[mAH]: 1500mAh(min) • Intelligent: No • No. of Charge cycle: 300 • Energy Density (mAh/cm3): 12.83 • Operating Tem Range (xc): -10 to +60 • Memory Effect: Low • Requires Maintenance: No 				
	<table border="1"> <tr> <td>Part Number: PMNN4081AR</td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 LIION1500M1700T</td> <td rowspan="2">\$75.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	Part Number: PMNN4081AR	List Price	BATT STD IP54 LIION1500M1700T	\$75.00
Part Number: PMNN4081AR	List Price				
BATT STD IP54 LIION1500M1700T	\$75.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p>NiMH 1300 mAH battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD(mm): 119.37x54.42x19.00 • Weight(g): 200g • Chemistry: NiMH • Operational Time(Hrs): Analogue (5-5-90) - 8 hours min. • Capacity[mAH]: 1300mAh(min) • Intelligent: No • No. of Charge cycle: 400 • Energy Density (mAh/cm3): 10.53 • Operating Tem Range (xc): -10 to +60 • Memory Effect: Low • Requires Maintenance: No 				
	<table border="1"> <tr> <td>Part Number: PMNN4082AR</td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 NIMH1300M1400T</td> <td rowspan="2">\$40.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	Part Number: PMNN4082AR	List Price	BATT STD IP54 NIMH1300M1400T	\$40.00
Part Number: PMNN4082AR	List Price				
BATT STD IP54 NIMH1300M1400T	\$40.00				
Unit of Measure: EA CE: Yes RTTE: No					


<p style="text-align: center;">IMAGE COMING SOON</p>	<p style="text-align: center;">BATT STD IP54 NIMH1300M1400T</p> <p style="text-align: center;">Currently Not Orderable</p> <p style="text-align: center;">will be running change once AR stock depletes</p>				
	<table border="1"> <tr> <td>Part Number: PMNN4082BR</td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 NIMH1300M1400T</td> <td rowspan="2">\$40.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	Part Number: PMNN4082BR	List Price	BATT STD IP54 NIMH1300M1400T	\$40.00
Part Number: PMNN4082BR	List Price				
BATT STD IP54 NIMH1300M1400T	\$40.00				
Unit of Measure: EA CE: Yes RTTE: No					


	<p>NiMH 1300 mAH battery</p> <ul style="list-style-type: none"> • Dimensions HxWxD(mm): 119.37x54.42x19.00 • Weight(g): 210g • Chemistry: NiMH • Operational Time(Hrs): Analogue (5-5-90) - 8 hours min. • Capacity[mAH]: 1300mAh(min) • Intelligent: No • No. of Charge cycle: 500 • Energy Density (mAh/cm3): 10.53 • Operating Tem Range (xc): -20 to +60 • Memory Effect: Low • Requires Maintenance: No 				
	<table border="1"> <tr> <td>Part Number: PMNN4092AR</td> <td>List Price</td> </tr> <tr> <td>BATT STD IP54 NIMH1300M1400T</td> <td rowspan="2">\$45.00</td> </tr> <tr> <td>Unit of Measure: EA CE: Yes RTTE: No</td> </tr> </table>	Part Number: PMNN4092AR	List Price	BATT STD IP54 NIMH1300M1400T	\$45.00
Part Number: PMNN4092AR	List Price				
BATT STD IP54 NIMH1300M1400T	\$45.00				
Unit of Measure: EA CE: Yes RTTE: No					

Chargers & Conditioners

 IMAGE COMING SOON	<p>Switch Mode Power Supply (Euro)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): - Operating Temperature (°C): - Storage Temperature (°C): - Operating Voltage (Vac): 90-264 Line cord: Euro Charger Base: for use with PMLN5228AR 	
	<p>Part Number: EPNN9286A ASSY,P/S,CHGR SWM,EURO, SWITCHING, PWR SPLY Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$20.00</td> </tr> </table>	List Price
List Price		
\$20.00		

 IMAGE COMING SOON	<p>Switch Mode Power Supply (UK)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): - Operating Temperature (°C): - Storage Temperature (°C): - Operating Voltage (Vac): 90-264 Line cord: UK Charger Base: for use with PMLN5228AR 	
	<p>Part Number: EPNN9287A ASSY,P/S,CHGR SWM,UK, SWITCHING, PWR SPLY Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$20.00</td> </tr> </table>	List Price
List Price		
\$20.00		

 IMAGE COMING SOON	<p>Switch Mode Power Supply (US)</p> <ul style="list-style-type: none"> Type: Switch Mode Dimensions (mm): - Operating Temperature (°C): - Storage Temperature (°C): - Operating Voltage (Vac): 90-264 Line cord: US Charger Base: for use with PMLN5228AR 	
	<p>Part Number: EPNN9288A ASSY,P/S,CHGR SWM,NA/LA, SWITCHING, PWR SPLY Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$20.00</td> </tr> </table>	List Price
List Price		
\$20.00		

	<p>Tri-Chem Single Unit Charger Base</p> <ul style="list-style-type: none"> Type: Base only Dimensions (mm): - Operating Temperature (°C): - Storage Temperature (°C): - Operating Voltage (Vac): N/A Line cord: N/A 	
	<p>Part Number: PMLN5228AR CHARGER SINGLE UNIT RAPID TRI-CHEM Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$28.00</td> </tr> </table>	List Price
List Price		
\$28.00		

Ear Microphone Solutions


	<p>2-Wire Surveillance Earpiece with Combined Mic/PTT, (Beige)</p> <ul style="list-style-type: none"> PTT: PTT on Mic Operation: Receive and Transmit Headband: None VOX capability: No Extra VOX-Switch on PTT: No Intrinsic Safety Standard: FM (CP140, CP160 and CP180 only) 	
	<p>Part Number: HMN9754D SURVEILLANCE MIC Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$99.00</td> </tr> </table>	List Price
List Price		
\$99.00		

	<p>MagOne Earbud with in-line microphone and PTT</p> <ul style="list-style-type: none"> Operation: Receive and transmit PTT: In-line Vox capability: Yes Extra Vox-Switch on PTT: Yes Intrinsic Safety Standard: No Note: MagOne warranty 6 months 	
	<p>Part Number: MDPMLN4442A EAR BUD WITH IN-LINE PTT & VOX Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$15.00</td> </tr> </table>	List Price
List Price		
\$15.00		

	<p>MagOne Earpiece with in-line microphone and PTT</p> <ul style="list-style-type: none"> Operation: Receive and transmit PTT: In-line Vox capability: Yes Extra Vox-Switch on PTT: Yes Intrinsic Safety Standard: No Note: MagOne warranty 6 months 	
	<p>Part Number: MDPMLN4443A ear rcvr with inline ptt&vox Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$15.00</td> </tr> </table>	List Price
List Price		
\$15.00		

	<p>MagOne Earset with Boom Microphone and In-line PTT/VOX switch</p> <ul style="list-style-type: none"> PTT: In-line Receive via: Single ear Transmit via: Boom mic Headband: None Vox capability: Yes Extra Vox-Switch on PTT: Yes Intrinsic Safety Standard: No Note: MagOne warranty 6 months 	
	<p>Part Number: MDPMLN4444A EARPHONE BOOM MIC W/PTT & VOX Unit of Measure: EA CE: Yes RTTE: No</p> <table border="1" style="width: 100%;"> <tr> <td style="text-align: right;">List Price</td> </tr> <tr> <td style="text-align: center;">\$19.90</td> </tr> </table>	List Price
List Price		
\$19.90		

Ear Microphone Solutions (Continued)



D-Shell Earpiece with PTT/Mic

- Receive Method: Standard
- Transmit Method: Microphone
- VOX capability: Yes
- PTT: In Line
- Intrinsic Safety: FM (CP140, CP160 and CP180 only)

Part Number: PMLN5001A	List Price
D SHELL EARPIECE WITH PTT/MIC	\$28.00
Unit of Measure: EA CE: Yes RTTE: No	



Extreme Noise Kit, Includes Foam Earplugs with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6230A	List Price
EARPLUGS FOAM/ACOUSTIC TUBE BLACK	\$32.50
Unit of Measure: EA CE: Yes RTTE: No	




Low Noise Kit, Includes Rubber Tip with Acoustic Tube (Black)

- Noise Kits provide extra comfort when wearing surveillance accessories.
- Lightweight translucent tube attaches to the surveillance kit and includes quick disconnect adapter.
- Clothing clip prevents the accessory from being pulled from the ear due to body movements.

Part Number: RLN6232A	List Price
RUBBER EARTIP/ACOUSTIC TUBE BLACK	\$20.00
Unit of Measure: EA CE: No RTTE: No	

Headsets



Lightweight Headset

- PTT: Yes
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: No
- Intrinsic Safety Standard: FM (CP140/CP160/CP180 only)


Part Number: HMN9013B	List Price
LT WT HDST	\$60.00
Unit of Measure: EA CE: Yes RTTE: No	



MagOne Lightweight Headset with in-line PTT/VOX switch

- PTT: In-line
- Receive via: Single ear
- Transmit via: Boom mic
- Headband: Over
- Vox capability: Yes
- Extra Vox-Switch on PTT: Yes
- Intrinsic Safety Standard: No
- Note: MagONE warranty 6 months

Part Number: MDPMLN4445A	List Price
U/L HEADSET W IN-LINE PTT & VOX	\$25.00
Unit of Measure: EA CE: Yes RTTE: No	




Lightweight Temple Transducer

- Receive method: Bone conduction
- Transmit method: Microphone
- Voice Activation: Yes
- PTT: In Line
- Intrinsic Safety: No


Part Number: PMLN5003A	List Price
RETAIL TEMPLE TRANSDUCER	\$80.00
Unit of Measure: EA CE: Yes RTTE: No	

Remote Speaker Microphones

	<p>D-Shell RSM Earpiece, 3.5mm</p> <ul style="list-style-type: none"> • Operation: Attach to RSM - Receive Only • PTT: No • VOX capability: No • Programmable Button: No • Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only) 					
	<table border="1"> <tr> <td>Part Number: MDPMLN4620A</td> <td>List Price</td> </tr> <tr> <td>D-SHELL RSM EARPIECE 3,5MM</td> <td>\$19.90</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: No</td> </tr> </table>	Part Number: MDPMLN4620A	List Price	D-SHELL RSM EARPIECE 3,5MM	\$19.90	Unit of Measure: EA
Part Number: MDPMLN4620A	List Price					
D-SHELL RSM EARPIECE 3,5MM	\$19.90					
Unit of Measure: EA	CE: Yes RTTE: No					

	<p>MagOne Remote Speaker Microphone with Omnidirectional mic</p> <ul style="list-style-type: none"> • Audio Jack: No • Emergency Button: No • Volume Control: No • Noise Cancelling: No • Intrinsic Safety Standard: No • Note: MagOne warranty 6 months 					
	<table border="1"> <tr> <td>Part Number: MDPMMN4008A</td> <td>List Price</td> </tr> <tr> <td>REMOTE SPEAKER MICROPHONE</td> <td>\$20.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: No</td> </tr> </table>	Part Number: MDPMMN4008A	List Price	REMOTE SPEAKER MICROPHONE	\$20.00	Unit of Measure: EA
Part Number: MDPMMN4008A	List Price					
REMOTE SPEAKER MICROPHONE	\$20.00					
Unit of Measure: EA	CE: Yes RTTE: No					

	<p>Remote Speaker Microphone (IP54), with Ear Jack & Enhanced Noise Reduction</p> <ul style="list-style-type: none"> • Audio Jack: 3.5mm • Emergency Button: No • Volume Control: No • Noise Cancelling: Windporting feature • Intrinsic Safety Standard: FM (CP140/CP160/CP180 only) 					
	<table border="1"> <tr> <td>Part Number: MDPMMN4013A</td> <td>List Price</td> </tr> <tr> <td>RSM W/JACK IP 54 FOR CP</td> <td>\$58.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: No</td> </tr> </table>	Part Number: MDPMMN4013A	List Price	RSM W/JACK IP 54 FOR CP	\$58.00	Unit of Measure: EA
Part Number: MDPMMN4013A	List Price					
RSM W/JACK IP 54 FOR CP	\$58.00					
Unit of Measure: EA	CE: Yes RTTE: No					

	<p>Remote Speaker Microphone (IP57), with Enhanced Noise Reduction</p> <ul style="list-style-type: none"> • Audio Jack: No • Emergency Button: No • Volume Control: No • Noise Cancelling: Windporting feature • Intrinsic Safety Standard: FM (CP140/CP160/CP180 only) 					
	<table border="1"> <tr> <td>Part Number: MDPMMN4029A</td> <td>List Price</td> </tr> <tr> <td>RSM W/O JACK IP57 FOR CP</td> <td>\$55.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: No</td> </tr> </table>	Part Number: MDPMMN4029A	List Price	RSM W/O JACK IP57 FOR CP	\$55.00	Unit of Measure: EA
Part Number: MDPMMN4029A	List Price					
RSM W/O JACK IP57 FOR CP	\$55.00					
Unit of Measure: EA	CE: Yes RTTE: No					


	<p>Earbud with 3.5mm Plug</p> <ul style="list-style-type: none"> • Operation: Attach to RSM • PTT: No • VOX capability: No • Programmable Button: No • Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only) 					
	<table border="1"> <tr> <td>Part Number: MDRLN4885B</td> <td>List Price</td> </tr> <tr> <td>EARBUD WITH 3.5MM PLUG</td> <td>\$26.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: Yes RTTE: No</td> </tr> </table>	Part Number: MDRLN4885B	List Price	EARBUD WITH 3.5MM PLUG	\$26.00	Unit of Measure: EA
Part Number: MDRLN4885B	List Price					
EARBUD WITH 3.5MM PLUG	\$26.00					
Unit of Measure: EA	CE: Yes RTTE: No					

	<p>Receive only Earpiece with Translucent Tube and Eartip</p> <ul style="list-style-type: none"> • Operation: Attach to RSM -Receive Only • PTT: No • VOX capability: No • Programmable Button: No • Intrinsic Safety Standard: FM (GP Series, DP Series and CP100 Series models only) 					
	<table border="1"> <tr> <td>Part Number: MDRLN4941A</td> <td>List Price</td> </tr> <tr> <td>RECEIVE-ONLY EARP. W. TRANSC. TUBE</td> <td>\$55.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	Part Number: MDRLN4941A	List Price	RECEIVE-ONLY EARP. W. TRANSC. TUBE	\$55.00	Unit of Measure: EA
Part Number: MDRLN4941A	List Price					
RECEIVE-ONLY EARP. W. TRANSC. TUBE	\$55.00					
Unit of Measure: EA	CE: No RTTE: No					

	<p>Over the ear Receiver for RSM</p> <ul style="list-style-type: none"> • Operation: Attach to RSM • Emergency Button: No • Volume Control: No • Programmable Button: No • Intrinsic Safety Standard: FM (GP Series only) 					
	<table border="1"> <tr> <td>Part Number: WADN4190B</td> <td>List Price</td> </tr> <tr> <td>EAR RCVR W/COIL CBL&3.5MM PLUG</td> <td>\$42.00</td> </tr> <tr> <td>Unit of Measure: EA</td> <td>CE: No RTTE: No</td> </tr> </table>	Part Number: WADN4190B	List Price	EAR RCVR W/COIL CBL&3.5MM PLUG	\$42.00	Unit of Measure: EA
Part Number: WADN4190B	List Price					
EAR RCVR W/COIL CBL&3.5MM PLUG	\$42.00					
Unit of Measure: EA	CE: No RTTE: No					


P100 Series Portable Accessories

Manuals & Documentation


 <p>IMAGE COMING SOON</p>	<p>P100 SERIES - PUBLICATION CD</p> <p>Currently Not Orderable</p> <p>forecast Sept 09</p> <p>Motorola Online download is available</p>	
	<p>Part Number: PMLN5424A P100 SERIES - PUBLICATION CD Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p> <p>\$40.00</p>


Service and Repair

 <p>IMAGE COMING SOON</p>	<p>P100 Series Cloning Cable</p> <ul style="list-style-type: none"> • Cable to allow radio cloning 	
	<p>Part Number: PMDN4076AR CLONING CABLE Unit of Measure: EA CE: Yes RTTE: No</p>	<p>List Price</p> <p>\$15.00</p>

 <p>IMAGE COMING SOON</p>	<p>P100 Series Programming Cable</p> <ul style="list-style-type: none"> • Cable to allow radio programming. 	
	<p>Part Number: PMDN4077AR PROGRAMMING CABLE Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p> <p>\$63.00</p>

Software and Applications

 <p>IMAGE COMING SOON</p>	<p>P100 SERIES PROGRAMMING SOFTWARE</p> <p>Currently Not Orderable</p> <p>forecast Sept 09</p> <p>Motorola Online download is available</p>	
	<p>Part Number: GMVN5534A P100 SERIES PROGRAMMING SOFTWARE Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p> <p>\$100.00</p>

 <p>IMAGE COMING SOON</p>	<p>P100 SERIES TUNER</p> <p>Currently Not Orderable</p> <p>forecast Sept 09</p> <p>Motorola Online download is available</p>	
	<p>Part Number: GMVN5535A P100 SERIES TUNER Unit of Measure: EA CE: No RTTE: No</p>	<p>List Price</p> <p>\$70.00</p>